

2025



2025年《處方一覽表》 (《承保藥品清單》)

Centers Plan for Medicare Advantage Care
(HMO)

HPMS已核准《處方一覽表》，檔案提交ID：25209，第14版

本《處方一覽表》更新於2025年5月1日。如需獲得更多最新資訊，或者如果您有其他問題，敬請致電以下電話，聯絡Centers Plan for Medicare Advantage Care (HMO)會員服務部：1-888-807-5717（聽力障礙電傳使用者請致電：711），工作時間為每週7天，每天24小時，或者請瀏覽：www.centersplan.com/mapd。

多語言口譯服務

English	We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-888-807-5717 (TTY: 711). Someone who speaks English can help you. This is a free service.
Albanian	Ne kemi në dispozicion shërbime përkthimi për t'ju përgjigjiur çdo pyetjeje që mund të keni lidhur me shëndetin tuaj apo me planin tuaj të mjekimit. Për të siguruar një përkthyes/e, na telefononi në 1-888-807-5717 (TTY: 711). Dikush që flet shqip mund t'ju ndihmojë. Ky është një shërbim pa pagesë.
Arabic	لدينا خدمات ترجمة فورية مجانية للإجابة عن أي أسئلة قد تراودك بشأن خطتنا للصحة أو الأدوية. للحصول على مترجم فوري، اتصل بنا فحسب على الرقم 1-888-807-5717 (المستخدمي الهاتف النصي: 711). يمكن لشخص يتحدث العربية مساعدتك. هذه خدمة مجانية.
Bengali	আমাদের স্বাস্থ্য বা ওষুধ পরিকল্পনা সম্পর্কে আপনার যে কোনো প্রশ্নের উত্তর দেওয়ার জন্য আমাদের বিনামূল্যে দোভাষী পরিষেবা রয়েছে। দোভাষী পেতে হলে, আমাদের কেবল 1-888-807-5717 (TTY: 711) -এ কল করে যোগাযোগ করুন। বাংলাভাষী কেউ আপনাকে সাহায্য করতে পারেন। এটি বিনামূল্যে প্রাপ্ত পরিষেবা।
Simplified Chinese	我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-888-807-5717 (TTY 711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。
Traditional Chinese	您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-888-807-5717 (TTY 711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務
French	Nous disposons de services d'interprétation gratuits pour répondre à toutes les questions que vous pouvez avoir sur notre régime d'assurance-maladie ou d'assurance-médicaments. Pour obtenir un interprète, il suffit de nous appeler au 1-888-807-5717 (TTY : 711). Une personne qui parle français peut vous aider. Il s'agit d'un service gratuit.
French Creole	Nou gen sèvis entèprèt gratis pou reponn nenpòt kesyon ou ka genyen konsènan plan sante ak medikaman nou an. Pou w jwenn yon entèprèt, annik rele nou nan 1-888-807-5717 (TTY : 711). Yon moun ki pale Kreyòl Ayisyen ka ede w. Sèvis sa a gratis.
German	Wir bieten Ihnen einen kostenlosen Dolmetscherdienst, um alle Ihre Fragen zu unserem Gesundheits- oder Medikamentenplan zu beantworten. Für einen Dolmetscher, rufen Sie uns einfach unter der Rufnummer 1-888-807-5717 (TTY: 711) an. Eine Person, die Deutsch spricht, kann Ihnen helfen. Dies ist ein kostenloser Dienst.
Greek	Διαθέτουμε δωρεάν υπηρεσίες διερμηνείας για να απαντήσουμε σε τυχόν ερωτήσεις μπορεί να έχετε σχετικά με το πλάνο ιατρικής ή φαρμακευτικής περίθαλψής μας. Για να επικοινωνήσετε με διερμηνέα, απλώς καλέστε μας στο 1-888-807-5717 (TTY: 711). Κάποιος που μιλάει Ελληνικά μπορεί να σας βοηθήσει. Αυτή είναι μια δωρεάν υπηρεσία.
Hindi	हमारे स्वास्थ्य या ड्रग योजना के बारे में आपके किसी भी प्रश्न का उत्तर देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएं हैं। दुभाषिया की सेवा प्राप्त करने के लिए, हमें 1-888-807-5717 (TTY: 711) पर कॉल करें। हिंदीअंग्रेजी जानने वाला कोई व्यक्ति आपकी सहायता कर सकता है। यह निशुल्क सेवा है।

Italian	Disponiamo di servizi di interpretariato gratuiti per eventuali domande sul nostro piano di assistenza sanitaria e farmaceutica. Per ricevere il supporto di un interprete, chiamare il numero 1-888-807-5717 (TTY: 711). Sarà disponibile qualcuno che parli italiano. Il servizio è gratuito.
Japanese	弊社の健康および薬品に対するプランについて、お客様がお尋ねになりたいすべてのご質問にお答えするため弊社は無料通訳サービスを用意しております。通訳サービスを受けるには、弊社までお電話ください：1-888-807-5717 (TTY: 711)。日本語が話せる方がお手伝いします。こうしたサービスは無料です。
Korean	귀하의 건강 또는 약품 플랜에 대한 질문에 답변해드리는 무료 통역 서비스를 제공합니다. 통역사를 구하려면 1-888-807-5717 (TTY: 711) 번으로 전화하십시오. 한국어를 할 줄 아는 사람이 도와줄 수 있습니다. 이 서비스는 무료입니다.
Polish	Oferujemy bezpłatne usługi tłumacza, który odpowie na wszelkie pytania dotyczące naszego planu zdrowotnego lub planu przyjmowania leków. Aby uzyskać pomoc tłumacza, wystarczy zadzwonić pod numer 1-888-807-5717 (TTY: 711). Pomocy udzieli osoba mówiąca po Polskie. Usługa jest bezpłatna.
Portuguese	Contamos com serviços gratuitos de interpretação para sanar suas dúvidas sobre o plano de saúde ou medicamentos. Para conseguir um intérprete, entre em contato conosco pelo 1-888-807-5717 (TTY: 711). Alguém que fala português irá ajudá-lo. Este serviço é gratuito.
Russian	Мы предоставляем бесплатные услуги переводчика, чтобы ответить на любые ваши вопросы о нашем плане медицинского обслуживания или программе лекарственных препаратов. Чтобы воспользоваться услугами переводчика, просто позвоните нам по телефону 1-888-807-5717 (TTY : 711). Вам может помочь русскоязычный человек. Это бесплатная услуга.
Spanish	Contamos con servicios de interpretación gratuitos para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para recibir la ayuda de un intérprete, llámenos al 1-888-807-5717 (TTY: 711). Alguien que hable español puede ayudarle. Éste es un servicio gratuito.
Tagalog	Mayroon kaming mga libreng serbisyo ng pag-interpret upang sagutin ang mga katanungan mo tungkol sa kalusugan o plano sa paggagamot. Para makakuha ng taga-interpret, tawagan kami sa 1-888-807-5717 (TTY: 711). Taong nagsasalita ng tagalog ang makakatulong sa iyo. Ito ay libreng serbisyo.
Urdu	ہمارے ہیلتھ یا ڈرگ پلان کے بارے میں آپ کے کسی بھی سوال کا جواب دینے کے لیے ہمارے پاس مفت ترجمان کی خدمات ہیں۔ ترجمان حاصل کرنے کے لیے، ہمیں 1-888-807-5717 (TTY: 711) پر کال کریں۔ کوئی اردو بولنے والا آپ کی مدد کر سکتا ہے۔ یہ مفت خدمت ہے۔
Vietnamese	Chúng tôi có dịch vụ thông dịch miễn phí để trả lời mọi câu hỏi về chương trình bảo hiểm y tế hoặc thuốc của chúng tôi. Để yêu cầu người thông dịch, chỉ cần gọi cho chúng tôi theo số 1-888-807-5717 (TTY: 711). Ai đó nói tiếng Việt có thể giúp bạn. Đây là dịch vụ miễn phí.
Yiddish	מיר האבן אומזיסטע איבערזעצונג סערוויסעס צו ענטפערן סיי וועלכע פראגעס וואס איר קענט האבן וועגן אייער געזונטהייט אדער דראג פלאן. צו באקומען אן איבערזעצער, רופט אונז ביי 1-888-807-5717 (TTY: 711). איינער וואס רעדט אידיש קען אייך העלפן. דאס איז אן אומזיסטע סערוויס.

Centers Plan for Medicare Advantage Care (HMO)

2025年《處方一覽表》

(承保藥物清單或藥物清單)：

請閱讀：本文件含有關於
本計劃承保藥品的相關資訊

HPMS已核准《處方一覽表》，檔案提交 25209，版本號14。

現有會員注意：此處方一覽表自去年以來發生了變更。請閱覽此文件，確保《處方一覽表》仍然包含您服用的藥品。

本藥品清單（處方一覽表）中的「我們」或「我們的」指代Centers Plan for Healthy Living, LLC。其中的「計劃」或「我們的計劃」指代Centers Plan for Medicare Advantage Care (HMO)。

本文件包含一份本計劃的藥品清單（《處方一覽表》），最後更新日期為2025年5月1日。如需獲得最新藥物清單（《處方一覽表》），請聯絡我們。我們的聯絡方式和藥物清單（《處方一覽表》）最新更新日期會分別出現在封面和封底。

一般情況下，您必須使用網絡內藥房來使用您的處方藥福利。福利、《處方一覽表》、藥房網絡和/或自付費用/共同保險費可能會在2025年1月1日發生變更，並在當年中不時發生變更。

Centers Plan for Medicare Advantage Care處方一覽表是什麼？

在本文件中，我們使用「藥物清單」和「處方一覽表」這兩個術語來表示相同的意思。《處方一覽表》是Centers Plan for Medicare Advantage Care在諮詢醫療保健提供者團隊後選擇的《承保藥品清單》，這個清單上列出了有效的治療計劃所必需的處方療法。本計劃一般會承保《處方一覽表》內列出的藥品，只要這些藥品屬於具有醫療必要性的藥品，且處方由Centers Plan for Medicare Advantage Care網絡內的藥房開出，也符合其他的計劃規則。如想獲得關於如何開處方藥的更多資訊，請查閱您的承保福利說明。

《處方一覽表》會發生變更嗎？

大部分藥物承保變更發生在1月1日，但在一年當中我們計劃可能會新增或移除藥物清單中的藥品，將其轉移到另外一個分攤費用層級或增加新的限制。在進行這些變更時，我們須遵循Medicare的規定。我們會每月在網站上發佈《處方一覽表》更新，網址為：www.centersplan.com/mapd。

當年可影響您的變更：在以下案例中，您將因年中的承保變更受到影響：

- **立即替換某些新版本的**品牌藥**和**原始生物仿製劑**。**如果我們用一種新的、位於相同或較低費用分攤層級的、具有相同或更少限制的學名藥替代某種**品牌藥**，我們可立即將該藥從我們的《處方一覽表》上移除。當我們將一種藥物的新版本添加到我們的《處方一覽表》中時，我們也可能決定將**品牌藥**或**原始生物製劑**繼續保留在我們的《處方一覽表》中，但可立即將其移至不同的分攤費用層級或添加新的限制。

只有當我們正在添加一個新學名版本的**品牌藥物**名稱，或者添加已經在《處方一覽表》上的**原始生物製劑**的某些**新生物仿製藥**版本時，我們才會做出這些變更（例如，添加一種可互換的**生物仿製藥**，可以在藥房取代**原生物製品**，而不需要新的處方）。

如果您目前正在服用該**品牌藥**或**原始生物製劑**，我們可能不會在立即進行變更之前提前告知您，但我們之後會向您提供有關我們所做出的具體變更的資訊。

如果我們做出此類變更，您或您的處方醫生可以要求我們例外對待並繼續為您承保發生變更的藥物。如需更多資訊，請參閱以下標題為「如何向Centers Plan for Medicare Advantage Care請求處方一覽表特例處理？」的部分。

您可能首次聽說某些藥品類型。欲瞭解更多資訊，請參閱以下標題為「什麼是**原始生物製劑**，與**生物仿製藥**有何關係？」的部分。

- **退市的藥品。**如果製造商停止銷售某種藥物，或者食品藥品監督管理局(FDA)出於安全或有效性原因決定停止銷售某種藥物，我們可能會立即將該藥物從我們的《處方一覽表》中刪除，並在稍後通知服用該藥物的會員。
- **其他變更。**我們可能會進行影響目前服用藥品的會員的其他變動。例如，我們可能會在添加同等效力學名藥時從《處方一覽表》刪除某種**品牌藥**，或者在添加**生物仿製藥**時刪除某種**原始生物製劑**。我們也可能對**品牌藥**或**原始生物製劑**施加新的限制，或將其移至不同的分攤費用等級，或同時執行這兩項操作。我們可以根據新的臨床指導原則進行變更。如果我們將藥品從處方一覽表中移除，增加了一種藥品的事前核准、數量限制以和/或者分步治療限制，或將一種藥品移至更高的分攤費用等級，我們必須在變更生效前至少30天通知受影響的會員。或者，在會員要求續開藥品時，可能會收到30天的藥物供應量和變更通知。

如果我們做出此類變更，您或您的處方醫生可以要求我們進行特例處理並繼續為您承保您一直服用的藥物。我們為您提供的通知還將包含關於如何請求特例處理的資訊，您還可以在下面標題為「如何向Centers Plan for Medicare Advantage Care請求處方一覽表特例處理？」部分中找到相關資訊。

如果您正在服藥，此變更不會影響到您。一般情況下，如果您正在服用我們的2025年《處方一覽表》上的藥品，且此藥品年初屬於承保藥品，我們不會在2025年保險年期間中斷或減少藥品承保。這意味著正在服用該藥品的會員能夠在該保險年的剩餘時間以相同的分攤費用取得該藥品，且無需受到新的限制。您當年不會受到任何對您不產生影響的變化的直接通知。但是，自下一年的1月1日開始，這些變更的影響就會生效，因此請務必查看新福利年度《處方一覽表》上的藥品是否有任何變化。

隨信附上的《處方一覽表》最後更新日期為2025/5/1。如想獲得本計劃藥品保險的最新資訊，請聯絡我們。我們的聯絡資料在封面和封底。如果您受到《處方一覽表》變更的影響，我們將透過郵件向您傳送處方一覽表變更通知(FCN)。

如何使用《處方一覽表》？

有兩個方法可以在《處方一覽表》中尋找您的藥品：

醫療狀況

《處方一覽表》從第1頁開始。此處方一覽表中的藥品根據它們用於治療的醫療狀況類型劃分為不同種類。例如，用於治療心臟狀況的藥品被列於「心血管藥品」種類之下。如果您知道您的藥品的作用，則可從清單的第1項中查詢種類名稱。然後在這一種類下方查詢您的藥品。

字母排列

如果您不確定應該在哪個種類下方查詢，您應該在從第I-1頁開始的索引中尋找您的藥品。索引提供了一份清單，將本文件包含的所有藥品按照字母順序進行排列。品牌藥品和學名藥都列於此索引之中。查詢索引，找到您的藥品。在您的藥品旁邊，您將看到承保資訊所在頁面的頁碼。翻至索引中所列頁面，並在清單第一欄找到您的藥品名稱。

什麼是學名藥？

本計劃承保品牌藥和學名藥。學名藥是通過FDA審核的與品牌藥品具有相同活性成分的藥品。一般來說，學名藥和品牌藥效果一樣好，而且通常比品牌藥便宜。我們為多種品牌藥提供了可替代的學名藥。根據州法律，在藥房，學名藥通常可以取代品牌藥，而不需要新的處方。

什麼是原始生物製劑，與生物仿製藥有何關係？

在《處方一覽表》上，我們所說的「藥品」是指一種藥物或一種生物製劑。生物製品是比典型藥物更複雜的藥物。由於生物製劑比一般藥物更為複雜，不能完全複製，因此其替代形式被稱為生物仿製劑。一般來說，生物仿製藥和原始生物產品一樣有效，而且價格更低。某些生物製劑可以採用原始生物仿製劑作為替代。一些生物仿製藥是可互換的生物仿製藥，根據州法律，可以在藥房取代原生物製品，而不需要新的處方，就像學名藥可以取代品牌藥物一樣。

- 有關藥物類型的討論，請參閱《承保福利說明》，第5章，第3.1節，「《藥物清單》說明有哪些D部分藥品享受保險。」

我的受保範圍是否有約束或限制？

部分承保藥品可能有額外承保要求或限制。這些要求和限制可能包括：

- **事前核准：**我們計劃要求您或您的處方醫生為某些藥品獲得事前核准。這意味著您領取處方藥之前需要獲得Centers Plan for Medicare Advantage Care的核准。若您未獲得核准，本計劃可能不承保此藥品。
- **數量限制：**對於某些藥品，我們計劃限制我們承保的藥量。例如，Centers Plan for Medicare Advantage Care將sumatriptan 100mg的單次處方量限制為9片。這可能是對一個月或三個月標準供應藥量的補充。
- **分步治療：**在某些情況下，我們計劃會要求您在其承保治療您所患病症的藥物前先試用其他藥物。例如，如果藥品A和藥品B都可治療您的疾病情況，Centers Plan for Medicare Advantage Care可能會要求您先試用藥品A，否則就不承保藥品B。如果藥品A對您無效，本計劃將承保藥品B。

如想瞭解您的藥品是否有其他額外要求或限制，您可從第1頁開始檢視《處方一覽表》。您也可以瀏覽我們的網站，瞭解有關特定承保藥品所受約束的詳細資訊。我們已在網上發佈解釋我們的事先核准和逐步治療限制的文件。您也可以要求我們向您傳送一份副本。我們的聯絡方式和《處方一覽表》最新更新日期會分別出現在封面和封底。

您可以要求我們計劃對這些約束和限制作出特例處理，或對也許能夠治療您的健康狀況的其他類似藥物清單作出特例處理。參見v頁的「如何向Centers Plan for Medicare Advantage Care申請《處方一覽表》特例？」部分，瞭解請求特例處理的方法。

如果我的藥品未納入此《處方一覽表》該怎麼辦？

如果您的藥品未納入此《處方一覽表》（《承保藥品清單》），您首先應該聯絡會員服務部，詢問您的藥品是否在承保範圍內。

如果您瞭解到我們計劃不承保您的藥品，您有兩個選項：

- 您可以向會員服務部索取一份本計劃承保的類似藥品清單。當您收到這份清單之後，將其交給您的醫生檢視並要求醫生開一種與Centers Plan for Medicare Advantage Care承保藥品類似的藥品。

- 您可以向我們計劃請求特例處理並要求承保您的藥品。參見下方資訊，了解如何請求特例處理。

我如何向Centers Plan for Medicare Advantage Care請求《處方一覽表》特例處理？

您可以向本計劃請求對我們的承保規則進行特例處理。您可以向我們請求進行幾類特例處理。

- 即使一種藥品不在我們的《處方一覽表》之上，您也可以向我們請求承保此藥品。如果請求被核准，此藥品將以事先決定的費用分攤水準被承保，而您無法要求我們提供更低的費用分攤水準。
- 您可以要求我們免除承保範圍限制，包括事前核准、分步治療或您藥物的數量限制。例如，對於某些藥品，我們計劃限制我們承保的藥量。如果您的藥品有藥量限制，您可以向我們請求撤銷此限制並承保更大藥量。
- 您能夠請求我們以更低的費用分攤水準承保一種處方藥品，除非這種藥品屬於專業級藥品。如果請求被核准，這將降低您必須支付的藥品費用。

一般情況下，只有當計劃《處方一覽表》上包含的替代藥品、分攤費用更低的藥品或採取限制對您的治療效果不佳以及/或者可能對您產生副作用，我們計劃才會核准您的特例請求。

您或您的處方醫生應聯絡我們，申請分級或《處方一覽表》特例處理，包括承保範圍限制的特例處理。當您要求例外處理，您的開藥醫生將需要解釋您為什麼需要該項例外處獲得核准的醫療理由。一般情況下，我們必須在收到您的開藥醫生出具的支援性聲明後的72小時內作出決定。如果您或您的醫生認為（而我們也同意）等待72小時才能裁定可能會對您的健康造成嚴重傷害，您可以請求加急（快速）裁定。如果我們同意，或者如果您的處方醫生要求快速做出決定，我們必須在收到您的處方醫生的支援性聲明後24小時內做出決定。

如果我的藥物不在《處方一覽表》上或有限制，我該怎麼辦？

作為我們的計劃的新會員或持續會員，您可能正在服用不在我們的《處方一覽表》上的藥品。或者，您可能正在服用我們《處方一覽表》上的藥物，但該藥物有承保範圍限制，例如事前核准。您應與您的處方醫生討論請求承保範圍裁定，以證明您符合核准標準，改用我們承保的替代藥物，或請求《處方一覽表》特例處理，以便我們承保您服用的藥物。在您和您的醫生決定正確的處理措施之時，我們可能會在特定情況下在您成為我們的計劃會員的最初90天內承保您的藥品。

對於您的每種不在我們的《處方一覽表》上或有承保限制的藥物，我們將承保30天的臨時供應量。如果您所開的處方藥用量天數較少，我們將允許再次配藥，以便提供最多30天供應的藥品。如果保險未獲核准，結束您最初30天的供應藥量之後，我們不會為這些藥品支付費用，即使您成為本計劃會員的時間不超過90天亦如此。

如果您是一家長期護理機構的住院病患且您需要的藥品並不在我們的《處方一覽表》上或者如果您獲得藥品的能力有限，而您加入我們計劃成為會員已經超過90天，在您尋求《處方一覽表》特例處理期間，我們將承保31天的緊急用藥用量。

如果下列一個護理等級變更情況適用於您，您可能會有資格獲得您目前正在服用的藥品的過渡用量：

- 如果您從醫院或其他機構轉到長期護理機構
- 如果您離開長期護理機構回家
- 如果您從專業護理機構出院

以上所列的護理等級變更只是您可能會有資格獲得過渡用量的一些原因，有關更多資訊，請致電藥房服務台：1-888-807-5717（聽力障礙電傳使用者應致電711），工作時間為每週7天，每天24小時。

更多資訊

為獲得關於您的Centers Plan for Medicare Advantage Care處方藥品承保的詳細資訊，請閱覽您的《承保福利說明》和其他計劃材料。

如果您對我們計劃有疑問，請聯絡我們。我們的聯絡方式和《處方一覽表》最新更新日期會分別出現在封面和封底。

如果您對聯邦醫療保險處方藥品承保有一般性問題，請致電聯邦醫療保險，電話是1-800-MEDICARE (1-800-633-4227)，每週7天、每天24小時開通。聽力障礙電傳使用者應致電1-877-486-2048。或者瀏覽<http://www.medicare.gov>。

Centers Plan for Medicare Advantage Care 《處方一覽表》

從第1頁開始的《處方一覽表》向您提供我們計劃承保的藥物資訊。

如果您在藥物清單上找藥物有困難，請翻至I-1頁，開始閱讀索引部分。

圖表第一列是藥品名稱。品牌藥名稱大寫（如：LIPITOR），學名藥為斜體小寫（如：*atorvastatin*）。

要求/限制欄中的資訊告知您我們計劃對您的藥品承保是否有任何特殊要求。

文件文字部分可能會有以下縮寫
承保註釋縮寫

使用管理約束		
縮寫	說明	解釋
AGE (年齡) (不超過x歲)	事前核准年齡編輯	只有年齡超過這一年齡界限的受益人才需要事前核准。
NDS	非延期供應	此藥品僅限於提供一個月或更短時間的供應。超出一個月的供應後，您將無法配藥。
PA	事前核准約束	您（或您的醫生）在配藥之前需要獲得本計劃的事先核准。沒有事先核准，本計劃可能不承保此藥。
PA BvD	B部分及D部分判定的事前核准約束	此藥品可能由您的B部分醫療或D部分處方藥保險進行承保。在您獲得此藥配藥之前，您（或者您的醫生）必須首先獲得本計劃的事前核准，以確定Medicare D部分承保此藥品。沒有事先核准，本計劃可能不承保此藥。
PA-HRM	高風險藥物的事前核准	本藥品已經被CMS視為潛在有害藥品，因此針對Medicare 65歲及以上受益者是高危藥品。如果您的年齡為65歲或以上，您（或您的醫生）必須在配藥之前獲得本計劃的事前核准。沒有事先核准，本計劃可能不承保此藥品。
PA NSO	僅適用於新會員的事前核准	如果您是一名新會員或者如果您之前未曾服用過此藥，您（或您的醫生）必須在您為此藥配藥之前獲得本計劃的事前核准。沒有事先核准，本計劃可能不承保此藥。
PA NSO-HRM	HRM新會員需要PA	本藥品已經被CMS視為潛在有害藥品，因此針對Medicare 65歲及以上受益者是高危藥品。如果您的年齡為65歲或以上，您（或您的醫生）必須在配藥之前獲得本計劃的事前核准。沒有事先核准，本計劃可能不承保此藥。然而，一旦您收到事前核准並開始服用此藥物，則無需在下一年獲得新的事前核准。
QL	數量限制約束	本計劃限制每份處方或某指定期間所承保的藥量。
ST	分步治療約束	在本計劃將為此藥提供承保之前，您必須首先使用其他藥品以應對您的醫療病症。只有當其他藥品對您並不起作用的情況下，此藥才可能獲得承保。

在本文件
正文中可以找到以下額外的承保註釋縮寫。

其他特殊承保要求		
縮寫	說明	解釋
LA	取得管道有限的藥品	該處方可能只允許在一些藥房配藥。欲瞭解更多訊息，請參閱您的《藥房名錄》或致電藥房服務台：1-888-807-5717，工作時間為每週7天，早8點至晚8點。聽力障礙電傳使用者應致電711。
NM	不可郵購藥品	您可在您的處方一覽表中按折扣藥品分攤費用郵購多數藥品的1個月以上供給量。透過郵購無法獲得的藥品在您處方一覽表中的要求/限制一欄中以「NM」標註。
NDS	不提供延期供應	此藥品不提供延期供應
效力和劑型縮寫		
縮寫	說明	
8 hr	8小時	
12 hr	12小時	
24 hr	24小時	
72 hr	72小時	
act	活性	
aero	氣溶膠	
admin	服用	
ampul	安瓿	
app	塗藥裝置	
appl	塗藥裝置	
auto	自動	
cap	膠囊	
chew	咀嚼片	
CT	計數	
comb	組合套裝	
conc	濃縮	
del	延遲	
delayed	延遲	
disinteg	崩解	

效力和劑型縮寫（續）	
縮寫	說明
disintegrat	崩解
dose	劑量
DR	延遲釋放
EC	腸溶衣
emolnt	潤膚劑
ENFit	腸道給藥接頭
er	延時釋放
ER	延時釋放
ext	延時
extnd	延時
extend	延時
gast	胃
HFA	氫氟烷
hi	高
IR	立即釋放
liqd	液體
loz	錠劑
lo	低
lozeng	錠劑
mini lozenge	微型錠劑
misc	其他
MP	計量泵
muco	黏液
pak	包
pack	包
PCA	病患控制給藥
pell	微丸
pk	包裝
Powdr	粉末
pt	病患
recon	復原
rel	釋放
releas	釋放
soln	溶液
sprinkl	口服顆粒製劑
susp	懸浮液
suspen	懸浮液

效力和劑型縮寫（續）	
縮寫	說明
syring	注射器
tab	片劑
TD	經皮
var	可變
w/	及

目錄

鎮痛藥物.....	3
麻醉藥物.....	6
抗成癮/物質濫用治療劑.....	7
抗焦慮藥物.....	7
抗菌藥物.....	9
抗癌藥物.....	15
抗痙攣劑.....	32
失智症治療藥物.....	37
抗抑鬱藥物.....	38
降糖藥.....	41
抗真菌藥物.....	46
抗痛風藥物.....	48
抗組胺藥物.....	48
抗感染藥物（皮膚和黏膜）.....	48
抗偏頭痛劑.....	49
抗分支桿菌藥.....	50
止吐藥物.....	50
驅蟲藥物.....	51
抗帕金森病藥物.....	52
抗精神病藥物.....	54
抗病毒藥物（全身）.....	60
血液製品/改性劑/體積膨脹劑.....	66
熱量劑.....	69
心血管藥物.....	70
中樞神經系統藥物.....	79

避孕藥.....	83
牙齒和口腔藥物.....	91
皮膚病藥物.....	91
用具.....	95
酶輔因子/分子伴侶.....	139
酶替代/改性劑.....	139
眼耳鼻喉藥劑.....	139
胃腸道藥物.....	143
泌尿生殖系統藥物.....	146
重金屬拮抗劑.....	147
激素替代藥物，刺激/替代/改性	147
免疫製劑.....	152
炎症性腸道疾病藥物.....	164
代謝性骨疾病藥物.....	164
各種治療劑.....	165
滴眼劑.....	167
替代製劑.....	168
呼吸道藥物.....	169
骨骼肌鬆弛劑.....	173
睡眠障礙藥物.....	174
血管擴張劑.....	174
維生素和礦物質.....	175

藥物名稱	藥物層級	要求/限額
鎮痛藥物		
鎮痛藥物, 雜項		
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	1	NM; NDS; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	1	NM; NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	1	NM; NDS; QL (180 per 30 days)
<i>buprenorphine transdermal patch</i> (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour	2	NM; NDS; QL (4 per 28 days)
<i>butalbital-acetaminop-caf-cod oral capsule</i> 50-325-40-30 mg	2	PA-HRM; NM; NDS; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule</i> 50-300-40 mg (Fioricet)	4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule</i> 50-325-40 mg	4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral tablet</i> 50-325-40 mg	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>endocet oral tablet</i> 10-325 mg (oxycodone-acetaminophen)	2	NM; NDS; QL (180 per 30 days)
<i>endocet oral tablet</i> 2.5-325 mg, 5-325 mg (oxycodone-acetaminophen)	2	NM; NDS; QL (360 per 30 days)
<i>endocet oral tablet</i> 7.5-325 mg (oxycodone-acetaminophen)	2	NM; NDS; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle</i> 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle</i> 200 mcg	3	PA; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch</i> 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr	2	NM; NDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution</i> 10-325 mg/15 ml	2	NDS; QL (2700 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	NM; NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i>	1	NM; NDS; QL (240 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg</i> (Dilaudid)	1	NM; NDS; QL (180 per 30 days)
<i>hydromorphone oral tablet 8 mg</i> (Dilaudid)	2	NM; NDS; QL (180 per 30 days)
<i>methadone oral tablet 10 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	PA; NM; NDS; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	1	NM; NDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	NM; NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NM; NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NM; NDS; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg</i>	2	NM; NDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	NM; NDS; QL (90 per 30 days)
<i>morphine oral tablet extended release 60 mg</i> (MS Contin)	2	NM; NDS; QL (60 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	NM; NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	NM; NDS; QL (120 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>oxycodone-acetaminophen oral tablet</i> (Endocet) 10-325 mg	2	NM; NDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet</i> (Endocet) 2.5-325 mg, 5-325 mg	2	NM; NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet</i> (Endocet) 7.5-325 mg	2	NM; NDS; QL (240 per 30 days)
<i>tramadol oral tablet</i> 50 mg	1	NM; NDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet</i> 37.5-325 mg	1	NM; NDS; QL (300 per 30 days)
非甾體類抗炎劑		
<i>celecoxib oral capsule</i> 100 mg, 200 mg, 400 mg, 50 mg (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac potassium oral tablet</i> 50 mg	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release</i> 24 hr 100 mg	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec)</i> 25 mg	1	
<i>diclofenac sodium oral tablet, delayed release (dr/ec)</i> 50 mg	1	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec)</i> 75 mg	1	QL (60 per 30 days)
<i>diclofenac sodium topical drops</i> 1.5 %	4	QL (300 per 30 days)
<i>diclofenac sodium topical gel</i> 1 % (Arthritis Pain (diclofenac))	1	QL (1000 per 30 days)
<i>diclofenac sodium topical solution in metered-dose pump</i> 20 mg/gram /actuation(2 %) (Pennsaid)	5	PA; NM; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic</i> 50-200 mg-mcg (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic</i> 75-200 mg-mcg (Arthrotec 75)	2	
<i>etodolac oral capsule</i> 200 mg, 300 mg	2	
<i>etodolac oral tablet</i> 400 mg (Lodine)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>etodolac oral tablet 500 mg</i>	2	
<i>flurbiprofen oral tablet 100 mg</i>	1	
<i>ibu oral tablet 400 mg</i> (ibuprofen)	1	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)	1	
<i>ibuprofen oral tablet 400 mg</i> (IBU)	1	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)	1	
<i>indomethacin oral capsule 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	1	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	1	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg</i> (EC-Naprosyn)	1	
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	
麻醉藥物		
局部麻醉藥物		
<i>dermacinrx lidocan 5% patch outer</i> (lidocaine)	4	PA; QL (90 per 30 days)
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	1	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)	1	QL (30 per 30 days)
<i>lidocaine topical adhesive patch, medicated 5 %</i> (DermacinRx Lidocan)	4	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (240 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	1	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	PA; QL (30 per 30 days)
<i>lidocan iii topical adhesive patch, medicated 5 %</i> (lidocaine)	4	PA; QL (90 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH, MEDICATED 1.8 %	3	PA; QL (90 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
抗成癮/物質濫用治療劑		
抗成癮/物質濫用治療劑		
acamprosate oral tablet,delayed release (dr/ec) 333 mg	4	
buprenorphine hcl sublingual tablet 2 mg, 8 mg	2	QL (90 per 30 days)
buprenorphine-naloxone sublingual film 12-3 mg (Suboxone)	4	QL (60 per 30 days)
buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg (Suboxone)	4	QL (90 per 30 days)
buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg	1	QL (90 per 30 days)
bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg	1	
disulfiram oral tablet 250 mg, 500 mg	2	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
naloxone injection solution 0.4 mg/ml	1	
naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml	2	
naloxone nasal spray, non-aerosol 4 mg/actuation (Narcan)	2	QL (4 per 30 days)
naltrexone oral tablet 50 mg	2	
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	4	QL (240 per 180 days)
varenicline tartrate oral tablet 0.5 mg, 1 mg (Chantix)	4	QL (336 per 365 days)
varenicline tartrate oral tablet 1 mg (56 pack)	4	QL (336 per 365 days)
varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42) (Chantix Starting Month Box)	4	
抗焦慮藥物		
苯二氮		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg (Xanax)	1	NM; NDS; QL (120 per 30 days)
alprazolam oral tablet 2 mg (Xanax)	1	NM; NDS; QL (150 per 30 days)
chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg	1	NM; NDS; QL (120 per 30 days)
clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)	1	QL (90 per 30 days)
clonazepam oral tablet 2 mg (Klonopin)	1	QL (300 per 30 days)
clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg	2	QL (90 per 30 days)
clonazepam oral tablet, disintegrating 2 mg	2	QL (300 per 30 days)
clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg	4	QL (180 per 30 days)
diazepam injection solution 5 mg/ml	1	QL (10 per 28 days)
diazepam injection syringe 5 mg/ml	4	
diazepam intensol oral concentrate 5 mg/ml (diazepam)	2	QL (1200 per 30 days)
diazepam oral solution 5 mg/5 ml (1 mg/ml)	2	QL (1200 per 30 days)
diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)	1	QL (120 per 30 days)
lorazepam 2 mg/ml oral concent (Lorazepam Intensol)	1	NM; NDS; QL (150 per 30 days)
lorazepam 4 mg/ml vial inner (Ativan)	1	
lorazepam injection solution 2 mg/ml (Ativan)	1	QL (2 per 30 days)
lorazepam injection solution 4 mg/ml (Ativan)	4	QL (2 per 30 days)
lorazepam injection syringe 2 mg/ml	1	QL (2 per 30 days)
lorazepam intensol oral concentrate 2 mg/ml (lorazepam)	1	NM; NDS; QL (150 per 30 days)
lorazepam oral tablet 0.5 mg, 1 mg (Ativan)	1	NM; NDS; QL (90 per 30 days)
lorazepam oral tablet 2 mg (Ativan)	1	NM; NDS; QL (150 per 30 days)
temazepam oral capsule 15 mg, 30 mg (Restoril)	1	NM; NDS; QL (30 per 30 days)
temazepam oral capsule 22.5 mg (Restoril)	2	NM; NDS; QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
temazepam oral capsule 7.5 mg (Restoril)	2	NM; NDS; QL (120 per 30 days)
triazolam oral tablet 0.125 mg	2	NM; NDS; QL (120 per 30 days)
triazolam oral tablet 0.25 mg (Halcion)	2	NM; NDS; QL (60 per 30 days)
抗菌藥物		
氨基糖苷類抗生素		
amikacin injection solution 500 mg/2 ml	2	
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	5	PA; NM; NDS; QL (235.2 per 28 days)
gentamicin injection solution 20 mg/2 ml, 40 mg/ml	2	
gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml	2	
gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml	1	
neomycin oral tablet 500 mg	2	
streptomycin intramuscular recon soln 1 gram	5	NM; NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml (Tobi)	5	PA BvD; NM; NDS
tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml	4	
抗菌藥物，雜項		
clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg (Cleocin HCl)	1	
clindamycin phosphate injection solution 150 mg/ml (Cleocin)	2	
colistin (colistimethate na) injection recon soln 150 mg (Coly-Mycin M Parenteral)	5	NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
daptomycin intravenous recon soln 350 mg, 500 mg	5	NM; NDS
linezolid in dextrose 5% intravenous (Zyvox) piggyback 600 mg/300 ml	4	
linezolid oral suspension for reconstitution 100 mg/5 ml (Zyvox)	5	NM; NDS
linezolid oral tablet 600 mg (Zyvox)	4	
methenamine hippurate oral tablet 1 gram	2	
metronidazole in nacl (iso-os) (Metro I.V.) intravenous piggyback 500 mg/100 ml	1	
metronidazole oral tablet 250 mg, 500 mg	1	
nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg	1	QL (120 per 30 days)
nitrofurantoin monohyd/m-cryst oral capsule 100 mg (Macrobid)	1	QL (60 per 30 days)
trimethoprim oral tablet 100 mg	1	
vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg	4	
vancomycin oral capsule 125 mg (Vancocin)	4	QL (56 per 14 days)
vancomycin oral capsule 250 mg (Vancocin)	4	QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG	3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
頭孢菌素		
cefaclor oral capsule 250 mg, 500 mg	2	
cefadroxil oral capsule 500 mg	1	
cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml	2	
cefazolin injection recon soln 1 gram, 10 gram, 500 mg	2	
cefdinir oral capsule 300 mg	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	4	
<i>cefixime oral capsule 400 mg</i>	4	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	4	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	4	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	4	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime)	4	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS
大環內酯類		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	4	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
azithromycin oral tablet 250 mg, 500 mg (Zithromax)	1	
clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	4	
clarithromycin oral tablet 250 mg, 500 mg	2	
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml (E.E.S. Granules)	4	
erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml (EryPed 400)	4	
erythromycin oral tablet 250 mg, 500 mg	4	
其他β-內醯胺類抗生素		
aztreonam injection recon soln 1 gram, 2 gram (Azactam)	4	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
ertapenem injection recon soln 1 gram	4	
imipenem-cilastatin intravenous recon soln 250 mg	4	
imipenem-cilastatin intravenous recon soln 500 mg (Primaxin IV)	4	
meropenem intravenous recon soln 1 gram, 500 mg	3	
青黴素		
amoxicillin oral capsule 250 mg, 500 mg	1	
amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml	1	
amoxicillin oral tablet 500 mg, 875 mg	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	1	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	4	
<i>ampicillin oral capsule 500 mg</i>	1	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	4	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	
LENTOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT	4	
<i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i>	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit	4	
penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml	2	
penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml	1	
penicillin v potassium oral tablet 250 mg, 500 mg	1	
piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram	4	
喹諾酮類		
ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg	1	
ciprofloxacin hcl oral tablet 750 mg	1	
ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml	2	
levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml	2	
levofloxacin oral solution 250 mg/10 ml	4	
levofloxacin oral tablet 250 mg, 500 mg, 750 mg	1	
moxifloxacin 400 mg/250 ml bag suv, p/f, outer	4	
moxifloxacin oral tablet 400 mg	2	
moxifloxacin-sod.chloride(iso) (Avelox in NaCl (iso- intravenous piggyback 400 mg/250 osmotic)) ml	4	
磺胺類		
sulfadiazine oral tablet 500 mg	4	
sulfamethoxazole-trimethoprim oral (Sulfatrim) suspension 200-40 mg/5 ml	2	
sulfamethoxazole-trimethoprim oral (Bactrim) tablet 400-80 mg	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
sulfamethoxazole-trimethoprim oral tablet 800-160 mg (Bactrim DS)	1	
四環素		
demeclocycline oral tablet 150 mg, 300 mg	4	
doxy-100 intravenous recon soln 100 mg (doxycycline hyclate)	4	
doxycycline hyclate intravenous recon soln 100 mg (Doxy-100)	4	
doxycycline hyclate oral capsule 100 mg	2	
doxycycline hyclate oral capsule 50 mg (Morgidox)	2	
doxycycline hyclate oral tablet 100 mg, 150 mg, 20 mg, 75 mg	2	
doxycycline hyclate oral tablet 50 mg (Targadox)	2	
doxycycline monohydrate oral capsule 100 mg (Mondoxyne NL)	1	
doxycycline monohydrate oral capsule 150 mg	1	QL (60 per 30 days)
doxycycline monohydrate oral capsule 50 mg	1	
doxycycline monohydrate oral capsule 75 mg (Mondoxyne NL)	1	QL (60 per 30 days)
doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml	2	
doxycycline monohydrate oral tablet 100 mg (Avidoxy)	2	
doxycycline monohydrate oral tablet 50 mg	2	
minocycline oral capsule 100 mg, 50 mg, 75 mg	1	
tetracycline oral capsule 250 mg, 500 mg	4	
tigecycline intravenous recon soln 50 mg (Tygacil)	5	NM; NDS
抗癌藥物		
抗癌藥物		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>abiraterone oral tablet 250 mg</i> (Abirtega)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>abiraterone oral tablet 500 mg</i> (Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>abirtega oral tablet 250 mg</i> (abiraterone)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML	5	PA NSO; NM; NDS; QL (1.6 per 28 days)
AUGTYRO ORAL CAPSULE 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
AUGTYRO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>bendamustine intravenous recon soln</i> (Treanda) 100 mg, 25 mg	5	PA NSO; NM; NDS
BENDAMUSTINE (Bendeka) INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS (bendamustine) SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	
BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)	5	PA NSO; NM; NDS; QL (75 per 28 days)
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	
<i>bortezomib injection recon soln 1 mg, 2.5 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 3.5 mg</i> (Velcade)	4	PA NSO
BORUZU INJECTION SOLUTION 2.5 MG/ML	4	PA NSO
BOSULIF ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NM; NDS; QL (30 per 30 days)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg	5	PA BvD; NM; NDS
cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml	5	PA BvD; NM; NDS
cyclophosphamide intravenous solution 500 mg/ml (Frindovyx)	5	PA BvD; NM; NDS
cyclophosphamide oral capsule 25 mg, 50 mg	4	PA BvD; ST
cyclophosphamide oral tablet 25 mg, 50 mg	3	PA BvD; ST
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DANZITEN ORAL TABLET 71 MG, 95 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg (Sprycel)	5	PA NSO; NM; NDS; QL (30 per 30 days)
dasatinib oral tablet 20 mg (Sprycel)	5	PA NSO; NM; NDS; QL (90 per 30 days)
DATROWAY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>decitabine intravenous recon soln 50 mg</i>	5	NM; NDS
<i>doxorubicin, peg-liposomal</i> (Caelyx) <i>intravenous suspension 2 mg/ml</i>	5	PA BvD; NM; NDS
ELAHERE INTRAVENOUS SOLUTION 5 MG/ML	5	PA NSO; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML	5	PA NSO; NM; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NM; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 25 mg</i>	5	PA NSO; NM; NDS; QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	4	
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	4	
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA BvD; NM; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	3	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i>	1	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)	4	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NM; NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg</i> (Iressa)	5	PA NSO; NM; NDS; QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 (lomustine) MG	4	
GLEOSTINE ORAL CAPSULE 100 (lomustine) MG, 40 MG	5	NM; NDS
GOMEKLI ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
GOMEKLI ORAL CAPSULE 2 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	3	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	3	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NM; NDS; QL (216 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG	5	PA NSO; NM; NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
IMKELDI ORAL SOLUTION 80 MG/ML	5	PA NSO; NM; NDS; QL (280 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ITOVEBI ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ITOVEBI ORAL TABLET 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LAZCLUZE ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	4	PA NSO

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	4	PA NSO
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NM; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	PA NSO; NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NM; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NM; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral suspension 20 mg/ml</i> (Purixan)	5	NM; NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	5	PA NSO; NM; NDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; NM; NDS
<i>pazopanib oral tablet 200 mg</i> (Votrient)	5	PA NSO; NM; NDS; QL (120 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	5	NM; NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NM; NDS
<i>pemetrexed intravenous recon soln 100 mg, 500 mg</i>	5	NM; NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NM; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML (mercaptopurine)	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RETEVMO ORAL TABLET 120 MG, 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RETEVMO ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 110 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
REVUFORJ ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG	5	PA NSO; NM; NDS; QL (8 per 28 days)
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	5	PA NSO; NM; NDS
SCEMBLIX ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
SCEMBLIX ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NM; NDS; QL (900 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NM; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	
TASIGNA ORAL CAPSULE 150 MG, 200 MG (nilotinib hcl)	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG (nilotinib hcl)	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (30 per 30 days)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	4	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NM; NDS; QL (64 per 28 days)
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NM; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	4	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VORANIGO ORAL TABLET 10 MG, 40 MG	5	PA NSO; NM; NDS
VYLOY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XALKORI ORAL PELLETT 150 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
XALKORI ORAL PELLETT 20 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
XALKORI ORAL PELLETT 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2), 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZIIHERA INTRAVENOUS RECON SOLN 300 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NM; NDS; QL (20 per 28 days)
抗癌藥劑		
抗癌藥劑		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>	2	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	4	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	4	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	
EPRONTIA ORAL SOLUTION 25 MG/ML	4	ST
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i>	4	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	4	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fosphephenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	1	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	1	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	4	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	4	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg (Lamictal)	2	
lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg (Lamictal ODT)	4	
levetiracetam intravenous solution 500 mg/5 ml (Keppra)	2	
levetiracetam oral solution 100 mg/ml (Keppra)	2	
levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg (Keppra)	2	
levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg (Keppra XR)	2	
levetiracetam oral tablet for suspension 250 mg (Spritam)	4	ST
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG	4	QL (10 per 30 days)
methsuximide oral capsule 300 mg (Celontin)	4	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml) (Trileptal)	4	
oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg (Trileptal)	2	
phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)	2	PA NSO-HRM; AGE (Max 64 Years)
phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg	2	PA NSO-HRM; AGE (Max 64 Years)
PHENYTEK ORAL CAPSULE 200 MG, 300 MG (phenytoin sodium extended)	4	
phenytoin oral suspension 125 mg/5 ml (Dilantin-125)	1	
phenytoin oral tablet, chewable 50 mg (Dilantin Infatabs)	1	
phenytoin sodium extended oral capsule 100 mg (Dilantin Extended)	2	
phenytoin sodium extended oral capsule 200 mg, 300 mg (Phenytek)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	4	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>	2	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NM; NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	4	ST
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	ST; NM; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG	4	ST
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG (levetiracetam)	4	ST
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	4	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral capsule, sprinkle 50 mg</i>	4	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	5	NM; NDS; QL (10 per 30 days)
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral tablet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	
<i>zonisamide oral capsule 50 mg</i>	1	
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NM; NDS; QL (1080 per 30 days)
失智症治療藥物		
失智症治療藥物		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i> (Aricept)	2	QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
donepezil oral tablet,disintegrating 10 mg	1	
donepezil oral tablet,disintegrating 5 mg	1	QL (30 per 30 days)
ergoloid oral tablet 1 mg	3	
galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg	2	QL (30 per 30 days)
galantamine oral solution 4 mg/ml	4	QL (200 per 30 days)
galantamine oral tablet 12 mg, 4 mg, 8 mg	2	QL (60 per 30 days)
memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg	2	ST; QL (30 per 30 days)
memantine oral capsule,sprinkle,er (Namenda XR) 24hr 7 mg	2	ST; QL (30 per 30 days)
memantine oral solution 2 mg/ml	4	QL (300 per 30 days)
memantine oral tablet 10 mg, 5 mg	2	QL (60 per 30 days)
rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg	2	
rivastigmine transdermal patch 24 (Exelon Patch) hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour	4	QL (30 per 30 days)
抗抑鬱藥物		
抗抑鬱藥物		
amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	1	
amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg	2	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NM; NDS
bupropion hcl oral tablet 100 mg, 75 mg	1	
bupropion hcl oral tablet extended (Wellbutrin XL) release 24 hr 150 mg, 300 mg	1	
bupropion hcl oral tablet sustained- (Wellbutrin SR) release 12 hr 100 mg, 150 mg, 200 mg	1	
citalopram oral solution 10 mg/5 ml	2	
citalopram oral tablet 10 mg (Celexa)	1	QL (120 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	4	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	4	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	4	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	1	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	4	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
imipramine hcl oral tablet 10 mg, 25 mg, 50 mg	1	
MARPLAN ORAL TABLET 10 MG	4	
mirtazapine oral tablet 15 mg, 30 mg (Remeron)	1	
mirtazapine oral tablet 45 mg, 7.5 mg	1	
mirtazapine oral tablet,disintegrating (Remeron SolTab) 15 mg, 30 mg, 45 mg	2	
nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg	2	
nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)	1	
nortriptyline oral solution 10 mg/5 ml	4	
paroxetine hcl oral suspension 10 mg/5 ml (Paxil)	4	PA NSO-HRM; AGE (Max 64 Years)
paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg (Paxil)	1	PA NSO-HRM; AGE (Max 64 Years)
paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg (Paxil CR)	4	
perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg	2	
phenelzine oral tablet 15 mg (Nardil)	2	
protriptyline oral tablet 10 mg, 5 mg	4	
RALDESY ORAL SOLUTION 10 MG/ML	5	PA NSO; NM; NDS; QL (1200 per 30 days)
sertraline oral concentrate 20 mg/ml (Zoloft)	2	
sertraline oral tablet 100 mg, 25 mg, 50 mg (Zoloft)	1	
SPRAVATO NASAL SPRAY,NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
tranylcypromine oral tablet 10 mg (Parnate)	4	
trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg	1	
trimipramine oral capsule 100 mg, 25 mg, 50 mg	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
venlafaxine oral capsule, extended release 24hr 150 mg (Effexor XR)	1	QL (30 per 30 days)
venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg (Effexor XR)	1	QL (90 per 30 days)
venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg	1	
vilazodone oral tablet 10 mg, 20 mg, 40 mg (Viibryd)	4	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NM; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NM; NDS; QL (14 per 14 days)
降糖藥		
降糖藥物, 雜項		
acarbose oral tablet 100 mg, 25 mg, 50 mg (Precose)	2	
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	4	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	QL (150 per 30 days)
<i>metformin oral tablet 750 mg</i>	1	QL (60 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg</i> (Korlym)	5	PA; NM; NDS; QL (112 per 28 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	1	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	2	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet</i> (Actoplus MET) <i>15-850 mg</i>	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	1	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	1	QL (240 per 30 days)
RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG	3	PA; QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned-metformin)	3	QL (60 per 30 days)
胰島素		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額	
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)	
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)	
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (24 per 28 days)	
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i>	(Novolog Mix 70- 30FlexPen U-100)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i>	(Novolog Mix 70-30 U- 100 Insuln)	2	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i>	(Novolog PenFill U-100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Novolog FlexPen U- 100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	2	max \$35 copay per month supply; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine)	3	max \$35 copay per month supply
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine)	3	max \$35 copay per month supply
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)		3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)		3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max \$35 copay per month supply; QL (30 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
SEMGLEE(INSULIN GLARGINE- YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin glargine-yfgn)	3	max \$35 copay per month supply
SEMGLEE(INSULIN GLARG- YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin glargine-yfgn)	3	max \$35 copay per month supply
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) (insulin glargine u-300 conc)	3	max \$35 copay per month supply
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) (insulin glargine u-300 conc)	3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin degludec)	3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML) (insulin degludec)	3	max \$35 copay per month supply
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin degludec)	3	max \$35 copay per month supply
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	max \$35 copay per month supply; QL (15 per 28 days)
磺醯脲類		
glimepiride oral tablet 1 mg, 2 mg	1	QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
glimepiride oral tablet 4 mg	1	QL (60 per 30 days)
glipizide oral tablet 10 mg	1	QL (120 per 30 days)
glipizide oral tablet 2.5 mg	1	QL (60 per 30 days)
glipizide oral tablet 5 mg	1	QL (240 per 30 days)
glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg	1	QL (60 per 30 days)
glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg	1	QL (30 per 30 days)
glipizide-metformin oral tablet 2.5- 250 mg	1	QL (240 per 30 days)
glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg	1	QL (120 per 30 days)
glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg	1	PA-HRM; AGE (Max 64 Years)
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg	1	PA-HRM; AGE (Max 64 Years)
glyburide-metformin oral tablet 1.25- 250 mg, 2.5-500 mg, 5-500 mg	1	PA-HRM; AGE (Max 64 Years)
抗真菌藥物		
抗真菌藥物		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
amphotericin b injection recon soln 50 mg	4	PA BvD
amphotericin b liposome intravenous (AmBisome) suspension for reconstitution 50 mg	5	PA BvD; NM; NDS
ciclopirox topical cream 0.77 % (Ciclodan)	1	QL (180 per 30 days)
ciclopirox topical solution 8 % (Ciclodan)	1	QL (19.8 per 30 days)
ciclopirox topical suspension 0.77 % (Loprox (as olamine))	4	QL (180 per 30 days)
clotrimazole mucous membrane troche 10 mg	2	
clotrimazole topical cream 1 % (Antifungal (clotrimazole))	1	
clotrimazole topical solution 1 % (Athlete's Foot (clotrimazole))	2	
clotrimazole-betamethasone topical cream 1-0.05 %	1	QL (90 per 30 days)
econazole nitrate topical cream 1 %	2	QL (170 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml	2	
fluconazole oral suspension for reconstitution 10 mg/ml	2	
fluconazole oral suspension for (Diflucan) reconstitution 40 mg/ml	2	
fluconazole oral tablet 100 mg, 200 (Diflucan) mg	1	
fluconazole oral tablet 150 mg, 50 mg	1	
flucytosine oral capsule 250 mg, 500 (Ancobon) mg	5	NM; NDS
griseofulvin microsize oral suspension 125 mg/5 ml	4	
griseofulvin microsize oral tablet 500 mg	4	
griseofulvin ultramicrosize oral tablet 125 mg, 250 mg	4	
griseofulvin ultramicrosize oral (Fulvicin P/G) tablet 165 mg	4	
itraconazole oral capsule 100 mg (Sporanox)	2	
ketoconazole oral tablet 200 mg	1	
ketoconazole topical cream 2 %	2	QL (180 per 30 days)
ketoconazole topical shampoo 2 %	1	QL (360 per 30 days)
miconazole-3 vaginal suppository 200 mg	2	
nyamyc topical powder 100,000 (nystatin) unit/gram	2	QL (60 per 30 days)
nystatin oral suspension 100,000 unit/ml	2	
nystatin oral tablet 500,000 unit	2	
nystatin topical cream 100,000 unit/gram	1	QL (60 per 30 days)
nystatin topical ointment 100,000 unit/gram	1	QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
nystatin topical powder 100,000 unit/gram (Nyamyc)	2	QL (60 per 30 days)
nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%	2	
nystop topical powder 100,000 unit/gram (nystatin)	2	QL (60 per 30 days)
posaconazole oral tablet, delayed release (dr/ec) 100 mg (Noxafil)	5	PA; NM; NDS
terbinafine hcl oral tablet 250 mg	1	
voriconazole intravenous recon soln 200 mg (Vfend IV)	5	PA BvD; NM; NDS
voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml) (Vfend)	5	PA; NM; NDS
voriconazole oral tablet 200 mg	4	
voriconazole oral tablet 50 mg (Vfend)	4	
抗痛風藥物		
抗痛風藥物，其他		
allopurinol oral tablet 100 mg (Zyloprim)	1	
allopurinol oral tablet 300 mg	1	
colchicine oral capsule 0.6 mg (Mitigare)	4	QL (60 per 30 days)
colchicine oral tablet 0.6 mg (Colcrys)	2	QL (120 per 30 days)
febuxostat oral tablet 40 mg, 80 mg (Uloric)	4	ST; QL (30 per 30 days)
probenecid oral tablet 500 mg	2	
probenecid-colchicine oral tablet 500-0.5 mg	2	
抗組胺藥物		
抗組胺藥物		
hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg	1	
levocetirizine oral tablet 5 mg (24HR Allergy Relief)	1	
抗感染藥物（皮膚和黏膜）		
抗感染藥物（皮膚和黏膜）		
clindamycin phosphate vaginal cream 2 % (Cleocin)	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>metronidazole vaginal gel 0.75 %</i> (Vandazole) (37.5mg/5 gram)	4	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	4	
抗偏頭痛劑		
抗偏頭痛劑		
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	ST; NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	QL (18 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	1	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	2	QL (18 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i>	4	QL (12 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
sumatriptan succinate oral tablet 100 mg (Imitrex)	1	QL (9 per 30 days)
sumatriptan succinate oral tablet 25 mg, 50 mg (Imitrex)	1	QL (18 per 30 days)
sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml (Imitrex STATdose Refill)	4	QL (4 per 28 days)
sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml (Imitrex STATdose Pen)	4	QL (4 per 28 days)
sumatriptan succinate subcutaneous solution 6 mg/0.5 ml (Imitrex)	4	QL (5 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
抗分支桿菌藥		
抗分支桿菌藥		
dapsone oral tablet 100 mg, 25 mg	2	
ethambutol oral tablet 100 mg, 400 mg	2	
isoniazid oral tablet 100 mg, 300 mg	1	
PRIFTIN ORAL TABLET 150 MG	4	
pyrazinamide oral tablet 500 mg	4	
rifabutin oral capsule 150 mg	4	
rifampin intravenous recon soln 600 mg (Rifadin)	4	
rifampin oral capsule 150 mg, 300 mg	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	4	
止吐藥物		
止吐藥物		
aprepitant oral capsule 125 mg	4	PA BvD; QL (2 per 28 days)
aprepitant oral capsule 40 mg	4	PA BvD; QL (1 per 28 days)
aprepitant oral capsule 80 mg (Emend)	4	PA BvD; QL (4 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	4	PA BvD
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	4	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	4	PA; QL (60 per 30 days)
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	1	
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	1	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	1	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	1	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	4	
<i>promethazine injection solution 25 mg/ml</i> (Phenergan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 25 mg</i> (Promethegan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine)	2	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	4	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
驅蟲藥物		
驅蟲藥物		
<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	4	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 100 mg</i>	2	QL (180 per 30 days)
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	QL (90 per 30 days)
<i>hydroxychloroquine oral tablet 300 mg</i> (Sovuna)	2	QL (60 per 30 days)
<i>hydroxychloroquine oral tablet 400 mg</i>	2	QL (60 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
<i>ivermectin oral tablet 6 mg</i>	2	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NM; NDS; QL (60 per 30 days)
<i>paromomycin oral capsule 250 mg</i> (Humatin)	4	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	4	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	4	
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	4	
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	
抗帕金森病藥物		
抗帕金森病藥物		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	
<i>amantadine hcl oral tablet 100 mg</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>bromocriptine oral tablet 2.5 mg</i>	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	1	
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	1	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	1	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg</i>	2	
<i>carbidopa-levodopa oral tablet, disintegrating 25-100 mg, 25-250 mg</i>	4	
<i>entacapone oral tablet 200 mg</i>	4	
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML	5	PA; NM; NDS; QL (30 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	4	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	1	
<i>ropinirole oral tablet extended release 24 hr 2 mg, 4 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	4	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML	5	PA; NM; NDS; QL (560 per 28 days)
抗精神病藥物		
抗精神病藥物		
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NM; NDS; QL (2.4 per 42 days)
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NM; NDS; QL (3.2 per 42 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 26 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 26 days)
<i>aripiprazole oral solution 1 mg/ml</i>	4	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	4	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	4	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 14 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) <i>10 mg, 2.5 mg, 5 mg</i>	4	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	4	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	4	
<i>clozapine oral tablet 100 mg, 200</i> (Clozaril) <i>mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	4	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>	4	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i>	4	ST; QL (120 per 30 days)
COBENFY ORAL CAPSULE 100- 20 MG, 125-30 MG, 50-20 MG	5	ST; NM; NDS; QL (60 per 30 days)
COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG	5	ST; NM; NDS
ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML	5	NM; NDS; QL (2.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	5	NM; NDS; QL (0.25 per 21 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	4	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	4	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	4	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	4	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol lactate injection solution 5 mg/ml</i>	1	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>lurasidone oral tablet 120 mg, 20 mg, (Latuda) 40 mg, 60 mg</i>	4	QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg (Latuda)</i>	4	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	3	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	3	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	5	NM; NDS; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
olanzapine intramuscular recon soln 10 mg	4	QL (30 per 30 days)
olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 5 mg, 7.5 mg	2	
olanzapine oral tablet 20 mg (Zyprexa)	2	
olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg	4	
paliperidone oral tablet extended release 24hr 1.5 mg	4	QL (30 per 30 days)
paliperidone oral tablet extended (Invega) release 24hr 3 mg, 9 mg	4	QL (30 per 30 days)
paliperidone oral tablet extended (Invega) release 24hr 6 mg	4	QL (60 per 30 days)
perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg	2	
PERSERIS SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
pimozide oral tablet 1 mg, 2 mg	2	
prochlorperazine 10 mg/2 ml vial outer 10 mg/2 ml (5 mg/ml)	1	
quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg (Seroquel)	2	
quetiapine oral tablet 150 mg	2	QL (30 per 30 days)
quetiapine oral tablet extended (Seroquel XR) release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg	2	
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
risperidone microspheres (Risperdal Consta) intramuscular suspension,extended rel recon 12.5 mg/2 ml	3	QL (2 per 28 days)
risperidone microspheres (Rykindo) intramuscular suspension,extended rel recon 25 mg/2 ml	3	QL (2 per 28 days)
risperidone microspheres (Rykindo) intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml	5	NM; NDS; QL (2 per 28 days)
risperidone oral solution 1 mg/ml (Risperdal)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>risperidone oral tablet 0.25 mg</i>	1	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	1	
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	4	
RYKINDO INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres)	5	NM; NDS; QL (2 per 28 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	NM; NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NM; NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NM; NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NM; NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NM; NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NM; NDS; QL (0.14 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NM; NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	4	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
抗病毒藥物 (全身)		
抗逆轉錄病毒藥物		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	4	
<i>abacavir oral tablet 300 mg</i>	4	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	4	
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	5	NM; NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	4	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NM; NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
<i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)	5	NM; NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	4	
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg</i>	4	
<i>efavirenz oral capsule 50 mg</i>	2	
<i>efavirenz oral tablet 600 mg</i>	4	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil oral tablet 600-300-300 mg</i> (Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)	5	NM; NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	3	
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i>	4	
<i>lamivudine oral tablet 150 mg</i> (Epivir)	2	
<i>lamivudine oral tablet 300 mg</i> (Epivir)	4	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	4	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	3	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	4	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	4	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	4	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i>	2	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	4	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	4	QL (30 per 30 days)
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NM; NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	3	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150- 150-200-300 MG	5	NM; NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NM; NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NM; NDS
SYMTUZA ORAL TABLET 800- 150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	3	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NM; NDS
TRIUMEQ ORAL TABLET 600-50- 300 MG	5	NM; NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	4	
TRIZIVIR ORAL TABLET 300- 150-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	ST; NM; NDS; QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
抗病毒藥物, 雜項		
LIVTENCITY ORAL TABLET 200 MG	5	PA; NM; NDS
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)	2	QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	2	QL (30 per 5 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
丙型肝炎抗病毒藥物		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG	5	PA; NM; NDS; QL (28 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NM; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
干擾素		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NM; NDS
核苷和核苷酸		
acyclovir oral capsule 200 mg	1	
acyclovir oral suspension 200 mg/5 ml (Zovirax)	4	
acyclovir oral tablet 400 mg, 800 mg	1	
acyclovir sodium intravenous solution 50 mg/ml	4	PA BvD
adefovir oral tablet 10 mg (Hepsera)	4	
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	4	
famciclovir oral tablet 125 mg, 250 mg, 500 mg	2	
ribavirin oral tablet 200 mg	3	
valacyclovir oral tablet 1 gram, 500 mg (Valtrex)	2	
valganciclovir oral recon soln 50 mg/ml (Valcyte)	5	NM; NDS
valganciclovir oral tablet 450 mg (Valcyte)	3	
血液製品/改性劑/體積膨脹劑		
抗凝劑		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)	3	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	4	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	4	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	4	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	4	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	4	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	3	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG	3	QL (60 per 30 days)
XARELTO ORAL TABLET 2.5 MG (rivaroxaban)	3	QL (60 per 30 days)
血液生成劑		
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	5	PA; NM; NDS; QL (60 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
血液劑，雜項		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	4	
<i>anagrelide oral capsule 1 mg</i>	4	
<i>tranexamic acid oral tablet 650 mg</i>	3	
血小板聚集抑制劑		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	4	
BRILINTA ORAL TABLET 60 MG	3	
BRILINTA ORAL TABLET 90 MG (ticagrelor)	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 50 mg, 75 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	
<i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)
熱量劑		
熱量劑		
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
心血管藥物		
α-腎上腺素		
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg	1	
clonidine transdermal patch weekly 0.1 mg/24 hr (Catapres-TTS-1)	2	
clonidine transdermal patch weekly 0.2 mg/24 hr (Catapres-TTS-2)	2	
clonidine transdermal patch weekly 0.3 mg/24 hr (Catapres-TTS-3)	2	
doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)	1	
droxidopa oral capsule 100 mg, 200 mg, 300 mg (Northera)	5	PA; NM; NDS; QL (180 per 30 days)
guanfacine oral tablet 1 mg, 2 mg	2	
midodrine oral tablet 10 mg, 2.5 mg, 5 mg	2	
prazosin oral capsule 1 mg, 2 mg, 5 mg	2	
血管緊張素II受體拮抗劑		
candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg (Atacand)	1	
candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg (Atacand HCT)	2	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG (sacubitril-valsartan)	3	QL (60 per 30 days)
ENTRESTO SPRINKLE ORAL PELLETT 15-16 MG, 6-6 MG	3	QL (240 per 30 days)
irbesartan oral tablet 150 mg, 300 mg, 75 mg (Avapro)	1	
irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg (Avalide)	1	
losartan oral tablet 100 mg, 25 mg, 50 mg (Cozaar)	1	
losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg (Hyzaar)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
olmesartan oral tablet 20 mg, 40 mg, 5 mg (Benicar)	1	
olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg (Tribenzor)	2	
olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg (Benicar HCT)	1	
telmisartan oral tablet 20 mg, 40 mg, 80 mg (Micardis)	1	
telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg (Micardis HCT)	2	
valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg (Diovan)	1	
valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg (Diovan HCT)	1	
血管緊張素轉換酶抑制劑		
benazepril oral tablet 10 mg, 20 mg, 40 mg (Lotensin)	1	
benazepril oral tablet 5 mg	1	
benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Lotensin HCT)	1	
benazepril-hydrochlorothiazide oral tablet 5-6.25 mg	1	
captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg	2	
enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Vasotec)	1	
enalapril-hydrochlorothiazide oral tablet 10-25 mg (Vaseretic)	1	
enalapril-hydrochlorothiazide oral tablet 5-12.5 mg	1	
fosinopril oral tablet 10 mg, 20 mg, 40 mg	1	
fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg (Zestril)	1	
lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Zestoretic)	1	
moexipril oral tablet 15 mg, 7.5 mg	1	
perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg	1	
quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Accupril)	1	
quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Accuretic)	1	
ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg (Altace)	1	
trandolapril oral tablet 1 mg, 2 mg, 4 mg	1	
trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg	2	
抗心律失常藥物		
amiodarone oral tablet 100 mg, 200 mg, 400 mg (Pacerone)	2	
dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg (Tikosyn)	4	
flecainide oral tablet 100 mg, 150 mg, 50 mg	2	
MULTAQ ORAL TABLET 400 MG	3	
pacerone oral tablet 100 mg, 200 mg, 400 mg (amiodarone)	2	
propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg	4	
propafenone oral tablet 150 mg, 225 mg, 300 mg	2	
quinidine sulfate oral tablet 200 mg, 300 mg	4	
β-腎上腺素受體阻斷劑		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
acebutolol oral capsule 200 mg, 400 mg	1	
atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)	1	
atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)	1	
atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)	1	
bisoprolol fumarate oral tablet 10 mg, 5 mg	1	
bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg	1	
carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)	1	
labetalol oral tablet 100 mg, 200 mg, 300 mg	1	
metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg (Toprol XL)	1	
metoprolol tartrate oral tablet 100 mg, 50 mg (Lopressor)	1	
metoprolol tartrate oral tablet 25 mg	1	
nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Bystolic)	2	
propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg (Inderal LA)	2	
propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg	1	
sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg (sotalol)	1	
sotalol af oral tablet 120 mg, 160 mg, 80 mg (sotalol)	1	
sotalol oral tablet 120 mg, 160 mg, 80 mg (Sotalol AF)	1	
sotalol oral tablet 240 mg (Betapace)	1	
timolol maleate oral tablet 10 mg, 20 mg, 5 mg	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
鈣通道阻斷劑		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	1	
<i>diltiazem 24hr er 360 mg cap once-a-day dosage</i> (Tiadylt ER)	2	
<i>diltiazem 24hr er 420 mg cap</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	4	
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	1	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	
<i>diltiazem hcl oral tablet 90 mg</i>	1	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	1	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	1	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	1	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	1	
心血管藥物, 雜項		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	1	
<i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> (Lanoxin)	1	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i> (Auvi-Q)	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	3	QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)	5	PA; NM; NDS; QL (18 per 30 days)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)	3	QL (60 per 30 days)
<i>metirosine oral capsule 250 mg</i> (Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	2	QL (120 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA; QL (30 per 30 days)
二氫吡啶類		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	1	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	
<i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg	1	
nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg (Procardia XL)	1	
nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg	2	
利尿劑		
amiloride oral tablet 5 mg	1	
amiloride-hydrochlorothiazide oral tablet 5-50 mg	1	
bumetanide oral tablet 0.5 mg, 1 mg, 2 mg	2	
chlorthalidone oral tablet 25 mg, 50 mg	1	
furosemide injection solution 10 mg/ml	1	
furosemide injection syringe 10 mg/ml	1	
furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)	1	
furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)	1	
hydrochlorothiazide oral capsule 12.5 mg	1	
hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg	1	
indapamide oral tablet 1.25 mg, 2.5 mg	1	
metolazone oral tablet 10 mg, 2.5 mg, 5 mg	2	
spironolactone oral tablet 100 mg, 25 mg, 50 mg (Aldactone)	1	
spironolacton-hydrochlorothiaz oral tablet 25-25 mg	1	
toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg	1	
triamterene-hydrochlorothiazid oral capsule 37.5-25 mg	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg	1	
血脂異常		
amlodipine-atorvastatin oral tablet (Caduet) 10-10 mg, 5-10 mg	2	
amlodipine-atorvastatin oral tablet (Caduet) 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg	2	QL (30 per 30 days)
amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg	2	
atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg (Lipitor)	1	QL (30 per 30 days)
cholestyramine (with sugar) oral powder in packet 4 gram (Questran)	2	
cholestyramine light oral powder in packet 4 gram	2	
colesevelam oral powder in packet 3.75 gram (WelChol)	4	
colesevelam oral tablet 625 mg (WelChol)	4	
colestipol oral packet 5 gram	2	
colestipol oral tablet 1 gram (Colestid)	2	
ezetimibe oral tablet 10 mg (Zetia)	1	QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-10 mg (Vytorin 10-10)	2	QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-20 mg (Vytorin 10-20)	2	QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-40 mg (Vytorin 10-40)	2	QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-80 mg (Vytorin 10-80)	2	QL (30 per 30 days)
fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg	2	
fenofibrate nanocrystallized oral tablet 145 mg, 48 mg (Tricor)	1	
fenofibrate oral tablet 120 mg, 40 mg (Fenoglide)	1	
fenofibrate oral tablet 160 mg, 54 mg	1	
fluvastatin oral capsule 20 mg, 40 mg	2	QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
<i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)	4	QL (240 per 30 days)
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	4	QL (120 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	
NEXLETOL ORAL TABLET 180 MG	3	ST; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	ST; QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	4	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	
<i>niacor oral tablet 500 mg</i> (niacin)	4	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; QL (120 per 30 days)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)	2	QL (30 per 30 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	ST; QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	ST; QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	ST; QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	1	QL (30 per 30 days)
腎素-血管緊張素-醛固酮系統抑制劑		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	
KERENDIA ORAL TABLET 10 MG, 20 MG	3	PA; QL (30 per 30 days)
血管擴張劑		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (nitroglycerin)	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	
中樞神經系統藥物		
中樞神經系統藥物		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	4	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	4	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NM; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	5	PA; NM; NDS; QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NM; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24- 30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NM; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX PEN 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	3	PA; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>fingolimod oral capsule 0.5 mg</i> (Gilenya)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Glatopa)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)-80 MG (21)	5	PA; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	3	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>methylphenidate hcl oral solution 10</i> (Methylin) <i>mg/5 ml</i>	4	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10</i> (Ritalin) <i>mg, 20 mg, 5 mg</i>	2	QL (90 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
OCREVUS ZUNOVO SUBCUTANEOUS SOLUTION 920 MG-23,000 UNIT/23 ML	5	PA; NM; NDS; QL (23 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	4	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
tetrabenazine oral tablet 12.5 mg, 25 mg (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
避孕藥		
避孕藥		
afirmelle oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estradiol)	1	
altavera (28) oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estradiol)	1	
alyacen 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)	1	
alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	
amethyst (28) oral tablet 90-20 mcg (28) (levonorgestrel-ethinyl estradiol)	1	
apri oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol)	1	
aubra eq oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estradiol)	1	
aurovela 1.5/30 (21) oral tablet 1.5- 30 mg-mcg (norethindrone ac-eth estradiol)	1	
aurovela 1/20 (21) oral tablet 1-20 mg-mcg (norethindrone ac-eth estradiol)	1	
aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) (norethindrone- e.estradiol-iron)	1	
aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) (norethindrone- e.estradiol-iron)	1	
aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) (norethindrone- e.estradiol-iron)	1	
aviane oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estradiol)	1	
ayuna oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estradiol)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	1	
blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	
blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	
camila oral tablet 0.35 mg	(norethindrone (contraceptive))	1	
chateal eq (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	
cryselle (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	1	
cyclafem 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	2	
cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		1	
cyred eq oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	
dasetta 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	1	
dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		1	
deblitane oral tablet 0.35 mg	(norethindrone (contraceptive))	1	
desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(Azurette (28))	2	
desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg	(Apri)	1	
dolishale oral tablet 90-20 mcg (28)	(levonorgestrel-ethinyl estrad)	1	
elinest oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	1	
eluryng vaginal ring 0.12-0.015 mg/24 hr	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
emoquette oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
<i>emzahh oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	4	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>estarylla oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1/50 (28))	1	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	
<i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
isibloom oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	
jencycla oral tablet 0.35 mg	(norethindrone (contraceptive))	1	
jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad)	1	QL (91 per 84 days)
juleber oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	
junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
junel 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	
junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	
junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	1	
kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
kelnor 1/35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol)	1	
kelnor 1/50 (28) oral tablet 1-50 mg-mcg	(ethynodiol diac-eth estradiol)	1	
kurvelo (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG		4	
larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
larin 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	1	
larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	
larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
larissia oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	
lessina oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	
levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	1	
levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)	(Balcoltra)	1	
levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg	(Afirmelle)	1	
levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg	(Altavera (28))	1	
levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)	(Amethyst (28))	1	
levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(Iclevia)	1	QL (91 per 84 days)
levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(Enpresse)	1	
levora-28 oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG		3	
lillow (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	
low-ogestrel (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	1	
luteru (28) oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	
lyleq oral tablet 0.35 mg	(norethindrone (contraceptive))	1	
lyza oral tablet 0.35 mg	(norethindrone (contraceptive))	1	
marlissa (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	
microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
microgestin 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	1	
microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	
microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	
mili oral tablet 0.25-0.035 mg	(norgestimate-ethinyl estradiol)	1	
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG		4	
mono-lynh oral tablet 0.25-0.035 mg	(norgestimate-ethinyl estradiol)	1	
NEXPLANON SUBDERMAL IMPLANT 68 MG		3	
norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr	(Xulane)	2	QL (3 per 28 days)
norethindrone (contraceptive) oral tablet 0.35 mg	(Camila)	1	
norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)	(Aurovela Fe 1-20 (28))	1	
norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(Aurovela Fe 1.5/30 (28))	1	
norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	(Tilia Fe)	1	
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg	(Tri-Lo-Estarylla)	1	
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)	(Tri-Estarylla)	1	
norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg	(Estarylla)	1	
norlyda oral tablet 0.35 mg	(norethindrone (contraceptive))	1	
nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)		1	
nortrel 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	
nylia 1/35 (28) oral tablet 1-35 mg- mcg (norethindrone-ethin estradiol)	1	
nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	
nymyo oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl estradiol)	1	
pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (desog- e.estradiol/e.estradiol)	2	
pirmella oral tablet 0.5/0.75/1 mg- 35 mcg	1	
pirmella oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)	1	
portia 28 oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estradiol)	1	
previfem oral tablet 0.25-35 mg-mcg (norgestimate-ethinyl estradiol)	1	
reclipsen (28) oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol)	1	
setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91) (levonorgestrel-ethinyl estradiol)	1	QL (91 per 84 days)
sharobel oral tablet 0.35 mg (norethindrone (contraceptive))	1	
simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (desog- e.estradiol/e.estradiol)	2	
SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG	4	
sprintec (28) oral tablet 0.25-0.035 mg (norgestimate-ethinyl estradiol)	1	
sronyx oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estradiol)	1	
tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) (norethindrone- e.estradiol-iron)	1	
tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) (norethindrone- e.estradiol-iron)	1	
tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9) (norethindrone- e.estradiol-iron)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	
tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)	(norgestimate-ethinyl estradiol)	1	
tri-legest fe oral tablet 1-20(5)/1- 30(7) /1mg-35mcg (9)	(norethindrone- e.estradiol-iron)	1	
tri-linyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)	(norgestimate-ethinyl estradiol)	1	
tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg	(norgestimate-ethinyl estradiol)	1	
tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg	(norgestimate-ethinyl estradiol)	1	
tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg	(norgestimate-ethinyl estradiol)	1	
tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg	(norgestimate-ethinyl estradiol)	1	
tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)	(norgestimate-ethinyl estradiol)	1	
tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	
tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	
tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)	(norgestimate-ethinyl estradiol)	1	
trivora (28) oral tablet 50-30 (6)/75- 40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	1	
tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg	(norgestimate-ethinyl estradiol)	1	
tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)	(norgestimate-ethinyl estradiol)	1	
turqoz (28) oral tablet 0.3-30 mg- mcg	(norgestrel-ethinyl estradiol)	1	
valtya oral tablet 1-50 mg-mcg	(ethynodiol diac-eth estradiol)	1	
vienva oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	
viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog- e.estradiol/e.estradiol)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	2	
vylibra oral tablet 0.25-0.035 mg	(norgestimate-ethinyl estradiol)	1	
xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	(norethindrone-e.estradiol-iron)	1	
xulane transdermal patch weekly 150-35 mcg/24 hr	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
zafemy transdermal patch weekly 150-35 mcg/24 hr	(norelgestromin-ethin.estradiol)	2	QL (3 per 28 days)
zovia 1-35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol)	1	
牙齒和口腔藥物			
牙齒和口腔藥物			
cevimeline oral capsule 30 mg	(Evoxac)	2	
chlorhexidine gluconate mucous membrane mouthwash 0.12 %	(Periogard)	1	
denta 5000 plus dental cream 1.1 %	(fluoride (sodium))	1	
dentagel dental gel 1.1 %	(fluoride (sodium))	1	
fluoride (sodium) dental solution 0.2 %	(PreviDent)	1	
perio gard mucous membrane mouthwash 0.12 %	(chlorhexidine gluconate)	1	
pilocarpine hcl oral tablet 5 mg, 7.5 mg	(Salagen (pilocarpine))	2	
sf 5000 plus dental cream 1.1 %	(fluoride (sodium))	1	
sodium fluoride-pot nitrate dental paste 1.1-5 %	(Denta 5000 Plus Sensitive)	1	
triamcinolone acetonide dental paste 0.1 %	(Kourzeq)	2	
皮膚病藥物			
皮膚病藥物, 其他			
acitretin oral capsule 10 mg, 17.5 mg, 25 mg		3	
acyclovir topical ointment 5 %	(Zovirax)	4	QL (30 per 30 days)
ammonium lactate topical cream 12 %		1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	1	
<i>calcipotriene scalp solution 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	4	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	4	QL (120 per 30 days)
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %</i>	2	
<i>fluorouracil topical solution 5 %</i>	4	
<i>imiquimod topical cream in packet 5 %</i>	2	QL (24 per 30 days)
ISOPROPYL ALCOHOL TOPICAL SWAB 70 %	1	
KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (60 per 28 days)
<i>podofilox topical solution 0.5 %</i>	2	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NM; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	4	
皮膚用抗菌藥物		
<i>clindamycin phosphate topical solution 1 %</i>	1	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	1	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	4	
<i>erythromycin with ethanol topical solution 2 %</i>	2	
<i>gentamicin topical cream 0.1 %</i>	2	QL (90 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
metronidazole topical gel 0.75 % (Rosadan)	2	
metronidazole topical gel 1 % (Metrogel)	4	
mupirocin topical ointment 2 % (Centany)	1	QL (220 per 30 days)
neuac topical gel 1.2 %(1 % base) -5 % (clindamycin-benzoyl peroxide)	1	
rosadan topical cream 0.75 % (metronidazole)	2	
selenium sulfide topical lotion 2.5 %	1	
silver sulfadiazine topical cream 1 % (SSD)	1	
ssd topical cream 1 % (silver sulfadiazine)	4	
皮膚用抗炎劑		
ala-cort topical cream 1 % (hydrocortisone)	1	
betamethasone dipropionate topical cream 0.05 %	2	
betamethasone dipropionate topical lotion 0.05 %	2	
betamethasone dipropionate topical ointment 0.05 %	2	
betamethasone valerate topical cream 0.1 %	2	
betamethasone valerate topical lotion 0.1 %	2	
betamethasone valerate topical ointment 0.1 %	1	
betamethasone, augmented topical cream 0.05 %	1	
betamethasone, augmented topical gel 0.05 %	2	
betamethasone, augmented topical lotion 0.05 %	2	
betamethasone, augmented topical ointment 0.05 % (Diprolene (augmented))	2	
clobetasol scalp solution 0.05 %	2	
clobetasol topical cream 0.05 %	2	
clobetasol topical gel 0.05 %	2	
clobetasol topical lotion 0.05 % (Clobex)	4	
clobetasol topical ointment 0.05 %	2	
clobetasol topical shampoo 0.05 % (Clobex)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	4	
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluticasone propionate topical cream 0.05 %</i>	1	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	4	
<i>hydrocortisone 2.5% cream</i>	1	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	1	
<i>hydrocortisone topical lotion 2.5 %</i>	1	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	1	
<i>mometasone topical ointment 0.1 %</i>	1	
<i>mometasone topical solution 0.1 %</i>	1	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	4	QL (100 per 30 days)
<i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
proctosol hc topical cream with perineal applicator 2.5 %	(hydrocortisone)	2	
proctozone-hc topical cream with perineal applicator 2.5 %	(hydrocortisone)	2	
tacrolimus topical ointment 0.03 %, 0.1 %		4	QL (100 per 30 days)
triamcinolone acetonide topical cream 0.025 %, 0.1 %		1	
triamcinolone acetonide topical cream 0.5 %	(Triderm)	1	
triamcinolone acetonide topical lotion 0.025 %, 0.1 %		2	
triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %		1	
triamcinolone acetonide topical ointment 0.05 %	(Trianex)	1	
皮膚用類視黃醇			
adapalene topical cream 0.1 %	(Differin)	4	
ALTRENO TOPICAL LOTION 0.05 %		4	PA
tazarotene topical cream 0.1 %	(Tazorac)	3	
tretinoin topical cream 0.025 %	(Avita)	2	PA
tretinoin topical cream 0.05 %, 0.1 %	(Retin-A)	2	PA
驅蟲劑和滅虱劑			
malathion topical lotion 0.5 %	(Ovide)	4	
permethrin topical cream 5 %	(Elimite)	2	QL (60 per 30 days)
用具			
用具			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
1ST TIER UNIFINE PNTD 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
1ST TIER UNIFINE PNTD 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
1ST TIER UNIFINE PNTD 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ABOUTTIME PEN NEEDLE NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ADVOCATE PEN NEEDLES 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	1	PA; ST
ALCOHOL 70% SWABS (Alcohol Pads)	1	PA; ST
ALCOHOL PADS TOPICAL PADS, (alcohol swabs) MEDICATED	1	PA; ST
ALCOHOL PREP SWABS (alcohol swabs) TOPICAL PADS, MEDICATED	1	PA; ST
ALCOHOL WIPES TOPICAL (alcohol swabs) PADS, MEDICATED	1	PA; ST
AQINJECT PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	1	PA; ST
AQINJECT PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	1	PA; ST
ASSURE ID DUO PRO NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	1	PA; ST
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	1	PA; ST
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	1	PA; ST
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	1	PA; ST
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	1	PA; ST
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	1	PA; ST
ASSURE ID PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety)	1	PA; ST
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"	1	PA; ST
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	1	PA; ST
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	1	PA; ST
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	1	PA; ST
AUTOSHIELD DUO PEN NDL 30G 5MM 30 GAUGE X 3/16"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	1	PA; ST
BD ECLIPSE 30GX1/2" SYRINGE (insulin syringe-needle 1 ML 30 GAUGE X 1/2" u-100)	1	PA; ST
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "	1	PA; ST
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
BD INS SYR UF 0.3 ML (insulin syringe-needle 12.7MMX30G 0.3 ML 30 GAUGE u-100) X 1/2"	1	PA; ST
BD INS SYR UF 0.5 ML (insulin syringe-needle 12.7MMX30G NOT FOR RETAIL u-100) SALE 0.5 ML 30 GAUGE X 1/2"	1	PA; ST
BD INS SYRN UF 1 ML (insulin syringe-needle 12.7MMX30G NOT FOR RETAIL u-100) SALE 1 ML 30 GAUGE X 1/2"	1	PA; ST
BD INS SYRNG UF 0.3 ML (insulin syringe-needle 8MMX31G 0.3 ML 31 GAUGE X u-100) 5/16"	1	PA; ST
BD INS SYRNG UF 0.5 ML (insulin syringe-needle 8MMX31G 0.5 ML 31 GAUGE X u-100) 5/16"	1	PA; ST
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	1	PA; ST
BD INSULIN SYR 1 ML 25GX5/8" (insulin syringe-needle 1 ML 25 GAUGE X 5/8" u-100)	1	PA; ST
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	1	PA; ST
BD INSULIN SYR 1 ML (insulin syringe-needle 27GX12.7MM 1 ML 27 GAUGE X u-100) 1/2"	1	PA; ST
BD INSULIN SYR 1 ML 27GX5/8" (insulin syringe-needle MICRO-FINE 1 ML 27 GAUGE X u-100) 5/8"	1	PA; ST
BD INSULIN SYRINGE SLIP TIP (insulin syringe SYRINGE 1 ML needleless)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
BD INSULIN SYRINGE U-500 SYRINGE 1/2 ML 31 GAUGE X 15/64"	(insulin u-500 syringe- needle)	1	PA; ST
BD LUER-LOK SYRINGE 1 ML	(Easy Touch Luer Lock Insulin)	1	PA; ST
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"		1	PA; ST
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		1	PA; ST
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		1	PA; ST
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		1	PA; ST
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"		1	PA; ST
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	PA; ST
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"		1	PA; ST
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"		1	PA; ST
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"		1	PA; ST
BD SINGLE USE SWAB	(alcohol swabs)	1	PA; ST
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	PA; ST
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	PA; ST
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	PA; ST
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	PA; ST
BORDERED GAUZE 2"X2" 2 X 2 " (gauze bandage)	1	PA; ST
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
CARETOUCH ALCOHOL 70% PREP PAD (alcohol swabs)	1	PA; ST
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic) 1	PA; ST
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 1	PA; ST
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 1	PA; ST
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 1	PA; ST
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"	1	PA; ST
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"	1	PA; ST
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 1	PA; ST
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 1	PA; ST
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic) 1	PA; ST
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic) 1	PA; ST
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic) 1	PA; ST
COMFORT EZ 0.3 ML 31G 15/64" 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 1	PA; ST
COMFORT EZ 0.5 ML 31G 15/64" 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 1	PA; ST
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 1	PA; ST
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 1	PA; ST
COMFORT EZ INS 1 ML 31G 15/64" 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
COMFORT EZ INS 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X 5/16 u-100)	1	PA; ST
COMFORT EZ INSULIN SYR 0.3 (insulin syringe-needle ML 0.3 ML 31 GAUGE X 5/16" u-100)	1	PA; ST
COMFORT EZ INSULIN SYR 0.5 (insulin syringe-needle ML 0.5 ML 30 GAUGE X 5/16", 0.5 u-100) ML 31 GAUGE X 5/16"	1	PA; ST
COMFORT EZ PEN NEEDLE (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	1	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	1	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 4MM 33G 33 GAUGE X 5/32"	1	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 31G MINI 31 GAUGE X 3/16"	1	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	1	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 33G 33 GAUGE X 3/16"	1	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	1	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	1	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 6MM 33G 33 GAUGE X 1/4"	1	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 31G SHORT 31 GAUGE X 5/16"	1	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 8MM 32G 32 GAUGE X 5/16"	1	PA; ST
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"	1	PA; ST
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"	1	PA; ST
COMFORT EZ PRO PEN NDL 31G (pen needle, diabetic, 4MM 31 GAUGE X 5/32" safety)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
COMFORT EZ PRO PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	1	PA; ST
COMFORT EZ SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	1	PA; ST
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE X u-100) 1/2"	1	PA; ST
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	1	PA; ST
COMFORT EZ SYR 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	1	PA; ST
COMFORT EZ SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X u-100) 1/2"	1	PA; ST
COMFORT EZ SYR 1 ML (insulin syringe-needle 29GX1/2" 1 ML 29 GAUGE X u-100) 1/2"	1	PA; ST
COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X u-100) 1/2"	1	PA; ST
COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16"	1	PA; ST
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	1	PA; ST
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	1	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 4MM 31 GAUGE X 5/32"	1	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	1	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	1	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	1	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	1	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	1	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	1	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	1	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	1	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	1	PA; ST
CURAD GAUZE PADS 2" X 2" 2 X (gauze bandage) 2 "	1	PA; ST
CURITY ALCOHOL PREPS 2 (alcohol swabs) PLY,MEDIUM	1	PA; ST
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	PA; ST
CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	PA; ST
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	PA; ST
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	PA; ST
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	PA; ST
DROPLET 0.3 ML 29G 12.7MM(1/2) 0.3 ML 29 GAUGE X 1/2"	1	PA; ST
DROPLET 0.3 ML 30G 12.7MM(1/2) 0.3 ML 30 GAUGE X 1/2"	1	PA; ST
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	1	PA; ST
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	1	PA; ST
DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 GAUGE u-100) X 1/2"	1	PA; ST
DROPLET INS 0.3 ML 30G 8MM(1/2) 0.3 ML 30 GAUGE X 5/16"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 PA; ST
DROPLET INS 0.3 ML 31G 6MM(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	1 PA; ST
DROPLET INS 0.3 ML 31G 8MM(1/2) 0.3 ML 31 GAUGE X 5/16"		1 PA; ST
DROPLET INS 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 PA; ST
DROPLET INS 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 PA; ST
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"		1 PA; ST
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"		1 PA; ST
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"		1 PA; ST
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"		1 PA; ST
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"		1 PA; ST
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 PA; ST
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1 PA; ST
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 PA; ST
DROPLET INS SYR 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
DROPLET INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		1	PA; ST
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		1	PA; ST
DROPLET PEN NEEDLE 29G 10MM 29 GAUGE X 3/8"		1	PA; ST
DROPLET PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
DROPLET PEN NEEDLE 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	1	PA; ST
DROPLET PEN NEEDLE 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	1	PA; ST
DROPLET PEN NEEDLE 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	1	PA; ST
DROPSAFE ALCOHOL 70% PREP (alcohol swabs) PADS	1	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"	1	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	1	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	1	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	1	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	1	PA; ST
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	1	PA; ST
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	1	PA; ST
DROPSAFE PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety)	1	PA; ST
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	1	PA; ST
DRUG MART ULTRA COMFORT (insulin syringe-needle SYR 0.3 ML 29 GAUGE X 1/2", 0.3 u-100) ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	1	PA; ST
EASY CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	1	PA; ST
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	1	PA; ST
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"		1	PA; ST
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		1	PA; ST
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		1	PA; ST
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	PA; ST
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
EASY COMFORT PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	1	PA; ST
EASY COMFORT SYR 0.5 ML 29G (insulin syringe-needle 8MM 1/2 ML 29 X5/16 " u-100)	1	PA; ST
EASY COMFORT SYR 1 ML 29G 8MM 1 ML 29 GAUGE X 5/16	1	PA; ST
EASY COMFORT SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X 1/2" u-100)	1	PA; ST
EASY GLIDE INS 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64"	1	PA; ST
EASY GLIDE INS 0.5 ML (insulin syringe-needle 31GX6MM 1/2 ML 31 GAUGE X u-100) 15/64"	1	PA; ST
EASY GLIDE INS 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64"	1	PA; ST
EASY GLIDE PEN NEEDLE 4MM (pen needle, diabetic) 33G 33 GAUGE X 5/32"	1	PA; ST
EASY TOUCH 0.3 ML SYR (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2"	1	PA; ST
EASY TOUCH 0.5 ML SYR (insulin syringe-needle 27GX1/2" 1/2 ML 27 GAUGE X u-100) 1/2"	1	PA; ST
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	1	PA; ST
EASY TOUCH 0.5 ML SYR (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	1	PA; ST
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	1	PA; ST
EASY TOUCH 1 ML SYR (insulin syringe-needle 27GX1/2" 1 ML 27 GAUGE X u-100) 1/2"	1	PA; ST
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	1	PA; ST
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
EASY TOUCH ALCOHOL 70% (alcohol swabs) PADS GAMMA-STERILIZED	1	PA; ST
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	1	PA; ST
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	1	PA; ST
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	1	PA; ST
EASY TOUCH INSULIN SYR 0.3 (insulin syringe-needle ML 0.3 ML 30 GAUGE X 5/16", 0.3 u-100) ML 31 GAUGE X 5/16"	1	PA; ST
EASY TOUCH INSULIN SYR 0.5 (insulin syringe-needle ML 0.5 ML 30 GAUGE X 5/16", 0.5 u-100) ML 31 GAUGE X 5/16"	1	PA; ST
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 30 GAUGE X 5/16, 1 ML u-100) 31 GAUGE X 5/16	1	PA; ST
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML RETRACTABLE 1 ML 30 u-100) GAUGE X 1/2"	1	PA; ST
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	1	PA; ST
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	1	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	1	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	1	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	1	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	1	PA; ST
EASY TOUCH LUER LOK INSUL (insulin syringe 1 ML needleless)	1	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	1	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 30GX5/16 30 GAUGE X 5/16"	1	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		1	PA; ST
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		1	PA; ST
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		1	PA; ST
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	PA; ST
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	1	PA; ST
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		1	PA; ST
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	1	PA; ST
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	1	PA; ST
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	1	PA; ST
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	1	PA; ST
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Ultra Comfort Insulin Syringe)	1	PA; ST
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	PA; ST
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	1	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	1	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		1	PA; ST
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"	1	PA; ST
HEB INCONTROL ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
INCONTROL PEN NEEDLE 12MM (pen needle, diabetic) 29G 29 GAUGE X 1/2"	1	PA; ST
INCONTROL PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	1	PA; ST
INCONTROL PEN NEEDLE 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16"	1	PA; ST
INCONTROL PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	1	PA; ST
INCONTROL PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	1	PA; ST
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN SYR 0.3 ML (Droplet Insulin Syr(half 31GX1/4(1/2) 0.3 ML 31 GAUGE X unit)) 1/4"	1	PA; ST
INSULIN SYRIN 0.5 ML 28GX1/2" (Comfort EZ Insulin (OTC) 1/2 ML 28 GAUGE X 1/2" Syringe)	1	PA; ST
INSULIN SYRIN 0.5 ML 29GX1/2" (Comfort EZ Insulin (OTC) 0.5 ML 29 GAUGE X 1/2" Syringe)	1	PA; ST
INSULIN SYRIN 0.5 ML 30GX1/2" (Comfort EZ Insulin (RX) 0.5 ML 30 GAUGE X 1/2" Syringe)	1	PA; ST
INSULIN SYRIN 0.5 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	1	PA; ST
INSULIN SYRING 0.5 ML 27G 1/2" (Easy Touch Insulin OUTER 1/2 ML 27 GAUGE X 1/2" Syringe)	1	PA; ST
INSULIN SYRINGE 0.3 ML 0.3 ML (insulin syringe-needle 29 GAUGE u-100)	1	PA; ST
INSULIN SYRINGE 0.3 ML (Sure Comfort Insulin 31GX1/4 0.3 ML 31 GAUGE X 1/4" Syringe)	1	PA; ST
INSULIN SYRINGE 0.5 ML 1/2 ML (insulin syringe-needle 29 u-100)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
INSULIN SYRINGE 0.5 ML (Droplet Insulin Syringe) 31GX1/4 1/2 ML 31 GAUGE X 1/4"	1	PA; ST
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	1	PA; ST
INSULIN SYRINGE 1 ML 27G 1/2" (Easy Touch Insulin Syringe) INNER 1 ML 27 GAUGE X 1/2"	1	PA; ST
INSULIN SYRINGE 1 ML 27G (BD SafetyGlide Syringe) 16MM 1 ML 27 GAUGE X 5/8"	1	PA; ST
INSULIN SYRINGE 1 ML (Comfort EZ Insulin Syringe) 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	1	PA; ST
INSULIN SYRINGE 1 ML (BD Eclipse Luer-Lok) 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	1	PA; ST
INSULIN SYRINGE 1 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16"	1	PA; ST
INSULIN SYRINGE 1 ML (Droplet Insulin Syringe) 31GX1/4" 1 ML 31 GAUGE X 1/4"	1	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)	1	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Monoject Syringe)	1	PA; ST
INSUPEN 30G ULTRAFIN (pen needle, diabetic) NEEDLE 30 GAUGE X 5/16"	1	PA; ST
INSUPEN 31G ULTRAFIN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	1	PA; ST
INSUPEN 32G 6MM PEN NEEDLE (pen needle, diabetic) 32 GAUGE X 1/4"	1	PA; ST
INSUPEN 32G 8MM PEN NEEDLE (pen needle, diabetic) 32 GAUGE X 5/16"	1	PA; ST
INSUPEN PEN NEEDLE (pen needle, diabetic) 29GX12MM 29 GAUGE X 1/2"	1	PA; ST
INSUPEN PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
INSUPEN PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	1	PA; ST
INSUPEN PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	1	PA; ST
IV ANTISEPTIC WIPES (alcohol swabs)	1	PA; ST
KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)	1	PA; ST
LISCO SPONGES 100/BAG 2 X 2 "	1	PA; ST
LITE TOUCH 31GX1/4" PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4"	1	PA; ST
LITE TOUCH INSULIN 0.5 ML (insulin syringe-needle SYR 1/2 ML 28 GAUGE, 1/2 ML 29 u-100) , 1/2 ML 30 GAUGE	1	PA; ST
LITE TOUCH INSULIN 1 ML SYR (insulin syringe-needle 1 ML 28 GAUGE, 1 ML 30 GAUGE u-100) X 7/16"	1	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE	1	PA; ST
LITE TOUCH INSULIN SYR 1 ML (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	1	PA; ST
LITE TOUCH PEN NEEDLE 29G (pen needle, diabetic) 29 GAUGE X 1/2"	1	PA; ST
LITE TOUCH PEN NEEDLE 31G (pen needle, diabetic) 31 GAUGE X 3/16", 31 GAUGE X 5/16"	1	PA; ST
LITETOUCH INS 0.3 ML 29GX1/2" (insulin syringe-needle 0.3 ML 29 GAUGE X 1/2" u-100)	1	PA; ST
LITETOUCH INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	1	PA; ST
LITETOUCH INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	1	PA; ST
LITETOUCH INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	1	PA; ST
LITETOUCH SYR 0.5 ML (insulin syringe-needle 28GX1/2" 1/2 ML 28 GAUGE X u-100) 1/2"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		1	PA; ST
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		1	PA; ST
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		1	PA; ST
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		1	PA; ST
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		1	PA; ST
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		1	PA; ST
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		1	PA; ST
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"		1	PA; ST
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	1	PA; ST
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	1	PA; ST
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(CareFine Pen Needle)	1	PA; ST
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	1	PA; ST
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	1	PA; ST
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	1	PA; ST
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	1	PA; ST
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	1	PA; ST
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		1	PA; ST
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
NOVOFINE 30 NEEDLE		1	PA; ST
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		1	PA; ST
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		1	PA; ST
OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM (pen needle, diabetic) NEEDLE SHORT 31 GAUGE X 5/16"	1	PA; ST
PEN NEEDLE 30G 5MM OUTER (Embrace Pen Needle) 30 GAUGE X 3/16"	1	PA; ST
PEN NEEDLE 30G 8MM INNER 30 (CareFine Pen Needle) GAUGE X 5/16"	1	PA; ST
PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic) GAUGE X 5/16"	1	PA; ST
PEN NEEDLE, DIABETIC (1st Tier Unifine Pentips NEEDLE 29 GAUGE X 1/2" Plus)	1	PA; ST
PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2"	1	PA; ST
PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32"	1	PA; ST
PEN NEEDLES 6MM 31G (1st Tier Unifine 31GX6MM, STRL 31 GAUGE X Pentips) 1/4"	1	PA; ST
PEN NEEDLES 8MM 31G (pen needle, diabetic) 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	1	PA; ST
PENTIPS PEN NEEDLE 29G 1/2" (pen needle, diabetic) 29 GAUGE X 1/2"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
PENTIPS PEN NEEDLE 31G 1/4" (pen needle, diabetic) 31 GAUGE X 1/4"	1	PA; ST
PENTIPS PEN NEEDLE 31GX3/16" (pen needle, diabetic) MINI, 5MM 31 GAUGE X 3/16"	1	PA; ST
PENTIPS PEN NEEDLE 31GX5/16" (pen needle, diabetic) SHORT, 8MM 31 GAUGE X 5/16"	1	PA; ST
PENTIPS PEN NEEDLE 32G 1/4" (pen needle, diabetic) 32 GAUGE X 1/4"	1	PA; ST
PENTIPS PEN NEEDLE 32GX5/32" (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	1	PA; ST
PIP PEN NEEDLE 31G X 5MM 31 (pen needle, diabetic) GAUGE X 3/16"	1	PA; ST
PIP PEN NEEDLE 32G X 4MM 32 (pen needle, diabetic) GAUGE X 5/32"	1	PA; ST
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	1	PA; ST
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	1	PA; ST
PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100)	1	PA; ST
PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100)	1	PA; ST
PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100)	1	PA; ST
PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle ML 30 GAUGE X 1/2" u-100)	1	PA; ST
PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle ML 30 GAUGE X 5/16 u-100)	1	PA; ST
PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle ML 31 GAUGE X 5/16 u-100)	1	PA; ST
PRO COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
PRO COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	1	PA; ST
PRO COMFORT PEN NDL 32G X (pen needle, diabetic) 1/4" 32 GAUGE X 1/4"	1	PA; ST
PRO COMFORT PEN NDL 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	PA; ST
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	PA; ST
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	PA; ST
PURE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		1	PA; ST
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort Touch Pen Needle)	1	PA; ST
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"		1	PA; ST
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		1	PA; ST
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	1	PA; ST
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" (Comfort EZ Insulin Syringe)	1	PA; ST
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29 (Ultilet Insulin Syringe)	1	PA; ST
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	1	PA; ST
RELION MINI PEN 31G X 1/4" (pen needle, diabetic) NDL 31 GAUGE X 1/4"	1	PA; ST
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	1	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	1	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	1	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	1	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	1	PA; ST
SAFETY PEN NEEDLE 31G 4MM (Comfort EZ PRO 31 GAUGE X 5/32" Safety Pen Ndl)	1	PA; ST
SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, 31G 31 GAUGE X 3/16" safety)	1	PA; ST
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	1	PA; ST
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	1	PA; ST
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	1	PA; ST
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	1	PA; ST
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	1	PA; ST
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	PA; ST
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	1	PA; ST
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	PA; ST
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
SURE COMFORT ALCOHOL PREP PADS (alcohol swabs)	1	PA; ST
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
SURE-PREP ALCOHOL PREP PADS (alcohol swabs)	1	PA; ST
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	1	PA; ST
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	1	PA; ST
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	1	PA; ST
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	1	PA; ST
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	1	PA; ST
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	1	PA; ST
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	PA; ST
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	1	PA; ST
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	1	PA; ST
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	PA; ST
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	PA; ST
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		1	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		1	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	1	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		1	PA; ST
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		1	PA; ST
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	PA; ST
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	PA; ST
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	PA; ST
TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		1	PA; ST
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"		1	PA; ST
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"		1	PA; ST
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16	1	PA; ST
TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)	1	PA; ST
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	1	PA; ST
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
TRUE COMFRT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"	1	PA; ST
TRUE COMFRT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	1	PA; ST
TRUE COMFRT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	1	PA; ST
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	1	PA; ST
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	1	PA; ST
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE INS SYR 0.5 ML 31G 8MM (OTC) 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	1	PA; ST
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	PA; ST
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		1	PA; ST
ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	PA; ST
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ULTICARE SYR 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	1	PA; ST
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	1	PA; ST
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	1	PA; ST
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	1	PA; ST
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	1	PA; ST
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"	1	PA; ST
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	1	PA; ST
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	1	PA; ST
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	1	PA; ST
ULTIGUARD SAFEPACK 32G 4MM 32 GAUGE X 5/32"	1	PA; ST
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	1	PA; ST
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	1	PA; ST
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	1	PA; ST
ULTILET ALCOHOL STERL (alcohol swabs) SWAB	1	PA; ST
ULTILET INSULIN SYRINGE 0.3 (insulin syringe-needle ML 0.3 ML 29 GAUGE X 1/2", 0.3 u-100) ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
ULTILET INSULIN SYRINGE 0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", 0.5 u-100) ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	1	PA; ST
ULTILET INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 ML u-100) 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ULTILET PEN NEEDLE 29 GAUGE	1	PA; ST
ULTILET PEN NEEDLE 4MM 32G (pen needle, diabetic) 32 GAUGE X 5/32"	1	PA; ST
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	1	PA; ST
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	1	PA; ST
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	1	PA; ST
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ULTRACARE PEN NEEDLE (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	1	PA; ST
ULTRA-FINE 0.3 ML 30G 12.7MM (insulin syringe-needle 0.3 ML 30 GAUGE X 1/2" u-100)	1	PA; ST
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	1	PA; ST
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
ULTRA-FINE 0.5 ML 30G 12.7MM (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100)	1	PA; ST
ULTRA-FINE INS SYR 1 ML 31G (insulin syringe-needle 8MM 1 ML 31 GAUGE X 5/16 u-100)	1	PA; ST
ULTRA-FINE PEN NDL 29G (pen needle, diabetic) 12.7MM 29 GAUGE X 1/2"	1	PA; ST
ULTRA-FINE PEN NEEDLE 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	1	PA; ST
ULTRA-FINE SYR 0.5 ML 31G (insulin syringe-needle 8MM 0.5 ML 31 GAUGE X 5/16" u-100)	1	PA; ST
ULTRA-FINE SYR 1 ML 30G (insulin syringe-needle 12.7MM 1 ML 30 GAUGE X 1/2" u-100)	1	PA; ST
ULTRA-THIN II 1 ML 31GX5/16" 1 (insulin syringe-needle ML 31 GAUGE X 5/16 u-100)	1	PA; ST
ULTRA-THIN II INS 0.3 ML 30G (insulin syringe-needle 0.3 ML 30 GAUGE X 5/16" u-100)	1	PA; ST
ULTRA-THIN II INS 0.3 ML 31G (insulin syringe-needle 0.3 ML 31 GAUGE X 5/16" u-100)	1	PA; ST
ULTRA-THIN II INS 0.5 ML 29G (insulin syringe-needle 0.5 ML 29 GAUGE X 1/2" u-100)	1	PA; ST
ULTRA-THIN II INS 0.5 ML 30G (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100)	1	PA; ST
ULTRA-THIN II INS 0.5 ML 31G (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100)	1	PA; ST
ULTRA-THIN II INS SYR 1 ML (insulin syringe-needle 29G 1 ML 29 GAUGE X 1/2" u-100)	1	PA; ST
ULTRA-THIN II INS SYR 1 ML (insulin syringe-needle 30G 1 ML 30 GAUGE X 5/16 u-100)	1	PA; ST
ULTRA-THIN II PEN NDL (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ULTRA-THIN II PEN NDL (pen needle, diabetic) 31GX5/16 31 GAUGE X 5/16"	1	PA; ST
UNIFINE OTC PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	1	PA; ST
UNIFINE OTC PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	1	PA; ST
UNIFINE PEN NEEDLE 32G 4MM (pen needle, diabetic) 32 GAUGE X 5/32"	1	PA; ST
UNIFINE PENTIPS 12MM 29G (pen needle, diabetic) 29GX12MM, STRL 29 GAUGE X 1/2"	1	PA; ST
UNIFINE PENTIPS 31GX3/16" (pen needle, diabetic) 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	1	PA; ST
UNIFINE PENTIPS 32GX1/4" 32 (pen needle, diabetic) GAUGE X 1/4"	1	PA; ST
UNIFINE PENTIPS 32GX5/32" (pen needle, diabetic) 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	1	PA; ST
UNIFINE PENTIPS 33GX5/32" 33 (pen needle, diabetic) GAUGE X 5/32"	1	PA; ST
UNIFINE PENTIPS 6MM 31G 31 (pen needle, diabetic) GAUGE X 1/4"	1	PA; ST
UNIFINE PENTIPS MAX (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	1	PA; ST
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	1	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2"	1	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	1	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	1	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	1	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	1	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	1	PA; ST
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"	1	PA; ST
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"	1	PA; ST
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"	1	PA; ST
UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"	1	PA; ST
UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"	1	PA; ST
UNIFINE SAFECONTROL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	1	PA; ST
UNIFINE SAFECONTROL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	1	PA; ST
UNIFINE SAFECONTROL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	1	PA; ST
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	1	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	1	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	1	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	1	PA; ST
UNIFINE ULTRA PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	1	PA; ST
VANISHPOINT 0.5 ML 30GX1/2" (insulin syringe-needle SY OUTER 0.5 ML 30 GAUGE X u-100) 1/2"	1	PA; ST
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	1	PA; ST
VANISHPOINT U-100 29X1/2 SYR (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100)	1	PA; ST
VERIFINE INS SYR 1 ML 29G 1/2" (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"		1	PA; ST
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "		1	PA; ST
V-GO 20 DEVICE		3	QL (30 per 30 days)
V-GO 30 DEVICE		3	QL (30 per 30 days)
V-GO 40 DEVICE		3	QL (30 per 30 days)
WEBCOL ALCOHOL PREPS 20'S,LARGE	(alcohol swabs)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
酶輔因子/分子伴侶		
酶輔因子/分子伴侶		
MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG	5	PA; NM; NDS; QL (90 per 30 days)
酶替代/改性劑		
酶替代/改性劑		
CREON ORAL CAPSULE, DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
javygtor oral tablet, soluble 100 mg (sapropterin)	5	PA; NM; NDS
nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg (Orfadin)	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
sapropterin oral tablet, soluble 100 mg (Javygtor)	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	3	
眼耳鼻喉藥劑		
眼耳鼻喉藥劑, 雜項		
atropine ophthalmic (eye) drops 1 % (Isopto Atropine)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
azelastine nasal spray,non-aerosol 137 mcg (0.1 %)	1	QL (60 per 30 days)
azelastine nasal spray,non-aerosol (Astepro Allergy) 205.5 mcg (0.15 %)	1	QL (30 per 25 days)
azelastine ophthalmic (eye) drops 0.05 %	2	
cromolyn ophthalmic (eye) drops 4 %	1	
epinastine ophthalmic (eye) drops 0.05 %	4	
ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)	2	QL (30 per 28 days)
ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)	2	QL (15 per 10 days)
olopatadine ophthalmic (eye) drops (Eye Allergy Itch- 0.1 % Redness Rlf)	1	
olopatadine ophthalmic (eye) drops (Eye Allergy Itch Relief) 0.2 %	1	
眼耳鼻咽喉抗感染藥物		
acetic acid otic (ear) solution 2 %	1	
bacitracin ophthalmic (eye) ointment 500 unit/gram	2	
bacitracin-polymyxin b ophthalmic (Polycin) (eye) ointment 500-10,000 unit/gram	1	
ciprofloxacin hcl ophthalmic (eye) drops 0.3 %	1	
ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %	4	QL (7.5 per 7 days)
erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)	1	QL (3.5 per 4 days)
gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)	2	
gentamicin ophthalmic (eye) drops 0.3 %	2	
hydrocortisone-acetic acid otic (ear) drops 1-2 %	2	
moxifloxacin ophthalmic (eye) drops (Vigamox) 0.5 %	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400- 10,000 mg-unit/g-1%	(Neo-Polycin HC)	2
neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400- 10,000 mg-unit-unit/g	(Neo-Polycin)	2
neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %	(Maxitrol)	1
neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g- 10,000 unit/g-0.1 %	(Maxitrol)	1
neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg- 10,000 unit-0.025mg/ml		2
neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%		2
neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml- %		2
neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g- 1%	(neomycin-bacitracin- poly-hc)	2
neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit- unit/g	(neomycin-bacitracin- polymyxin)	2
ofloxacin ophthalmic (eye) drops 0.3 %	(Ocuflox)	1
ofloxacin otic (ear) drops 0.3 %		2
polycin ophthalmic (eye) ointment 500-10,000 unit/gram	(bacitracin-polymyxin b)	1
polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml		1
sulfacetamide sodium ophthalmic (eye) drops 10 %		2
sulfacetamide sodium ophthalmic (eye) ointment 10 %		2

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)	1	
tobramycin ophthalmic (eye) drops 0.3 %	1	
tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %	2	
trifluridine ophthalmic (eye) drops 1 %	4	
XDEMVI OPHTHALMIC (EYE) DROPS 0.25 %	5	PA; NM; NDS; QL (10 per 42 days)
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
眼耳鼻喉抗炎藥物		
ALREX OPHTHALMIC (EYE) (loteprednol etabonate) DROPS,SUSPENSION 0.2 %	3	ST
bromfenac ophthalmic (eye) drops (Prolensa) 0.07 %	4	
bromfenac ophthalmic (eye) drops (BromSite) 0.075 %	4	
bromfenac ophthalmic (eye) drops 0.09 %	4	
cyclosporine ophthalmic (eye) (Restasis) dropperette 0.05 %	4	QL (60 per 30 days)
dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %	2	
diclofenac sodium ophthalmic (eye) drops 0.1 %	1	
difluprednate ophthalmic (eye) drops (Durezol) 0.05 %	4	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)	4	QL (50 per 25 days)
fluocinolone acetonide oil otic (ear) (DermOtic Oil) drops 0.01 %	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
fluorometholone ophthalmic (eye) drops,suspension 0.1 % (FML Liquifilm)	4	
flurbiprofen sodium ophthalmic (eye) drops 0.03 %	2	
fluticasone propionate nasal spray,suspension 50 mcg/actuation (24 Hour Allergy Relief)	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	QL (5.6 per 14 days)
ketorolac ophthalmic (eye) drops 0.5 % (Acular)	1	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	QL (5 per 16 days)
loteprednol etabonate ophthalmic (eye) drops,gel 0.5 % (Lotemax)	4	QL (10 per 14 days)
loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 % (Alrex)	4	ST
loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %	4	QL (15 per 19 days)
mometasone nasal spray,non-aerosol 50 mcg/actuation (Allergy Nasal (mometasone))	4	QL (34 per 30 days)
prednisolone acetate ophthalmic (eye) drops,suspension 1 % (Pred Forte)	4	
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
胃腸道藥物		
抗潰瘍劑和酸抑制劑		
amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg	4	
cimetidine hcl oral solution 300 mg/5 ml	2	
esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg (Acid Reducer (esomeprazole))	2	QL (30 per 30 days)
esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg (Nexium)	2	QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg (Nexium Packet)	4	ST; QL (30 per 30 days)
esomeprazole magnesium oral granules dr for susp in packet 40 mg (Nexium Packet)	4	ST; QL (60 per 30 days)
famotidine oral tablet 20 mg (Acid Controller)	1	
famotidine oral tablet 40 mg (Pepcid)	1	
lansoprazole oral capsule, delayed release(dr/ec) 15 mg (Acid Reducer (lansoprazole))	2	QL (30 per 30 days)
lansoprazole oral capsule, delayed release(dr/ec) 30 mg (Prevacid)	2	QL (60 per 30 days)
misoprostol oral tablet 100 mcg, 200 mcg (Cytotec)	2	
omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg	1	
pantoprazole oral tablet, delayed release (dr/ec) 20 mg (Protonix)	1	QL (30 per 30 days)
pantoprazole oral tablet, delayed release (dr/ec) 40 mg (Protonix)	1	QL (60 per 30 days)
rabeprazole oral tablet, delayed release (dr/ec) 20 mg (AcipHex)	2	QL (30 per 30 days)
sucralfate oral tablet 1 gram (Carafate)	1	
胃腸道藥物， 其他		
carglumic acid oral tablet, dispersible 200 mg (Carbaglu)	5	PA; NM; NDS
constulose oral solution 10 gram/15 ml (lactulose)	1	
cromolyn oral concentrate 100 mg/5 ml (Gastrocrom)	4	
dicyclomine oral capsule 10 mg	1	
dicyclomine oral solution 10 mg/5 ml	2	
dicyclomine oral tablet 20 mg	1	
diphenoxylate-atropine oral tablet 2.5-0.025 mg (Lomotil)	1	PA-HRM; AGE (Max 64 Years)
enulose oral solution 10 gram/15 ml (lactulose)	1	
generlac oral solution 10 gram/15 ml (lactulose)	1	
glycopyrrolate oral tablet 1 mg (Robinul)	2	
glycopyrrolate oral tablet 2 mg (Robinul Forte)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml, 15-20 gram/60 ml	3	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	1	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	1	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	4	QL (60 per 30 days)
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	3	
<i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)	5	NM; NDS
<i>ursodiol oral capsule 300 mg</i>	3	
<i>ursodiol oral tablet 250 mg</i>	3	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	3	
VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (84 per 28 days)
通便藥物		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	1	
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	2	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	1	
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	1	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	3	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>	2	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
磷酸鹽結合劑		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	4	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	4	
泌尿生殖系統藥物		
解痙藥， 泌尿系統藥物		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	2	
<i>flavoxate oral tablet 100 mg</i>	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG (mirabegron)	2	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	
<i>oxybutynin chloride oral tablet 5 mg</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg	1	
solifenacin oral tablet 10 mg, 5 mg (Vesicare)	1	
tolterodine oral capsule, extended release 24hr 2 mg, 4 mg	2	
tolterodine oral tablet 1 mg, 2 mg	2	
trospium oral capsule, extended release 24hr 60 mg	4	
trospium oral tablet 20 mg	2	
泌尿生殖系統藥物，雜項		
alfuzosin oral tablet extended release (Uroxatral) 24 hr 10 mg	1	QL (30 per 30 days)
dutasteride oral capsule 0.5 mg (Avodart)	1	
finasteride oral tablet 5 mg (Proscar)	1	
tamsulosin oral capsule 0.4 mg (Flomax)	1	
terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg	1	
重金屬拮抗劑		
重金屬拮抗劑		
deferasirox oral granules in packet (Jadenu Sprinkle) 180 mg, 360 mg, 90 mg	5	PA; NM; NDS
deferasirox oral tablet 180 mg, 360 mg, 90 mg (Jadenu)	3	PA
penicillamine oral tablet 250 mg (Depen Titratabs)	5	PA; NM; NDS
trientine oral capsule 250 mg (Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
激素替代藥物，刺激/替代/改 性		
雄激素類		
danazol oral capsule 100 mg, 200 mg, 50 mg	4	
oxandrolone oral tablet 10 mg, 2.5 mg	4	PA
testosterone cypionate intramuscular (Depo-Testosterone) oil 100 mg/ml, 200 mg/ml	1	PA

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
testosterone cypionate intramuscular oil 200 mg/ml (1 ml)	1	PA
testosterone enanthate intramuscular oil 200 mg/ml	2	PA; QL (5 per 28 days)
testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %) (Vogelxo)	4	PA; QL (300 per 30 days)
testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %) (AndroGel)	4	PA; QL (150 per 30 days)
testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) (AndroGel)	4	PA; QL (300 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
雌激素和抗雌激素		
DUAVEE ORAL TABLET 0.45-20 MG	3	PA-HRM; AGE (Max 64 Years)
estradiol oral tablet 0.5 mg, 1 mg, 2 mg (Estrace)	1	PA-HRM; AGE (Max 64 Years)
estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Dotti)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Climara)	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
estradiol vaginal cream 0.01 % (0.1 mg/gram) (Estrace)	2	
estradiol vaginal tablet 10 mcg (Yuvafem)	4	QL (18 per 28 days)
estradiol-norethindrone acet oral tablet 0.5-0.1 mg	2	PA-HRM; AGE (Max 64 Years)
estradiol-norethindrone acet oral tablet 1-0.5 mg (Mimvey)	2	PA-HRM; AGE (Max 64 Years)
mimvey oral tablet 1-0.5 mg (estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	PA-HRM; AGE (Max 64 Years)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
PREMARIN ORAL TABLET 0.625 (conjugated estrogens) MG, 1.25 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	4	QL (18 per 28 days)
糖皮質激素/鹽皮質激素		
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	1	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>fludrocortisone oral tablet 0.1 mg</i>	1	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	
<i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	1	
<i>methylprednisolone oral tablet 32 mg</i>	1	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	1	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	1	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	
<i>triamcinolone acetonide injection</i> (Kenalog) <i>suspension 40 mg/ml</i>	1	
垂體		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML	5	PA; NM; NDS; QL (15 per 30 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML	5	PA; NM; NDS; QL (30 per 30 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	4	
<i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i>	4	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	PA NSO; NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	4	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	4	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
孕激素		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	3	QL (0.65 per 84 days)
<i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)	2	
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i>	1	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>syringe 150 mg/ml</i>	1	QL (1 per 84 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	4	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	
甲狀腺及甲狀腺拮抗劑		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
免疫製劑		
免疫製劑		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	PA; NM; NDS
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG (tacrolimus)	4	PA BvD
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 5 MG (tacrolimus)	5	PA BvD; NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD
<i>cyclosporine modified oral capsule 50 mg</i>	2	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	4	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	4	PA BvD
CYLTEZO(CF) PEN CROHN'S-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
CYLTEZO(CF) PEN PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS
CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS
CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i> (Zortress)	5	PA BvD; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	4	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
<i>infliximab intravenous recon soln 100 mg</i> (Remicade)	5	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)	4	PA BvD
NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG	5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG (19)	5	PA; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	4	ST
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS; QL (360 per 30 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	4	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML (ustekinumab)	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML (ustekinumab)	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML (ustekinumab)	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	4	PA BvD
TAVNEOS ORAL CAPSULE 10 MG	5	PA; NM; NDS; QL (180 per 30 days)
TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)	5	PA; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	5	PA; NM; NDS
TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
YUFLYMA(CF) AI CROHN'S-UC- (adalimumab-aaty) HS SUBCUTANEOUS AUTO- INJECTOR, KIT 80 MG/0.8 ML	5	PA; NM; NDS
YUFLYMA(CF) AUTOINJECTOR (adalimumab-aaty) SUBCUTANEOUS AUTO- INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
YUFLYMA(CF) SUBCUTANEOUS (adalimumab-aaty) SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
疫苗		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	3	\$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	3	\$0 copay
AREXVY ANTIGEN COMPONENT 120 MCG	3	\$0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	\$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML	3	\$0 copay
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
DENG VAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD; \$0 copay
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD; \$0 copay
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD; \$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	\$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	3	PA BvD; \$0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML	3	
IPOLE INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	\$0 copay
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	3	\$0 copay

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	3	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	\$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	\$0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	\$0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	\$0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	3	\$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	3	\$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	3	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	\$0 copay

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF- 20MCG-5LF- 62 DU/0.5 ML	3	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD; \$0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	3	\$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	3	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 ML toxoids-td)	3	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	\$0 copay
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	\$0 copay
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	\$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	\$0 copay
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	\$0 copay
TYPHIM VI INTRAMUSCULAR (typhoid vi polysacch SYRINGE 25 MCG/0.5 ML vaccine)	3	\$0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	3	\$0 copay
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	3	\$0 copay

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	\$0 copay
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	3	\$0 copay
VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML	3	\$0 copay
VIVOTIF ORAL CAPSULE,DELAYED RELEASE(DR/EC) 2 BILLION UNIT	3	\$0 copay
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	3	\$0 copay
炎症性腸道疾病藥物		
炎症性腸道疾病藥物		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	4	
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	4	
<i>budesonide rectal foam 2 mg/actuation</i> (Uceris)	4	
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	4	
<i>mesalamine oral capsule, extended release 500 mg</i> (Pentasa)	4	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	4	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	4	QL (120 per 30 days)
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	4	
代謝性骨疾病藥物		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
代謝性骨疾病藥物		
<i>alendronate oral solution 70 mg/75 ml</i>	4	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	1	
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	4	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NM; NDS; QL (120 per 30 days)
<i>ibandronate oral tablet 150 mg</i>	1	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemlar)	4	
<i>paricalcitol oral capsule 4 mcg</i>	4	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	4	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>	5	PA; NM; NDS; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	5	PA; NM; NDS; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
各種治療劑		
各種治療劑		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NM; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NM; NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	4	
<i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)	5	PA; NM; NDS; QL (180 per 30 days)
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>mesna oral tablet 400 mg</i> (Mesnex)	5	NM; NDS
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)	4	QL (30 per 30 days)
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VEOZAH ORAL TABLET 45 MG	4	PA; QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NM; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
滴眼劑		
抗青光眼藥物		
acetazolamide oral capsule, extended release 500 mg	2	
acetazolamide oral tablet 125 mg, 250 mg	2	
acetazolamide sodium injection recon soln 500 mg	1	
betaxolol ophthalmic (eye) drops 0.5 %	1	
bimatoprost ophthalmic (eye) drops 0.03 %	4	QL (2.5 per 25 days)
brimonidine ophthalmic (eye) drops (Alphagan P) 0.1 %, 0.15 %	2	
brimonidine ophthalmic (eye) drops 0.2 %	2	
brimonidine-timolol ophthalmic (eye) (Combigan) drops 0.2-0.5 %	4	
brinzolamide ophthalmic (eye) (Azopt) drops,suspension 1 %	4	
carteolol ophthalmic (eye) drops 1 %	1	
dorzolamide ophthalmic (eye) drops 2 %	1	
dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml	1	
latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %	1	QL (2.5 per 25 days)
levobunolol ophthalmic (eye) drops 0.5 %	1	
LUMIGAN OPTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
methazolamide oral tablet 25 mg, 50 mg	4	
pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> (Zioptan (PF))	4	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	
<i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol)	1	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	4	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
替代製劑		
替代製劑		
<i>d5 % (d-glucose)-0.9 % sodchlr intravenous parenteral solution</i> (d5 % and 0.9 % sodium chloride)	1	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> (D5 % (d-glucose)-0.9 % sodchlr)	1	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	1	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	1	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	1	
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>	4	
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>	2	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	1	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
potassium chloride oral tablet extended release 10 meq (Klor-Con 10)	1	
potassium chloride oral tablet extended release 15 meq	4	
potassium chloride oral tablet extended release 20 meq	1	
potassium chloride oral tablet extended release 8 meq (Klor-Con 8)	1	
potassium chloride oral tablet,er particles/crystals 10 meq (Klor-Con M10)	1	
potassium chloride oral tablet,er particles/crystals 15 meq (Klor-Con M15)	1	
potassium chloride oral tablet,er particles/crystals 20 meq (Klor-Con M20)	1	
potassium citrate oral tablet extended release 10 meq (1,080 mg) (Urocit-K 10)	2	
potassium citrate oral tablet extended release 15 meq (Urocit-K 15)	2	
potassium citrate oral tablet extended release 5 meq (540 mg)	2	
sodium chloride 0.45 % intravenous parenteral solution 0.45 %	2	
sodium chloride 0.9 % intravenous parenteral solution	2	
sodium chloride 0.9% solution mini- bag, single use	2	
呼吸道藥物		
消炎藥物，吸入糖皮質激素		
ADVAIR HFA INHALATION HFA (fluticasone propion- AEROSOL INHALER 115-21 salmeterol) MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION		3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate- vilanterol)	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE		3	QL (60 per 30 days)
<i>breyana inhalation hfa aerosol inhaler</i>	(budesonide-formoterol)	1	QL (30.9 per 30 days)
<i>160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>			
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i>	(Pulmicort)	4	PA BvD; QL (120 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	(Breyna)	1	QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>		1	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>		1	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>		1	QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(Wixela Inhub)	1	QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(fluticasone propion- salmeterol)	1	QL (60 per 30 days)
抗白三烯藥物			
<i>montelukast oral tablet 10 mg</i>	(Singulair)	1	
<i>montelukast oral tablet,chewable 4 mg, 5 mg</i>	(Singulair)	1	
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	(Accolate)	4	
支氣管擴張劑			

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa</i> <i>aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA)	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa</i> <i>aerosol inhaler 90 mcg/actuation</i> (nda020503)	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa</i> <i>aerosol inhaler 90 mcg/actuation</i> (nda020983)	2	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution</i> <i>for nebulization 0.63 mg/3 ml, 1.25</i> <i>mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5</i> <i>mg/0.5 ml</i>	1	PA BvD
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION (umeclidinium- vilanterol)	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation</i> <i>solution 0.02 %</i>	1	PA BvD
<i>ipratropium-albuterol inhalation</i> <i>solution for nebulization 0.5 mg-3</i> <i>mg(2.5 mg base)/3 ml</i>	1	PA BvD; QL (540 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>theophylline oral solution 80 mg/15 ml</i>	4	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	4	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
<i>tiotropium bromide inhalation</i> (Spiriva with <i>capsule, w/inhalation device 18 mcg</i> HandiHaler)	4	QL (30 per 30 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
呼吸道藥物，其他		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
ALYFTREK ORAL TABLET 10- 50-125 MG	5	PA; NM; NDS; QL (60 per 30 days)
ALYFTREK ORAL TABLET 4-20- 50 MG	5	PA; NM; NDS; QL (90 per 30 days)
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	3	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL TABLET 100- 125 MG, 200-125 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	4	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	4	QL (30 per 30 days)
WINREVAIR SUBCUTANEOUS KIT 45 MG, 45 MG (2 PACK), 60 MG, 60 MG (2 PACK)	5	PA; NM; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS
骨骼肌鬆弛劑		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
骨骼肌鬆弛劑		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>baclofen oral tablet 15 mg</i>	4	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>	4	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	4	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>tizanidine oral tablet 2 mg</i>	1	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	
睡眠障礙藥物		
睡眠障礙藥物		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
<i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	1	QL (30 per 30 days)
血管擴張劑		
血管擴張劑		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	5	PA; NM; LA; NDS; QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	3	PA; QL (360 per 30 days)
<i>tadalafil oral tablet 2.5 mg</i>	2	PA
<i>tadalafil oral tablet 5 mg</i> (Cialis)	2	PA
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
維生素和礦物質		
維生素和礦物質		
<i>bal-care dha combo pack 27-1-430 mg</i>	1	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	1	
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	1	
<i>completenate tablet chew 29 mg iron- 1 mg</i>	1	
<i>folivane-ob capsule 85-1 mg</i>	1	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	1	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	1	
<i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	1	
<i>mynatal advance oral tablet 90-1-50 mg</i>	1	
<i>mynatal capsule 65 mg iron- 1 mg</i>	1	
<i>mynatal oral tablet 90-1-50 mg</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>mynatal plus captab 65 mg iron- 1 mg</i>	1	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	1	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	1	
<i>newgen tablet 32-1,000 mg-mcg</i>	1	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	1	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	1	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	1	
<i>o-cal prenatal oral tablet 15 mg iron- 1,000 mcg</i>	1	
<i>pnv 29-1 oral tablet 29 mg iron- 1 mg</i>	1	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid) 1	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	1	
<i>pnv-omega softgel 28-1-300 mg</i>	1	
<i>pr natal 400 combo pack 29-1-400 mg</i>	1	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	1	
<i>pr natal 430 combo pack 29 mg iron- 1 mg -430 mg</i>	1	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	1	
<i>prena1 true combo pack 30 mg iron- 1.4 mg-300 mg</i>	1	
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	1	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	1	
<i>prenatabs fa tablet 29-1 mg</i>	1	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	1	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>prenatal low iron oral tablet 27 mg iron- 1 mg</i>	1	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> (pnv,calcium 72-iron,carb-folic)	1	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	1	
<i>prenatal-u capsule 106.5-1 mg</i>	1	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	1	
<i>pretab oral tablet 29-1 mg</i>	1	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	1	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	1	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	1	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	1	
<i>taron-c dha capsule 35-1-200 mg</i>	1	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	1	
<i>triveen-duo dha oral combo pack 29-1-400 mg</i>	1	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	1	
<i>virt-nate dha softgel 28 mg iron-1 mg-200 mg</i>	1	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	1	
<i>virt-pn plus oral capsule 28-1-300 mg</i>	1	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	1	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	1	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	1	
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	1	
<i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	1	
<i>zatean-pn plus softgel 28-1-300 mg</i>	1	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

INDEX

1		
1ST TIER UNIFINE PENTIPS		
.....	95	
1ST TIER UNIFINE PENTIPS		
PLUS	96	
A		
<i>abacavir</i>	60	
<i>abacavir-lamivudine</i>	60	
ABELCET	46	
ABILIFY ASIMTUFII	54	
ABILIFY MAINTENA	54	
<i>abiraterone</i>	16	
<i>abirtega</i>	16	
ABOUTTIME PEN NEEDLE	96	
ABRYSVO (PF)	159	
<i>acamprosate</i>	7	
<i>acarbose</i>	41	
<i>acebutolol</i>	73	
<i>acetaminophen-codeine</i>	3	
<i>acetazolamide</i>	167	
<i>acetazolamide sodium</i>	167	
<i>acetic acid</i>	140	
<i>acetylcysteine</i>	172	
<i>acitretin</i>	91	
ACTEMRA	152	
ACTEMRA ACTPEN	152	
ACTHAR	150	
ACTHAR SELFJECT	150	
ACTHIB (PF)	159	
ACTIMMUNE	165	
<i>acyclovir</i>	66, 91	
<i>acyclovir sodium</i>	66	
ADACEL(TDAP		
ADOLESN/ADULT)(PF)	159	
<i>adapalene</i>	95	
<i>adefovir</i>	66	
ADEMPAS	174	
<i>adrucil</i>	16	
ADVAIR HFA	169	
ADVOCATE PEN NEEDLE	96,	
97		
ADVOCATE SYRINGES	96	
<i>afirmelle</i>	83	
AIRSUPRA	169, 171	
AJOVY AUTOINJECTOR ...	49	
AJOVY SYRINGE	49	
AKEEGA	16	
<i>ala-cort</i>	93	
<i>albendazole</i>	51	
<i>albuterol sulfate</i>	171	
ALCOHOL PADS	97	
ALCOHOL PREP PADS ...	116	
ALCOHOL PREP SWABS ...	97	
ALCOHOL SWABS	97	
ALCOHOL WIPES	97	
ALECENSA	16	
<i>alendronate</i>	165	
<i>alfuzosin</i>	147	
<i>aliskiren</i>	78	
<i>allopurinol</i>	48	
<i>alosetron</i>	164	
<i>alprazolam</i>	8	
ALREX	142	
<i>altavera (28)</i>	83	
ALTRENO	95	
ALUNBRIG	16	
ALVAIZ	68	
<i>alyacen 1/35 (28)</i>	83	
<i>alyacen 7/7/7 (28)</i>	83	
ALYFTREK	172	
<i>alyq</i>	174	
<i>amantadine hcl</i>	52	
<i>amethyst (28)</i>	83	
<i>amikacin</i>	9	
<i>amiloride</i>	76	
<i>amiloride-hydrochlorothiazide</i>		
.....	76	
<i>amiodarone</i>	72	
<i>amitriptyline</i>	38	
<i>amlodipine</i>	75	
<i>amlodipine-atorvastatin</i>	77	
<i>amlodipine-benazepril</i>	75	
<i>amlodipine-olmesartan</i>	75	
<i>amlodipine-valsartan</i>	75	
<i>amlodipine-valsartan-hcthiacid</i>		
.....	75	
<i>ammonium lactate</i>	91, 92	
<i>amoxapine</i>	38	
<i>amoxicil-clarithromy-lansopraz</i>		
.....	143	
<i>amoxicillin</i>	12, 13	
<i>amoxicillin-pot clavulanate</i> ...	13	
<i>amphotericin b</i>	46	
<i>amphotericin b liposome</i>	46	
<i>ampicillin</i>	13	
<i>ampicillin sodium</i>	13	
<i>ampicillin-sulbactam</i>	13	
<i>anagrelide</i>	69	
<i>anastrozole</i>	16	
ANKTIVA	16	
ANORO ELLIPTA	171	
<i>aprepitant</i>	50, 51	
APRETUDE	60	
<i>apri</i>	83	
APTIOM	33	
APTIVUS	60	
AQINJECT PEN NEEDLE ...	97	
ARCALYST	152	
AREXVY (PF)	159	
AREXVY ANTIGEN		
COMPONENT	159	

ARIKAYCE	9	AXTLE	16	BD ULTRA-FINE NANO PEN	
<i>aripiprazole</i>	54	<i>ayuna</i>	83	NEEDLE	99
ARISTADA.....	54, 55	AYVAKIT	16	BD ULTRA-FINE ORIG PEN	
ARISTADA INITIO	54	<i>azacitidine</i>	16	NEEDLE	99
<i>armodafinil</i>	174	<i>azathioprine</i>	152	BD ULTRA-FINE SHORT	
ARNUITY ELLIPTA.....	170	<i>azathioprine sodium</i>	153	PEN NEEDLE	100
<i>asenapine maleate</i>	55	<i>azelastine</i>	140	BD VEO INSULIN SYR	
<i>aspirin-dipyridamole</i>	69	<i>azithromycin</i>	11, 12	(HALF UNIT).....	100
ASSURE ID DUO PRO SFTY		<i>aztreonam</i>	12	BD VEO INSULIN SYRINGE	
PEN NDL	97	<i>azurette (28)</i>	84	UF	100
ASSURE ID DUO-SHIELD ..	97	B		BELSOMRA.....	174
ASSURE ID INSULIN		<i>bacitracin</i>	140	<i>benazepril</i>	71
SAFETY.....	97	<i>bacitracin-polymyxin b</i>	140	<i>benazepril-hydrochlorothiazide</i>	
ASSURE ID PEN NEEDLE ..	97	<i>baclofen</i>	174		71
ASSURE ID PRO PEN		<i>bal-care dha</i>	175	<i>bendamustine</i>	17
NEEDLE	97	<i>bal-care dha essential</i>	175	BENDAMUSTINE	17
ASTAGRAF XL	152	<i>balsalazide</i>	164	BENDEKA	17
<i>atazanavir</i>	60	BALVERSA	16	BENLYSTA.....	153
<i>atenolol</i>	73	BCG VACCINE, LIVE (PF).....	159	<i>benztropine</i>	53
<i>atenolol-chlorthalidone</i>	73	BD ALCOHOL SWABS.....	99	BESREMI	153
<i>atomoxetine</i>	79	BD AUTOSHIELD DUO PEN		<i>betaine</i>	166
<i>atorvastatin</i>	77	NEEDLE.....	98	<i>betamethasone dipropionate</i> ..	93
<i>atovaquone</i>	51	BD ECLIPSE LUER-LOK....	98	<i>betamethasone valerate</i>	93
<i>atovaquone-proguanil</i>	51	BD INSULIN SYRINGE	98	<i>betamethasone, augmented</i>	93
<i>atropine</i>	139	BD INSULIN SYRINGE		BETASERON	80
ATROVENT HFA	171	(HALF UNIT).....	98	<i>betaxolol</i>	167
<i>aubra eq.</i>	83	BD INSULIN SYRINGE SLIP		<i>bethanechol chloride</i>	146
AUGTYRO	16	TIP	98	<i>bexarotene</i>	17
<i>aurovela 1.5/30 (21)</i>	83	BD INSULIN SYRINGE U-500		BEXSERO	159
<i>aurovela 1/20 (21)</i>	83		99	<i>bicalutamide</i>	17
<i>aurovela 24 fe</i>	83	BD INSULIN SYRINGE		BICILLIN L-A.....	13
<i>aurovela fe 1.5/30 (28)</i>	83	ULTRA-FINE.....	98	BIKTARVY	61
<i>aurovela fe 1-20 (28)</i>	83	BD NANO 2ND GEN PEN		<i>bimatoprost</i>	167
AUSTEDO	79	NEEDLE.....	99	<i>bisoprolol fumarate</i>	73
AUSTEDO XR.....	79, 80	BD SAFETYGLIDE INSULIN		<i>bisoprolol-hydrochlorothiazide</i>	
AUSTEDO XR TITRATION		SYRINGE.....	99		73
KT(WK1-4).....	80	BD SAFETYGLIDE SYRINGE		BIZENGRI.....	17
AUTOSHIELD DUO PEN			99	<i>bleomycin</i>	17
NEEDLE	97	BD ULTRA-FINE MICRO		<i>blisovi 24 fe</i>	84
AUVELITY.....	38	PEN NEEDLE	99	<i>blisovi fe 1.5/30 (28)</i>	84
<i>aviane</i>	83	BD ULTRA-FINE MINI PEN		<i>blisovi fe 1/20 (28)</i>	84
AVONEX.....	80	NEEDLE.....	99	BOOSTRIX TDAP	159

BORDERED GAUZE.....	100
<i>bortezomib</i>	17
BORUZU	17
<i>bosentan</i>	174
BOSULIF	17
BRAFTOVI.....	17
BREO ELLIPTA	170
<i>breyana</i>	170
BREZTRI AEROSPHERE ..	171
BRILINTA	69
<i>brimonidine</i>	167
<i>brimonidine-timolol</i>	167
<i>brinzolamide</i>	167
BRIVIACT	33
<i>bromfenac</i>	142
<i>bromocriptine</i>	53
BRONCHITOL	172
BRUKINSA	17
<i>budesonide</i>	164, 170
<i>budesonide-formoterol</i>	170
<i>bumetanide</i>	76
<i>buprenorphine</i>	3
<i>buprenorphine hcl</i>	7
<i>buprenorphine-naloxone</i>	7
<i>bupropion hcl</i>	38
<i>bupropion hcl (smoking deter)</i> ..	7
<i>buspirone</i>	166
<i>butalbital-acetaminop-caf-cod</i> ..3	
<i>butalbital-acetaminophen-caff</i> ..3	
C	
CABENUVA.....	61
<i>cabergoline</i>	53
CABOMETYX.....	17
<i>cabotegravir</i>	61
<i>calcipotriene</i>	92
<i>calcitonin (salmon)</i>	165
<i>calcitriol</i>	165
<i>calcium acetate(phosphat bind)</i>	146
CALQUENCE.....	18

CALQUENCE (ACALABRUTINIB MAL)	17
<i>camila</i>	84
<i>candesartan</i>	70
<i>candesartan-hydrochlorothiazid</i>	70
CAPLYTA.....	55
CAPRELSA.....	18
<i>captopril</i>	71
<i>carbamazepine</i>	33
<i>carbidopa-levodopa</i>	53
CAREFINE PEN NEEDLE. 100	
CARETOUCH ALCOHOL PREP PAD.....	100
CARETOUCH INSULIN SYRINGE.....	101
CARETOUCH PEN NEEDLE	100, 101
<i>carglumic acid</i>	144
<i>carteolol</i>	167
<i>cartia xt</i>	74
<i>carvedilol</i>	73
CAYSTON	12
<i>cefaclor</i>	10
<i>cefadroxil</i>	10
<i>cefazolin</i>	10
<i>cefdinir</i>	10, 11
<i>cefepime</i>	11
<i>cefixime</i>	11
<i>cefoxitin</i>	11
<i>cefpodoxime</i>	11
<i>cefprozil</i>	11
<i>ceftazidime</i>	11
<i>ceftriaxone</i>	11
<i>cefuroxime axetil</i>	11
<i>cefuroxime sodium</i>	11
<i>celecoxib</i>	5
<i>cephalexin</i>	11
<i>cevimeline</i>	91
<i>chateal eq (28)</i>	84
<i>chlordiazepoxide hcl</i>	8

<i>chlorhexidine gluconate</i>	91
<i>chloroquine phosphate</i>	52
<i>chlorpromazine</i>	55
<i>chlorthalidone</i>	76
<i>cholestyramine (with sugar)</i> ..	77
<i>cholestyramine light</i>	77
<i>ciclopirox</i>	46
<i>cilostazol</i>	69
CIMDUO	61
<i>cimetidine hcl</i>	143
CIMZIA	153
CIMZIA POWDER FOR RECONST	153
<i>cinacalcet</i>	165
CINQAIR.....	172
<i>ciprofloxacin hcl</i>	14, 140
<i>ciprofloxacin in 5 % dextrose</i> 14	
<i>ciprofloxacin-dexamethasone</i>	140
<i>citalopram</i>	38, 39
<i>clarithromycin</i>	12
CLENPIQ.....	145
CLICKFINE PEN NEEDLE 101	
<i>clindamycin hcl</i>	9
<i>clindamycin phosphate</i> ..9, 48, 92	
<i>clindamycin-benzoyl peroxide</i> 92	
CLINIMIX 6%-D5W (SULFITE-FREE).....	69
CLINIMIX 8%- D10W(SULFITE-FREE) ...	69
CLINIMIX 8%- D14W(SULFITE-FREE) ...	69
CLINIMIX E 8%-D10W SULFITEFREE	69
CLINIMIX E 8%-D14W SULFITEFREE.....	69
<i>clobazam</i>	33
<i>clobetasol</i>	93
<i>clobetasol-emollient</i>	94
<i>clomipramine</i>	39
<i>clonazepam</i>	8
<i>clonidine</i>	70

<i>clonidine hcl</i>	70	CURITY ALCOHOL SWABS	104	DELSTRIGO	61
<i>clopidogrel</i>	69	CURITY GAUZE.....	104	<i>demeclocycline</i>	15
<i>clorazepate dipotassium</i>	8	<i>cyclafem 1/35 (28)</i>	84	DENG VAXIA (PF)	160
<i>clotrimazole</i>	46	<i>cyclafem 7/7/7 (28)</i>	84	<i>denta 5000 plus</i>	91
<i>clotrimazole-betamethasone</i> ..	46	<i>cyclobenzaprine</i>	174	<i>dentagel</i>	91
<i>clozapine</i>	55	<i>cyclophosphamide</i>	18	DEPO-SUBQ PROVERA	104
<i>c-nate dha</i>	175	<i>cyclosporine</i>	142, 153		151
COARTEM	52	<i>cyclosporine modified</i>	153	DERMACEA	104
COBENFY	55	CYLTEZO(CF)	154	DERMACEA NON-WOVEN	104
COBENFY STARTER PACK	55	CYLTEZO(CF) PEN	154	<i>dermacinrx lidocan</i>	6
<i>colchicine</i>	48	CYLTEZO(CF) PEN	154	DESCOVY	61
<i>colesevelam</i>	77	CROHN'S-UC-HS	153	<i>desipramine</i>	39
<i>colestipol</i>	77	CYLTEZO(CF) PEN	154	<i>desmopressin</i>	150
<i>colistin (colistimethate na)</i>	9	PSORIASIS-UV	154	<i>desog-e.estradiol/e.estradiol</i> ..	84
COMBIVENT RESPIMAT	171	<i>cyred eq.</i>	84	<i>desogestrel-ethinyl estradiol</i> ..	84
COMETRIQ	18	D		<i>desvenlafaxine succinate</i>	39
COMFORT EZ INSULIN		<i>d5 % (d-glucose)-0.9 % sodchl</i> ..	168	<i>dexamethasone</i>	149
SYRINGE.....	101, 102, 103	<i>d5 % and 0.9 % sodium chloride</i> ..	168	<i>dexamethasone sodium</i>	
COMFORT EZ PEN NEEDLES	102	<i>d5 %-0.45 % sodium chloride</i> ..	168	<i>phosphate</i>	142, 149
COMFORT EZ PRO SAFETY		<i>dabigatran etexilate</i>	67	<i>dextroamphetamine-</i>	
PEN NDL	102, 103	<i>dalfampridine</i>	80	<i>amphetamine</i>	80
COMFORT TOUCH PEN		<i>danazol</i>	147	<i>dextrose 5 % in water (d5w)</i> ..	69
NEEDLE	103, 104	<i>dantrolene</i>	174	DIACOMIT	33
COMPLERA	61	DANYELZA	18	<i>diazepam</i>	8, 33
<i>completenate</i>	175	DANZITEN	18	<i>diazepam intensol</i>	8
<i>compro</i>	51	<i>dapsone</i>	50	<i>diazoxide</i>	166
<i>constulose</i>	144	DAPTACEL (DTAP		<i>diclofenac potassium</i>	5
COPIKTRA	18	PEDIATRIC) (PF)	159	<i>diclofenac sodium</i>	5, 142
CORLANOR	74	<i>daptomycin</i>	10	<i>diclofenac-misoprostol</i>	5
COSENTYX	153, 166	<i>darunavir</i>	61	<i>dicloxacillin</i>	13
COSENTYX (2 SYRINGES)	153	<i>dasatinib</i>	18	<i>dicyclomine</i>	144
COSENTYX PEN (2 PENS)	153	<i>dasetta 1/35 (28)</i>	84	<i>didanosine</i>	61
COSENTYX UNOREADY		<i>dasetta 7/7/7 (28)</i>	84	DIFICID	12
PEN	153	DATROWAY	18	<i>difluprednate</i>	142
COTELLIC	18	DAURISMO	18	<i>digoxin</i>	74, 75
CREON	139	<i>deblitane</i>	84	<i>dihydroergotamine</i>	49
<i>cromolyn</i>	140, 144, 172	<i>decitabine</i>	19	<i>diltiazem hcl</i>	74
<i>cryselle (28)</i>	84	<i>deferasirox</i>	147	<i>dilt-xr</i>	74
CURAD GAUZE PAD	104			<i>dimethyl fumarate</i>	80
				<i>diphenoxylate-atropine</i>	144
				<i>dipyridamole</i>	69

<i>disulfiram</i>	7	EASY COMFORT SAFETY		ELREXFIO	19
<i>divalproex</i>	33, 34	PEN NEEDLE	107	<i>eluryng</i>	84
<i>dofetilide</i>	72	EASY GLIDE INSULIN		EMBRACE PEN NEEDLE 111,	
<i>dolishale</i>	84	SYRINGE	109	112	
<i>donepezil</i>	37, 38	EASY GLIDE PEN NEEDLE		EMCYT	19
<i>dorzolamide</i>	167		109	EMGALITY PEN	49
<i>dorzolamide-timolol</i>	167	EASY TOUCH	110, 111	EMGALITY SYRINGE	49
DOVATO	61	EASY TOUCH ALCOHOL		<i>emoquette</i>	84
<i>doxazosin</i>	70	PREP PADS	110	EMSAM	39
<i>doxepin</i>	39	EASY TOUCH FLIPLOCK		<i>emtricitabine</i>	61
<i>doxorubicin, peg-liposomal</i>	19	INSULIN	110	<i>emtricitabine-tenofovir (tdf)</i>	62
<i>doxy-100</i>	15	EASY TOUCH FLIPLOCK		EMTRIVA	62
<i>doxycycline hyclate</i>	15	SYRINGE	110	<i>emzahh</i>	85
<i>doxycycline monohydrate</i>	15	EASY TOUCH INSULIN		<i>enalapril maleate</i>	71
DRIZALMA SPRINKLE	39	SAFETY SYR	109	<i>enalapril-hydrochlorothiazide</i>	71
<i>dronabinol</i>	51	EASY TOUCH INSULIN		ENBREL	154
DROPLET INSULIN		SYRINGE	109, 110, 111	ENBREL MINI	154
SYR(HALF UNIT) ..	104, 105	EASY TOUCH LUER LOCK		ENBREL SURECLICK	154
DROPLET INSULIN		INSULIN	110	<i>endocet</i>	3
SYRINGE	104, 105, 106	EASY TOUCH PEN NEEDLE		ENERGIX-B (PF)	160
DROPLET MICRON PEN			110	ENERGIX-B PEDIATRIC (PF)	
NEEDLE	106	EASY TOUCH SAFETY PEN			160
DROPLET PEN NEEDLE ..	106,	NEEDLE	111	<i>enilloring</i>	85
107		EASY TOUCH		<i>enoxaparin</i>	67
DROPSAFE ALCOHOL PREP		SHEATHLOCK INSULIN		<i>enpresse</i>	85
PADS	107		110	<i>enskyce</i>	85
DROPSAFE INSULIN		EASY TOUCH UNI-SLIP ..	111	<i>entacapone</i>	53
SYRINGE	107	<i>econazole nitrate</i>	46	<i>entecavir</i>	66
DROPSAFE PEN NEEDLE	107	EDURANT	61	ENTRESTO	70
<i>droxidopa</i>	70	<i>efavirenz</i>	61	ENTRESTO SPRINKLE	70
DUAVEE	148	<i>efavirenz-emtricitabin-tenofov</i>	61	<i>enulose</i>	144
<i>duloxetine</i>	39	<i>efavirenz-lamivu-tenofov disop</i>		EPCLUSA	65
DUPIXENT PEN	154		61	EPIDIOLEX	34
DUPIXENT SYRINGE	154	ELAHERE	19	<i>epinastine</i>	140
<i>dutasteride</i>	147	ELIGARD	19	<i>epinephrine</i>	75
E		ELIGARD (3 MONTH)	19	<i>epitol</i>	34
EASY COMFORT ALCOHOL		ELIGARD (4 MONTH)	19	EPIVIR HBV	62
PAD	108	ELIGARD (6 MONTH)	19	EPKINLY	19
EASY COMFORT INSULIN		<i>elinest</i>	84	<i>eplerenone</i>	79
SYRINGE	108, 109	ELIQUIS	67	EPRONTIA	34
EASY COMFORT PEN		ELIQUIS DVT-PE TREAT 30D		ERBITUX	19
NEEDLES	108, 109	START	67	<i>ergoloid</i>	38

ERIVEDGE	19	<i>febuxostat</i>	48	<i>fluticasone propionate</i> ..	94, 143, 170
ERLEADA	19	<i>feirza</i>	85	<i>fluticasone propion-salmeterol</i>	170
<i>erlotinib</i>	19	<i>felbamate</i>	34		170
<i>errin</i>	85	<i>felodipine</i>	76	<i>fluvastatin</i>	77, 78
<i>ertapenem</i>	12	<i>femynor</i>	85	<i>fluvoxamine</i>	39
<i>erythromycin</i>	12, 140	<i>fenofibrate</i>	77	<i>folivane-ob</i>	175
<i>erythromycin ethylsuccinate</i> ..	12	<i>fenofibrate micronized</i>	77	<i>fondaparinux</i>	67
<i>erythromycin with ethanol</i>	92	<i>fenofibrate nanocrystallized</i> ..	77	<i>fosamprenavir</i>	62
ERZOFRI	55, 56	<i>fentanyl</i>	3	<i>fosinopril</i>	71
<i>escitalopram oxalate</i>	39	<i>fentanyl citrate</i>	3	<i>fosinopril-hydrochlorothiazide</i>	71
<i>esomeprazole magnesium</i>	143, 144	<i>fesoterodine</i>	146		71
<i>estarylla</i>	85	FETZIMA	39	<i>fosphenytoin</i>	34
<i>estradiol</i>	148	FIASP FLEXTOUCH U-100		FOTIVDA	20
<i>estradiol-norethindrone acet</i>	148	INSULIN	43	FREESTYLE PRECISION ..	112
<i>eszopiclone</i>	174	FIASP PENFILL U-100		FRUZAQLA	20
<i>ethambutol</i>	50	INSULIN	43	<i>fulvestrant</i>	20
<i>ethosuximide</i>	34	FIASP U-100 INSULIN	44	<i>furosemide</i>	76
<i>ethynodiol diac-eth estradiol</i> ..	85	<i>finasteride</i>	147	FUZEON	62
<i>etodolac</i>	5, 6	<i>finolimid</i>	81	FYARRO	20
<i>etonogestrel-ethinyl estradiol</i> ..	85	FINTEPLA	34	FYCOMPA	34
ETOPOPHOS	20	FIRMAGON KIT W DILUENT		G	
<i>etoposide</i>	20	SYRINGE	20	<i>gabapentin</i>	34
<i>etravirine</i>	62	<i>flavoxate</i>	146	<i>galantamine</i>	38
EUCRISA	94	<i>flecainide</i>	72	<i>gallifrey</i>	151
<i>everolimus (antineoplastic)</i>	20	<i>floxuridine</i>	20	GAMUNEX-C	154
<i>everolimus</i>		<i>fluconazole</i>	47	GARDASIL 9 (PF)	160
(<i>immunosuppressive</i>)	154	<i>fluconazole in nacl (iso-osm)</i> ..	47	GAUZE PAD	112
EVOTAZ	62	<i>flucytosine</i>	47	<i>gavilyte-c</i>	145
<i>exemestane</i>	20	<i>fludrocortisone</i>	149	<i>gavilyte-g</i>	146
EXTENCILLINE	13	<i>flunisolide</i>	142	<i>gavilyte-n</i>	146
EYSUVIS	142	<i>fluocinolone</i>	94	GAVRETO	20
<i>ezetimibe</i>	77	<i>fluocinolone acetate oil</i> ..	142	<i>gefitinib</i>	20
<i>ezetimibe-simvastatin</i>	77	<i>fluocinonide</i>	94	<i>gemfibrozil</i>	78
F		<i>fluoride (sodium)</i>	91	<i>generlac</i>	144
<i>falmina (28)</i>	85	<i>fluorometholone</i>	143	<i>gengraf</i>	154
<i>famciclovir</i>	66	<i>fluorouracil</i>	20, 92	<i>gentak</i>	140
<i>famotidine</i>	144	<i>fluoxetine</i>	39	<i>gentamicin</i>	9, 92, 140
FANAPT	56	<i>fluphenazine decanoate</i>	56	<i>gentamicin sulfate (ped) (pf)</i>	9
FARXIGA	41	<i>fluphenazine hcl</i>	56	<i>gentamicin sulfate (pf)</i>	9
FASENRA	172	<i>flurbiprofen</i>	6	GENVOYA	62
FASENRA PEN	172	<i>flurbiprofen sodium</i>	143	GILOTRIF	21
		<i>flutamide</i>	20		

<i>glatiramer</i>	81	<i>heather</i>	85	<i>icatibant</i>	75
<i>glatopa</i>	81	<i>heparin (porcine)</i>	67	<i>iclevia</i>	85
GLEOSTINE	21	HEPLISAV-B (PF)	160	ICLUSIG	21
<i>glimepiride</i>	45, 46	HERCEPTIN HYLECTA	21	<i>icosapent ethyl</i>	78
<i>glipizide</i>	46	HERZUMA	21	IDHIFA	21
<i>glipizide-metformin</i>	46	HIBERIX (PF)	160	<i>ifosfamide</i>	21
<i>glutamine (sickle cell)</i>	166	HUMIRA	155	ILEVRO	143
<i>glyburide</i>	46	HUMIRA PEN	155	<i>imatinib</i>	21
<i>glyburide micronized</i>	46	HUMIRA PEN CROHNS-UC-		IMBRUVICA	21, 22
<i>glyburide-metformin</i>	46	HS START	154	IMDELLTRA	22
<i>glycopyrrolate</i>	144	HUMIRA PEN PSOR-		<i>imipenem-cilastatin</i>	12
<i>glydo</i>	6	UVEITS-ADOL HS	155	<i>imipramine hcl</i>	40
GLYXAMBI	41	HUMIRA(CF)	155	<i>imiquimod</i>	92
GOMEKLI	21	HUMIRA(CF) PEDI CROHNS		IMJUDO	22
<i>griseofulvin microsize</i>	47	STARTER	155	IMKELDI	22
<i>griseofulvin ultramicrosize</i>	47	HUMIRA(CF) PEN	155	IMOVAX RABIES VACCINE	
<i>guanfacine</i>	70, 81	HUMIRA(CF) PEN CROHNS-		(PF)	160
GVOKE	166	UC-HS	155	IMPAVIDO	52
GVOKE HYPOPEN 2-PACK		HUMIRA(CF) PEN		<i>incassia</i>	85
.....	166	PEDIATRIC UC	155	INCONTROL ALCOHOL	
GVOKE PFS 1-PACK		HUMIRA(CF) PEN PSOR-UV-		PADS	114
SYRINGE	166	ADOL HS	155	INCONTROL PEN NEEDLE	
GVOKE PFS 2-PACK		HUMULIN R U-500 (CONC)			114
SYRINGE	166	INSULIN	44	INCRELEX	150
H		HUMULIN R U-500 (CONC)		<i>indapamide</i>	76
HAEGARDA	68	KWIKPEN	44	<i>indomethacin</i>	6
<i>hailey 24 fe</i>	85	<i>hydralazine</i>	75	INFANRIX (DTAP) (PF)	160
<i>hailey fe 1.5/30 (28)</i>	85	<i>hydrochlorothiazide</i>	76	<i>infiximab</i>	155
<i>hailey fe 1/20 (28)</i>	85	<i>hydrocodone-acetaminophen</i> 3, 4		INGREZZA	81
<i>halobetasol propionate</i>	94	<i>hydrocortisone</i>	94, 149, 164	INGREZZA INITIATION	
<i>haloette</i>	85	<i>hydrocortisone valerate</i>	94	PK(TARDIV)	81
<i>haloperidol</i>	56	<i>hydrocortisone-acetic acid</i> ..	140	INGREZZA SPRINKLE	81
<i>haloperidol decanoate</i>	56	<i>hydromorphone</i>	4	INLYTA	22
<i>haloperidol lactate</i>	56	<i>hydroxychloroquine</i>	52	INPEN (FOR HUMALOG)	
HARVONI	66	<i>hydroxyurea</i>	21	BLUE	114
HAVRIX (PF)	160	<i>hydroxyzine hcl</i>	48	INPEN (NOVOLOG OR	
HEALTHWISE INSULIN		<i>hydroxyzine pamoate</i>	166	FIASP) BLUE	114
SYRINGE	113	I		INQOVI	22
HEALTHWISE PEN NEEDLE		<i>ibandronate</i>	165	INREBIC	22
.....	113	IBRANCE	21	<i>insulin asp prt-insulin aspart</i> ..	44
HEALTHY ACCENTS		<i>ibu</i>	6	<i>insulin aspart u-100</i>	44
UNIFINE PENTIP ...	113, 114	<i>ibuprofen</i>	6		

INSULIN SYR/NDL U100 HALF MARK114	JANUMET..... 41	KOSELUGO23
INSULIN SYRINGE.....99	JANUMET XR 41	<i>kosher prenatal plus iron</i> 175
INSULIN SYRINGE MICROFINE98	JANUVIA 41	KRAZATI23
INSULIN SYRINGE NEEDLELESS99	JARDIANCE 41	<i>kurvelo (28)</i>86
INSULIN SYRINGE-NEEDLE U-100.....112, 114, 115, 122, 123, 127, 130, 131	<i>javygtor</i> 139	KYLEENA.....86
INSUPEN PEN NEEDLE...115, 116	JAYPIRCA 22	KYNMOBI53
INTELENCE62	JEMPERLI..... 22	L
INTRON A66	<i>jencycla</i> 86	<i>labetalol</i>73
INVEGA HAFYERA.....56	JENTADUETO 41	<i>lacosamide</i>34
INVEGA SUSTENNA.....56, 57	JENTADUETO XR..... 42	<i>lactulose</i>145
INVEGA TRINZA57	<i>jolessa</i> 86	<i>lamivudine</i>62
INVELTYS143	<i>juleber</i> 86	<i>lamivudine-zidovudine</i>62
IPOL160	JULUCA..... 62	<i>lamotrigine</i>34, 35
<i>ipratropium bromide</i>140, 171	<i>june1 1.5/30 (21)</i> 86	<i>lanreotide</i>150
<i>ipratropium-albuterol</i>171	<i>june1 1/20 (21)</i> 86	<i>lansoprazole</i>144
<i>irbesartan</i>70	<i>june1 fe 1.5/30 (28)</i> 86	LANTUS SOLOSTAR U-100
<i>irbesartan-hydrochlorothiazide</i>70	<i>june1 fe 1/20 (28)</i> 86	INSULIN..... 44
ISENTRESS62	<i>june1 fe 24</i> 86	LANTUS U-100 INSULIN... 44
ISENTRESS HD62	JYLAMVO 22	<i>lapatinib</i>23
<i>isibloom</i>86	JYNNEOS (PF) 161	<i>larin 1.5/30 (21)</i>86
<i>isoniazid</i>50	K	<i>larin 1/20 (21)</i>86
ISOPROPYL ALCOHOL92	KALYDECO 173	<i>larin 24 fe</i>86
<i>isosorbide dinitrate</i>79	<i>kariva (28)</i> 86	<i>larin fe 1.5/30 (28)</i>86
<i>isosorbide mononitrate</i>79	<i>kelnor 1/35 (28)</i> 86	<i>larin fe 1/20 (28)</i>86
ITOVEBI.....22	<i>kelnor 1/50 (28)</i> 86	<i>larissia</i>87
<i>itraconazole</i>47	KERENDIA..... 79	<i>latanoprost</i>167
IV PREP WIPES116	KESIMPTA PEN..... 81	LAZCLUZE23
<i>ivabradine</i>75	<i>ketoconazole</i> 47	<i>leflunomide</i>155
<i>ivermectin</i>52	<i>ketorolac</i> 6, 143	<i>lenalidomide</i>23
IWILFIN.....22	KEYTRUDA 22	LENTOCILIN S.....13
IXCHIQ (PF).....160	KIMMTRAK 22	LENVIMA23
IXIARO (PF).....161	KINERET 155	<i>lessina</i>87
J	KINRIX (PF) 161	<i>letrozole</i>23
JAKAFI22	<i>kionex (with sorbitol)</i> 145	<i>leucovorin calcium</i>166
<i>jantoven</i>67	KISQALI 23	LEUKERAN23
	KISQALI FEMARA CO-PACK 23	<i>leuprolide</i>24
	KLISYRI (250 MG) 92	<i>leuprolide (3 month)</i>23
	<i>klor-con m10</i> 168	<i>levetiracetam</i>35
	<i>klor-con m15</i> 168	<i>levobunolol</i>167
	<i>klor-con m20</i> 168	<i>levocetirizine</i>48
	KLOXXADO..... 7	<i>levofloxacin</i>14
		<i>levofloxacin in d5w</i>14

<i>levonest (28)</i>	87	<i>lovastatin</i>	78	MAVENCLAD (5 TABLET	
<i>levonorgest-eth.estradiol-iron</i>	87	<i>low-ogestrel (28)</i>	87	PACK).....	81
<i>levonorgestrel-ethinyl estrad.</i>	87	<i>loxapine succinate</i>	57	MAVENCLAD (6 TABLET	
<i>levonorg-eth estrad triphasic</i> .	87	<i>lubiprostone</i>	145	PACK).....	82
<i>levora-28</i>	87	LUMAKRAS.....	24	MAVENCLAD (7 TABLET	
<i>levothyroxine</i>	152	LUMIGAN	167	PACK).....	82
LEXIVA	62	LUNSUMIO	24	MAVENCLAD (8 TABLET	
LIBERVANT	35	LUPRON DEPOT	24, 150	PACK).....	82
<i>lidocaine</i>	6	LUPRON DEPOT (3 MONTH)		MAVENCLAD (9 TABLET	
<i>lidocaine hcl</i>	6		24, 150	PACK).....	82
<i>lidocaine viscous</i>	6	LUPRON DEPOT (4 MONTH)		MAXICOMFORT II PEN	
<i>lidocaine-prilocaine</i>	6		24	NEEDLE	117
<i>lidocan iii</i>	6	LUPRON DEPOT (6 MONTH)		MAXICOMFORT INSULIN	
LILETTA	87		24	SYRINGE	117
<i>lillow (28)</i>	87	LUPRON DEPOT-PED	150	MAXI-COMFORT INSULIN	
<i>linezolid</i>	10	LUPRON DEPOT-PED (3		SYRINGE	117
<i>linezolid in dextrose 5%</i>	10	MONTH)	150	MAXI-COMFORT INSULIN	
LINZESS.....	145	<i>lurasidone</i>	57	SYRINGE	117
<i>liothyronine</i>	152	<i>luteru (28)</i>	87	MAXICOMFORT SAFETY	
LISCO	116	LYBALVI.....	57	PEN NEEDLE	117
<i>lisinopril</i>	72	<i>lyleq</i>	87	MAYZENT	82
<i>lisinopril-hydrochlorothiazide</i>	72	LYNPARZA	24	MAYZENT STARTER(FOR	
LITE TOUCH INSULIN PEN		LYSODREN.....	24	1MG MAINT).....	82
NEEDLES	116	LYTGOBI.....	25	MAYZENT STARTER(FOR	
LITE TOUCH INSULIN		<i>lyza</i>	87	2MG MAINT).....	82
SYRINGE.....	116, 117	M		<i>meclizine</i>	51
<i>lithium carbonate</i>	81	MAGELLAN INSULIN		<i>medroxyprogesterone...</i>	151, 152
<i>lithium citrate</i>	81	SAFETY SYRNG.....	117	<i>mefloquine</i>	52
LIVTENCITY	65	MAGELLAN SYRINGE	117	<i>megestrol</i>	25, 152
LOKELMA	145	<i>magnesium sulfate</i>	168	MEKINIST	25
LONSURF.....	24	<i>malathion</i>	95	MEKTOVI	25
<i>loperamide</i>	145	<i>maraviroc</i>	63	<i>meloxicam</i>	6
<i>lopinavir-ritonavir</i>	63	MARGENZA.....	25	<i>memantine</i>	38
LOQTORZI.....	24	<i>marlissa (28)</i>	87	MENACTRA (PF)	161
<i>lorazepam</i>	8	<i>marnatal-f</i>	175	MENQUADFI (PF)	161
<i>lorazepam intensol</i>	8	MARPLAN.....	40	MENVEO A-C-Y-W-135-DIP	
LORBRENA	24	MATULANE.....	25	(PF)	161
<i>losartan</i>	70	MAVENCLAD (10 TABLET		<i>mercaptopurine</i>	25
<i>losartan-hydrochlorothiazide</i> .	70	PACK)	81	<i>meropenem</i>	12
LOTEMAX	143	MAVENCLAD (4 TABLET		<i>mesalamine</i>	164
LOTEMAX SM.....	143	PACK)	81	<i>mesna</i>	166
<i>loteprednol etabonate</i>	143			<i>metformin</i>	42

<i>methadone</i>	4	<i>mitoxantrone</i>	25	<i>naloxone</i>	7
<i>methazolamide</i>	167	M-M-R II (PF)	161	<i>naltrexone</i>	7
<i>methenamine hippurate</i>	10	<i>m-natal plus</i>	175	NANO 2ND GEN PEN	
<i>methimazole</i>	152	<i>modafinil</i>	174	NEEDLE	119
<i>methocarbamol</i>	174	<i>moexipril</i>	72	<i>naproxen</i>	6
<i>methotrexate sodium</i>	25	<i>molindone</i>	57	<i>naratriptan</i>	49
<i>methotrexate sodium (pf)</i>	25	<i>mometasone</i>	94, 143	NATACYN	140
<i>methoxsalen</i>	92	MONOJECT INSULIN		<i>nateglinide</i>	42
<i>methsuximide</i>	35	SAFETY SYRING	119	NATPARA	165
<i>methylphenidate hcl</i>	82	MONOJECT INSULIN		NAYZILAM	35
<i>methylprednisolone</i>	149	SYRINGE	118, 119	<i>nebivolol</i>	73
<i>methylprednisolone acetate</i> ..	149	MONOJECT SYRINGE	118	<i>nefazodone</i>	40
<i>metoclopramide hcl</i>	145	MONOJECT ULTRA		<i>neomycin</i>	9
<i>metolazone</i>	76	COMFORT INSULIN	133	<i>neomycin-bacitracin-poly-hc</i>	141
<i>metoprolol succinate</i>	73	<i>mono-lynyah</i>	88	<i>neomycin-bacitracin-polymyxin</i>	
<i>metoprolol tartrate</i>	73	<i>montelukast</i>	170		141
<i>metronidazole</i>	10, 49, 92, 93	<i>morphine</i>	4	<i>neomycin-polymyxin b-</i>	
<i>metronidazole in nacl (iso-os)</i>	10	MORPHINE	4	dexameth	141
<i>metryosine</i>	75	<i>morphine concentrate</i>	4	<i>neomycin-polymyxin-gramicidin</i>	
<i>micafungin</i>	47	MOUNJARO	42		141
<i>miconazole-3</i>	47	MOVANTIK	145	<i>neomycin-polymyxin-hc</i>	141
MICRODOT INSULIN PEN		<i>moxifloxacin</i>	14, 140	<i>neo-polycin</i>	141
NEEDLE	117, 118	<i>moxifloxacin-sod.ace,sul-water</i>		<i>neo-polycin hc</i>	141
MICRODOT READYGARD			14	NERLYNX	25
PEN NEEDLE	118	<i>moxifloxacin-sod.chloride(iso)</i>		<i>neuac</i>	93
<i>microgestin 1.5/30 (21)</i>	87		14	NEULASTA ONPRO	68
<i>microgestin 1/20 (21)</i>	87	MRESVIA (PF)	161	<i>nevirapine</i>	63
<i>microgestin 24 fe</i>	88	MULTAQ	72	<i>newgen</i>	176
<i>microgestin fe 1.5/30 (28)</i>	88	<i>mupirocin</i>	93	NEXLETOL	78
<i>microgestin fe 1/20 (28)</i>	88	MVASI	25	NEXLIZET	78
<i>midodrine</i>	70	<i>mycophenolate mofetil</i> .	155, 156	NEXPLANON	88
<i>mifepristone</i>	42	<i>mycophenolate mofetil (hcl)</i>	155	<i>niacin</i>	78
<i>mili</i>	88	<i>mycophenolate sodium</i>	156	<i>niacor</i>	78
<i>mimvey</i>	148	<i>mynatal</i>	175	NICOTROL NS	7
MINI ULTRA-THIN II	118	<i>mynatal advance</i>	175	<i>nifedipine</i>	76
<i>minitran</i>	79	<i>mynatal plus</i>	176	NIKTIMVO	156
<i>minocycline</i>	15	<i>mynatal-z</i>	176	<i>nilutamide</i>	25
<i>minoxidil</i>	79	<i>mynate 90 plus</i>	176	NINLARO	25
MIPLYFFA	139	MYRBETRIQ	146	<i>nitazoxanide</i>	52
MIRENA	88	N		<i>nitisinone</i>	139
<i>mirtazapine</i>	40	<i>nabumetone</i>	6	<i>nitrofurantoin macrocrystal</i> ...	10
<i>misoprostol</i>	144	<i>nafacillin</i>	13		

<i>nitrofurantoin monohyd/m-cryst</i>	10	<i>nystatin</i>	47, 48	OMNIPOD DASH INTRO KIT	
<i>nitroglycerin</i>	79, 166	<i>nystatin-triamcinolone</i>	48	(GEN 4).....	120
<i>niva-plus</i>	176	<i>nystop</i>	48	OMNIPOD DASH PDM KIT	
NIVESTYM	68	NYVEPRIA	68	(GEN 4).....	120
NORDITROPIN FLEXPROM 151		O		OMNIPOD DASH PODS (GEN	
<i>norelgestromin-ethin.estradiol</i>		<i>obstetrix dha</i>	176	4)	120
.....	88	<i>obstetrix dha prenatal duo...</i>	176	ONAPGO	53
<i>norethindrone (contraceptive)</i>	88	<i>o-cal prenatal</i>	176	<i>ondansetron</i>	51
<i>norethindrone acetate</i>	152	OCREVUS.....	82	<i>ondansetron hcl</i>	51
<i>norethindrone-e.estradiol-iron</i>		OCREVUS ZUNOVO.....	82	ONTRUZANT	26
.....	88	<i>octreotide acetate</i>	151	ONUREG	26
<i>norgestimate-ethinyl estradiol</i>	88	ODEFSEY	63	OPDIVO	26
<i>norlyda</i>	88	ODOMZO.....	26	OPDIVO QVANTIG	26
<i>nortrel 1/35 (21)</i>	88	OFEV	173	OPDUALAG.....	26
<i>nortrel 1/35 (28)</i>	88	<i>ofloxacin</i>	141	OPSUMIT	175
<i>nortrel 7/7/7 (28)</i>	89	OGIVRI	26	ORENCIA.....	156
<i>nortriptyline</i>	40	OGSIVEO.....	26	ORENCIA (WITH MALTOSE)	
NORVIR.....	63	OJEMDA	26		156
NOVOFINE 30	119	OJJAARA	26	ORENCIA CLICKJECT.....	156
NOVOFINE 32	119	<i>olanzapine</i>	58	ORFADIN.....	139
NOVOFINE PLUS.....	119	<i>olmesartan</i>	71	ORGOVYX.....	151
NOVOLIN 70/30 U-100		<i>olmesartan-amlodipin-hcthiiazid</i>		ORILISSA.....	151
INSULIN.....	44		71	ORKAMBI.....	173
NOVOLIN 70-30 FLEXPEN U-		<i>olmesartan-hydrochlorothiazide</i>		ORSERDU	26
100.....	44		71	<i>oseltamivir</i>	65
NOVOLIN N FLEXPEN	44	<i>olopatadine</i>	140	OTEZLA.....	156
NOVOLIN N NPH U-100		<i>omega-3 acid ethyl esters</i>	78	OTEZLA STARTER	156
INSULIN.....	45	<i>omeprazole</i>	144	<i>oxandrolone</i>	147
NOVOLIN R FLEXPEN	45	OMNIPOD 5 (G6/LIBRE 2		<i>oxcarbazepine</i>	35
NOVOLIN R REGULAR U100		PLUS).....	119	<i>oxybutynin chloride</i>	146, 147
INSULIN.....	45	OMNIPOD 5 G6-G7 INTRO		<i>oxycodone</i>	4
NOVOTWIST	119	KT(GEN5).....	119	<i>oxycodone-acetaminophen</i>	5
NUBEQA	26	OMNIPOD 5 G6-G7 PODS		OZEMPIC	42
NUCALA	173	(GEN 5)	120	P	
NULOJIX.....	156	OMNIPOD 5		<i>pacerone</i>	72
NUPLAZID.....	57	INTRO(G6/LIBRE2PLUS)		<i>paclitaxel protein-bound</i>	26
NURTEC ODT.....	49		120	<i>paliperidone</i>	58
<i>nyamyc</i>	47	OMNIPOD CLASSIC PDM		PANRETIN.....	92
<i>nylia 1/35 (28)</i>	89	KIT(GEN 3).....	120	<i>pantoprazole</i>	144
<i>nylia 7/7/7 (28)</i>	89	OMNIPOD CLASSIC PODS		<i>paricalcitol</i>	165
<i>nymyo</i>	89	(GEN 3)	120	<i>paromomycin</i>	52
				<i>paroxetine hcl</i>	40

PAXLOVID	65	PIFELTRO.....	63	PREMARIN.....	148, 149
<i>pazopanib</i>	26	<i>pilocarpine hcl</i>	91, 167	PREMPHASE	149
PEDIARIX (PF)	161	<i>pimecrolimus</i>	94	PREMPRO.....	149
PEDVAX HIB (PF).....	161	<i>pimozide</i>	58	<i>prena1 true</i>	176
<i>peg 3350-electrolytes</i>	146	<i>pimtrea (28)</i>	89	<i>prenaissance</i>	176
PEGASYS	66	<i>pioglitazone</i>	42	<i>prenaissance plus</i>	176
<i>peg-electrolyte soln</i>	146	<i>pioglitazone-metformin</i>	42	<i>prenatabs fa</i>	176
PEMAZYRE	27	PIP PEN NEEDLE	121	<i>prenatal 19</i>	176
<i>pemetrexed</i>	27	<i>piperacillin-tazobactam</i>	14	<i>prenatal 19 (with docusate)</i> .	176
<i>pemetrexed disodium</i>	27	PIQRAY	27	<i>prenatal low iron</i>	177
PEMRYDI RTU	27	<i>pirfenidone</i>	173	<i>prenatal plus</i>	177
PEN NEEDLE.....	112, 120, 123	<i>pirmella</i>	89	<i>prenatal plus (calcium carb)</i>	176
PEN NEEDLE, DIABETIC 103,		<i>pitavastatin calcium</i>	78	<i>prenatal vitamin plus low iron</i>	
118, 120, 122		PLEGRIDY	82		177
PEN NEEDLE, DIABETIC,		<i>pnv 29-1</i>	176	<i>prenatal-u</i>	177
SAFETY.....	123	<i>pnv-dha + docusate</i>	176	<i>preplus</i>	177
PENBRAYA (PF)	161	<i>pnv-omega</i>	176	<i>pretab</i>	177
PENBRAYA MENACWY		<i>podofilox</i>	92	<i>prevalite</i>	78
COMPONENT(PF).....	161	<i>polycin</i>	141	PREVENT DROPSAFE PEN	
PENBRAYA MENB		<i>polymyxin b sulf-trimethoprim</i>		NEEDLE	121
COMPONENT (PF).....	161		141	<i>previfem</i>	89
<i>penicillamine</i>	147	POMALYST.....	27	PREVYMIS	65
<i>penicillin g potassium</i>	14	<i>portia 28</i>	89	PREZCOBIX	63
<i>penicillin g procaine</i>	14	<i>posaconazole</i>	48	PREZISTA.....	63
<i>penicillin v potassium</i>	14	<i>potassium chloride</i>	168, 169	PRIFTIN	50
PENTACEL (PF)	162	<i>potassium citrate</i>	169	PRIMAQUINE	52
<i>pentamidine</i>	52	<i>pr natal 400</i>	176	<i>primidone</i>	36
PENTIPS PEN NEEDLE	120,	<i>pr natal 400 ec</i>	176	PRIORIX (PF)	162
121		<i>pr natal 430</i>	176	PRO COMFORT ALCOHOL	
<i>pentoxifylline</i>	69	<i>pr natal 430 ec</i>	176	PADS	121
<i>perindopril erbumine</i>	72	<i>pramipexole</i>	53	PRO COMFORT INSULIN	
<i>periogard</i>	91	<i>prasugrel hcl</i>	69	SYRINGE	121
<i>permethrin</i>	95	<i>pravastatin</i>	78	PRO COMFORT PEN	
<i>perphenazine</i>	58	<i>praziquantel</i>	52	NEEDLE	121, 122
<i>perphenazine-amitriptyline</i>	40	<i>prazosin</i>	70	<i>probenecid</i>	48
PERSERIS.....	58	<i>prednisolone</i>	149	<i>probenecid-colchicine</i>	48
<i>phenelzine</i>	40	<i>prednisolone acetate</i>	143	PROCALAMINE 3%	69
<i>phenobarbital</i>	35	<i>prednisolone sodium phosphate</i>		<i>prochlorperazine</i>	51
PHENYTEK.....	35		149	<i>prochlorperazine edisylate</i>	51,
<i>phenytoin</i>	35	<i>prednisone</i>	149, 150	58	
<i>phenytoin sodium</i>	36	<i>pregabalin</i>	36	<i>prochlorperazine maleate</i>	51
<i>phenytoin sodium extended</i>	35	PREHEVBRIO (PF)	162	<i>procto-med hc</i>	94

<i>proctosol hc</i>	95	<i>rasagiline</i>	53	ROTATEQ VACCINE	162
<i>proctozone-hc</i>	95	RASUVO (PF).....	156	ROZLYTREK.....	28
PRODIGY INSULIN		RAYALDEE.....	165	RUBRACA	28
SYRINGE.....	122	<i>reclipsen (28)</i>	89	<i>rufinamide</i>	36
<i>progesterone micronized</i>	152	RECOMBIVAX HB (PF)....	162	RUKOBIA	64
PROGRAF	156	RELENZA DISKHALER	65	RUXIENCE	28
PROLIA	165	<i>repaglinide</i>	42	RYBELSUS	42
PROMACTA.....	68	REPATHA PUSHTRONEX .	78	RYBREVANT	28
<i>promethazine</i>	51	REPATHA SURECLICK.....	78	RYDAPT.....	28
<i>promethegan</i>	51	REPATHA SYRINGE	78	RYKINDO	59
<i>propafenone</i>	72	RETACRIT.....	68	RYTELO.....	28
<i>propranolol</i>	73	RETEVMO.....	27	S	
<i>propylthiouracil</i>	152	RETROVIR	63	SAFESNAP INSULIN	
PROQUAD (PF)	162	REVUFORJ	27	SYRINGE	123
<i>protriptyline</i>	40	REXULTI	58	SAFETY PEN NEEDLE	123
PULMOZYME.....	139	REYATAZ.....	63	SANTYL.....	92
PURE COMFORT ALCOHOL		REZLIDHIA.....	27	<i>sapropterin</i>	139
PADS.....	122	REZUROCK.....	156	SAVELLA	82, 83
PURE COMFORT PEN		RHOPRESSA	168	SCSEMBLIX	28
NEEDLE	122	RIABNI	28	<i>scopolamine base</i>	51
PURE COMFORT SAFETY		<i>ribavirin</i>	66	SECUADO.....	59
PEN NEEDLE.....	122	<i>rifabutin</i>	50	SECURESAFE INSULIN	
PURIXAN	27	<i>rifampin</i>	50	SYRINGE	123
<i>pyrazinamide</i>	50	<i>rilpivirine</i>	63	SECURESAFE PEN NEEDLE	
<i>pyridostigmine bromide</i>	166	<i>riluzole</i>	82		123
<i>pyrimethamine</i>	52	RINVOQ.....	157	SELARSDI	157
Q		RINVOQ LQ	157	<i>select-ob</i>	177
QINLOCK.....	27	<i>risperidone</i>	58, 59	<i>select-ob (folic acid)</i>	177
QUADRACEL (PF)	162	<i>risperidone microspheres</i>	58	<i>selegiline hcl</i>	53
<i>quetiapine</i>	58	<i>ritonavir</i>	63	<i>selenium sulfide</i>	93
<i>quinapril</i>	72	RITUXAN HYCELA	28	SELZENTRY.....	64
<i>quinapril-hydrochlorothiazide</i>	72	<i>rivastigmine</i>	38	SEMGLEE(INSULIN	
<i>quinidine sulfate</i>	72	<i>rivastigmine tartrate</i>	38	GLARGINE-YFGN).....	45
<i>quinine sulfate</i>	52	<i>rizatriptan</i>	49	SEMGLEE(INSULIN GLARG-	
QULIPTA.....	49	<i>r-natal ob</i>	177	YFGN)PEN.....	45
R		ROCKLATAN.....	168	<i>se-natal 19 chewable</i>	177
RABAVERT (PF)	162	<i>roflumilast</i>	173	SEREVENT DISKUS.....	171
<i>rabeprazole</i>	144	ROMVIMZA	28	SEROSTIM.....	151
RALDESY	40	<i>ropinirole</i>	53	<i>sertraline</i>	40
<i>raloxifene</i>	149	<i>rosadan</i>	93	<i>setlakin</i>	89
<i>ramipril</i>	72	<i>rosuvastatin</i>	78	<i>sevelamer carbonate</i>	146
<i>ranolazine</i>	75	ROTARIX	162	<i>sevelamer hcl</i>	146

SEZABY	36	ssd	93	SYNJARDY	43
<i>sf 5000 plus</i>	91	<i>stavudine</i>	64	SYNJARDY XR	43
<i>sharobel</i>	89	STELARA	157	SYNRIBO	28
SHINGRIX (PF)	163	STERILE PADS	124	SYRINGE WITH NEEDLE,	
SIGNIFOR	151	STIOLTO RESPIMAT	172	SAFETY	123
<i>sildenafil (pulm.hypertension)</i>		STIVARGA	28	T	
.....	175	STRENSIQ	139	TABLOID	29
<i>silver sulfadiazine</i>	93	<i>streptomycin</i>	9	TABRECTA	29
SIMBRINZA	168	STRIBILD	64	<i>tacrolimus</i>	95, 157
<i>simliya (28)</i>	89	STRIVERDI RESPIMAT....	172	<i>tadalafil</i>	175
<i>simvastatin</i>	78	<i>subvenite</i>	36	TAFINLAR	29
<i>sirolimus</i>	157	<i>sucrafate</i>	144	<i>tafluprost (pf)</i>	168
SIRTURO	50	<i>sulfacetamide sodium</i>	141	TAGRISSO	29
SKY SAFETY PEN NEEDLE		<i>sulfacetamide-prednisolone</i> ..	142	TALVEY	29
.....	124	<i>sulfadiazine</i>	14	TALZENNA	29
SKYLA	89	<i>sulfamethoxazole-trimethoprim</i>		<i>tamoxifen</i>	29
SKYRIZI	157		14, 15	<i>tamsulosin</i>	147
<i>sodium chloride 0.45 %</i>	169	<i>sulfasalazine</i>	164	<i>tarina 24 fe</i>	89
<i>sodium chloride 0.9 %</i>	169	<i>sulindac</i>	6	<i>tarina fe 1-20 eq (28)</i>	89
<i>sodium fluoride-pot nitrate</i>	91	<i>sumatriptan</i>	49	<i>taron-c dha</i>	177
<i>sodium oxybate</i>	174	<i>sumatriptan succinate</i>	50	<i>taron-prex prenatal-dha</i>	177
<i>sodium polystyrene sulfonate</i> ..	145	<i>sunitinib malate</i>	28	TASIGNA	29
<i>sodium,potassium,mag sulfates</i>		SUNLENCA	64	TAVNEOS	157
.....	146	SURE COMFORT ALCOHOL		<i>tazarotene</i>	95
<i>solifenacin</i>	147	PREP PADS	124	<i>tazicef</i>	11
SOLQUA 100/33	45	SURE COMFORT INS. SYR.		<i>taztia xt</i>	74
SOLTAMOX	28	U-100	124	TAZVERIK	29
SOMATULINE DEPOT	151	SURE COMFORT INSULIN		TDVAX	163
SOMAVERT	151	SYRINGE	124, 125	TECHLITE INSULIN	
<i>sorafenib</i>	28	SURE COMFORT PEN		SYRINGE	126
<i>sorine</i>	73	NEEDLE	124, 125	TECHLITE INSULN	
<i>sotalol</i>	73	SURE COMFORT SAFETY		SYR(HALF UNIT) ..	125, 126
<i>sotalol af</i>	73	PEN NEEDLE	124	TECHLITE PEN NEEDLE	126,
SPIRIVA RESPIMAT	171	SURE-FINE PEN NEEDLES		127	
<i>spironolactone</i>	76		125	TECHLITE PLUS PEN	
<i>spironolacton-hydrochlorothiaz</i>		SURE-JECT INSULIN		NEEDLE	127
.....	76	SYRINGE	125	TECVAYLI	29
SPRAVATO	40	SURE-PREP ALCOHOL PREP		TEFLARO	11
<i>sprintec (28)</i>	89	PADS	125	<i>telmisartan</i>	71
SPRITAM	36	SUTAB	146	<i>telmisartan-hydrochlorothiazid</i>	
<i>sps (with sorbitol)</i>	145	SYMPAZAN	36		71
<i>sronyx</i>	89	SYMITUZA	64	<i>temazepam</i>	8, 9

TEMIXYS	64	<i>tobramycin sulfate</i>	9	<i>triamterene-hydrochlorothiazid</i>	76, 77
TENIVAC (PF)	163	<i>tobramycin-dexamethasone</i> .	142	<i>triazolam</i>	9
<i>tenofovir disoproxil fumarate</i> .	64	<i>tolterodine</i>	147	<i>trientine</i>	147
TEPMETKO.....	29	TOPCARE CLICKFINE ...	127, 128	<i>tri-estarylla</i>	90
<i>terazosin</i>	147	TOPCARE ULTRA		<i>trifluoperazine</i>	59
<i>terbinafine hcl</i>	48	COMFORT	128	<i>trifluridine</i>	142
<i>terconazole</i>	49	<i>topiramate</i>	36	<i>trihexyphenidyl</i>	53
<i>teriparatide</i>	165	<i>toposar</i>	29	TRIJARDY XR.....	43
TERUMO INSULIN SYRINGE	127	<i>toremifene</i>	29	<i>tri-legest fe</i>	90
<i>testosterone</i>	148	<i>torpenz</i>	30	<i>tri-linyah</i>	90
<i>testosterone cypionate</i> ..	147, 148	<i>torsemide</i>	76	<i>tri-lo-estarylla</i>	90
<i>testosterone enanthate</i>	148	TOUJEO MAX U-300		<i>tri-lo-marzia</i>	90
TETANUS,DIPHTHERIA TOX PED(PF)	163	SOLOSTAR.....	45	<i>tri-lo-mili</i>	90
<i>tetrabenazine</i>	83	TOUJEO SOLOSTAR U-300 INSULIN	45	<i>tri-lo-sprintec</i>	90
<i>tetracycline</i>	15	TRADJENTA	43	<i>trimethoprim</i>	10
TEVIMBRA.....	29	<i>tramadol</i>	5	<i>tri-mili</i>	90
THALOMID.....	166	<i>tramadol-acetaminophen</i>	5	<i>trimipramine</i>	40
<i>theophylline</i>	172	<i>trandolapril</i>	72	TRINTELLIX	41
THINPRO INSULIN SYRINGE	127	<i>trandolapril-verapamil</i>	72	<i>tri-nymyo</i>	90
<i>thioridazine</i>	59	<i>tranexamic acid</i>	69	<i>tri-previfem (28)</i>	90
<i>thiothixene</i>	59	<i>tranylcypromine</i>	40	<i>tri-sprintec (28)</i>	90
<i>tiadylt er</i>	74	<i>travoprost</i>	168	TRIUMEQ	64
<i>tiagabine</i>	36	TRAZIMERA.....	30	TRIUMEQ PD	64
TIBSOVO.....	29	<i>trazodone</i>	40	<i>triveen-duo dha</i>	177
TICE BCG.....	29	TRECATOR	50	<i>trivora (28)</i>	90
TICOVAC	163	TRELEGY ELLIPTA.....	172	<i>tri-vylibra</i>	90
<i>tigecycline</i>	15	TRELSTAR.....	30	<i>tri-vylibra lo</i>	90
<i>tilia fe</i>	89	TREMFYA	157, 158	TRIZIVIR	64
<i>timolol</i>	168	TREMFYA PEN.....	158	TROGARZO.....	64
<i>timolol maleate</i>	73, 168	TRESIBA FLEXTOUCH U-100	45	<i>tropium</i>	147
<i>tinidazole</i>	52	TRESIBA FLEXTOUCH U-200	45	TRUE COMFORT ALCOHOL PADS	128
<i>tiotropium bromide</i>	172	TRESIBA U-100 INSULIN ..	45	TRUE COMFORT INSULIN SYRINGE	128
TIVDAK.....	29	<i>tretinoin</i>	95	TRUE COMFORT PEN NEEDLE	128, 129
TIVICAY	64	<i>tretinoin (antineoplastic)</i>	30	TRUE COMFORT PRO ALCOHOL PADS	129
TIVICAY PD	64	<i>tri femynor</i>	90	TRUE COMFORT PRO INS SYRINGE	128, 129
<i>tizanidine</i>	174	<i>triamcinolone acetonide</i> .	91, 95, 150		
TOBI PODHALER	9				
<i>tobramycin</i>	142				
<i>tobramycin in 0.225 % nacl</i>	9				

TRUE COMFORT SAFE INSULIN SYRG128, 129	ULTRA COMFORT INSULIN SYRINGE 107, 113, 133	UNIFINE ULTRA PEN NEEDLE 137
TRUE COMFORT SAFETY PEN NEEDLE.....128	ULTRA FLO INSUL SYR(HALF UNIT)..... 133	UPTRAVI 175
TRUEPLUS INSULIN.....130	ULTRA FLO INSULIN SYRINGE 133, 134	<i>ursodiol</i> 145
TRUEPLUS PEN NEEDLE129, 130	ULTRA FLO PEN NEEDLE 133	UZEDY 59, 60
TRULICITY43	ULTRA THIN PEN NEEDLE 134	V
TRUMENBA163	ULTRACARE INSULIN SYRINGE 134	<i>valacyclovir</i> 66
TRUQAP30	ULTRACARE PEN NEEDLE 134, 135	VALCHLOR.....92
TRUXIMA30	ULTRA-FINE INS SYR (HALF UNIT) 135	<i>valganciclovir</i> 66
TUKYSA.....30	ULTRA-FINE INSULIN SYRINGE 135	<i>valproate sodium</i> 36
TURALIO30	ULTRA-FINE PEN NEEDLE 135	<i>valproic acid</i> 36
<i>turqoz (28)</i>90	ULTRA-THIN II (SHORT) INS SYR 135	<i>valproic acid (as sodium salt)</i> 36
TWINRIX (PF)163	ULTRA-THIN II (SHORT) PEN NDL 136	<i>valsartan</i> 71
TYBOST166	ULTRA-THIN II INS PEN NEEDLES 135	<i>valsartan-hydrochlorothiazide</i> 71
TYENNE158	ULTRA-THIN II INSULIN SYRINGE 135	VALTOCO 37
TYENNE AUTOINJECTOR158	UNIFINE OTC PEN NEEDLE 136	<i>valtya</i>90
TYMLOS165	UNIFINE PEN NEEDLE 136	<i>vancomycin</i> 10
TYPHIM VI163	UNIFINE PENTIPS 120, 136	VANFLYTA.....30
U	UNIFINE PENTIPS MAXFLOW..... 136	VANISHPOINT INSULIN SYRINGE 137
UBRELVY50	UNIFINE PENTIPS PLUS. 136, 137	VANISHPOINT SYRINGE 137
ULTICARE131, 132	UNIFINE PROTECT 137	VAQTA (PF) 163
ULTICARE INSULIN SYRINGE.....130, 131	UNIFINE SAFECONTROL 137	<i>varenicline tartrate</i> 7
ULTICARE INSULN SYR(HALF UNIT)130	UNIFINE SAFECONTROL PEN NEEDLE 137	VARIVAX (PF)..... 164
ULTICARE PEN NEEDLE .131		VAXCHORA VACCINE ... 164
ULTICARE SAFETY PEN NEEDLE131		VEGZELMA.....30
ULTIGUARD SAFEPACK- INSULIN SYR132		VELTASSA 145
ULTIGUARD SAFEPACK- PEN NEEDLE.....132		VEMLIDY 64
ULTILET ALCOHOL SWAB132		VENCLEXTA.....30
ULTILET INSULIN SYRINGE114, 115, 132		VENCLEXTA STARTING PACK..... 30
ULTILET PEN NEEDLE133		<i>venlafaxine</i> 41
ULTRA CMFT INS SYR (HALF UNIT)112, 124		VEOZAH 166
		<i>verapamil</i> 74

VERQUVO	75	VYZULTA	168	YUFLYMA(CF) AI CROHN'S-	
VERSACLOZ	60	W		UC-HS.....	158
VERSALON.....	138	<i>warfarin</i>	67	YUFLYMA(CF)	
VERZENIO.....	30	WEBCOL	138	AUTOINJECTOR.....	158
V-GO 20.....	138	WELIREG	31	<i>yuvaferm</i>	149
V-GO 30.....	138	WINREVAIR	173	Z	
V-GO 40.....	138	<i>wixela inhub</i>	170	<i>zafemy</i>	91
<i>vienva</i>	90	X		<i>zafirlukast</i>	170
<i>vigabatrín</i>	37	XALKORI	31	<i>zaleplon</i>	174
<i>vigadrone</i>	37	<i>xarah fe</i>	91	<i>zatean-pn dha</i>	178
<i>vigpoder</i>	37	XARELTO.....	67, 68	<i>zatean-pn plus</i>	178
<i>vilazodone</i>	41	XARELTO DVT-PE TREAT		ZEGALOGUE	
VIMKUNYA.....	164	30D START.....	67	AUTOINJECTOR.....	166
<i>vinorelbine</i>	31	XATMEP	31	ZEGALOGUE SYRINGE...	167
<i>violele (28)</i>	90	XCOPRI.....	37	ZEJULA.....	32
VIRACEPT	65	XCOPRI MAINTENANCE		ZELBORAF	32
VIREAD.....	65	PACK.....	37	<i>zenatane</i>	92
<i>virt-c dha</i>	177	XCOPRI TITRATION PACK		ZENPEP	139
<i>virt-nate dha</i>	177		37	<i>zidovudine</i>	65
<i>virt-pn dha</i>	177	XDEMVE	142	ZIIHERA.....	32
<i>virt-pn plus</i>	177	XELJANZ.....	158	<i>zingiber</i>	178
<i>vitafol gummies</i>	177	XELJANZ XR	158	<i>ziprasidone hcl</i>	60
<i>vitafol nano</i>	177	XERMELO.....	145	<i>ziprasidone mesylate</i>	60
<i>vitafol-ob+dha</i>	177	XGEVA	165	ZIRABEV	32
VITRAKVI.....	31	XIFAXAN	10	ZIRGAN	142
VIVOTIF	164	XIGDUO XR.....	43	ZOLADEX.....	32
VIZIMPRO.....	31	XIIDRA	143	ZOLINZA	32
VOCABRIA.....	65	XOLAIR	173	<i>zolpidem</i>	174
<i>volnea (28)</i>	91	XOSPATA.....	31	ZONISADE.....	37
VONJO.....	31	XPOVIO	31, 32	<i>zonisamide</i>	37
VORANIGO.....	31	XTANDI.....	32	<i>zovia 1-35 (28)</i>	91
<i>voriconazole</i>	48	<i>xulane</i>	91	ZTALMY	37
VOSEVI	66	XULTOPHY 100/3.6.....	45	ZTLIDO	6
VOWST.....	166	XYOSTED.....	148	ZURZUVAE	41
<i>vp-ch-pnv</i>	177	Y		ZYDELIG	32
<i>vp-pnv-dha</i>	177	YERVOY.....	32	ZYKADIA	32
VRAYLAR.....	60	YESINTEK.....	158	ZYLET	142
VUMERITY	83	YF-VAX (PF)	164	ZYNLONTA.....	32
VYALEV	54	YONSA	32	ZYNYZ	32
<i>vylibra</i>	91	YUFLYMA(CF).....	159	ZYPREXA RELPREVV	60
VYLOY	31				

HPMS已核准《處方一覽表》，檔案提交ID：25209，第14版

本《處方一覽表》更新於2025年5月1日。

如需獲得更多最新資訊，或者如果您有其他問題，敬請致電以下電話，聯絡Centers Plan for Medicare Advantage Care (HMO)會員服務部：1-888-807-5717（聽力障礙電傳使用者請致電：711），工作時間為每週7天，每天24小時，或者請瀏覽：www.centersplan.com/mapd。

Centers Plan for Medicare Advantage Care (HMO)是一項與Medicare簽有合約的HMO計劃。是否能夠註冊參加Centers Plan for Medicare Advantage Care取決於合約的續約。

本資訊也可透過其他語言免費提供。請致電Centers Plan for Medicare Advantage Care會員服務部：1-877-940-9330（聽力障礙電傳使用者請致電：711），工作時間為每週7天，早8點至晚8點。

This information is available for free in other languages. Please call Centers Plan for Medicare Advantage Care Member Services at 1-877-940-9330 (TTY users please call 711), seven days a week, 8 am to 8 pm.



如需獲得更多資訊或加入我們
請致電：1-877-940-9330（免費）
聽力障礙電傳使用者請致電711
工作時間為每週7天，早8點至晚8點
MemberServices@centersplan.com
www.centersplan.com/mapd