

2025



2025年《處方一覽表》 (《承保藥品清單》)

Centers Plan for Medicare Advantage Care
(HMO)

HPMS已核准《處方一覽表》，檔案提交ID：25209，第18版

本《處方一覽表》更新於2025年9月1日。如需獲得更多最新資訊，或者如果您有其他問題，敬請致電以下電話，聯絡Centers Plan for Medicare Advantage Care (HMO)會員服務部：1-888-807-5717（聽力障礙電傳使用者請致電：711），工作時間為每週7天，每天24小時，或者請瀏覽：www.centersplan.com/mapd。

多語言口譯服務

English	We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-888-807-5717 (TTY: 711). Someone who speaks English can help you. This is a free service.
Albanian	Ne kemi në dispozicion shërbime përkthimi për t'ju përgjigjiur çdo pyetjeje që mund të keni lidhur me shëndetin tuaj apo me planin tuaj të mjekimit. Për të siguruar një përkthyes/e, na telefononi në 1-888-807-5717 (TTY: 711). Dikush që flet shqip mund t'ju ndihmojë. Ky është një shërbim pa pagesë.
Arabic	لدينا خدمات ترجمة فورية مجانية للإجابة عن أي أسئلة قد تراودك بشأن خطتنا للصحة أو الأدوية. للحصول على مترجم فوري، اتصل بنا فحسب على الرقم 1-888-807-5717 (المستخدمي الهاتف النصي: 711). يمكن لشخص يتحدث العربية مساعدتك. هذه خدمة مجانية.
Bengali	আমাদের স্বাস্থ্য বা ওষুধ পরিকল্পনা সম্পর্কে আপনার যে কোনো প্রশ্নের উত্তর দেওয়ার জন্য আমাদের বিনামূল্যে দোভাষী পরিষেবা রয়েছে। দোভাষী পেতে হলে, আমাদের কেবল 1-888-807-5717 (TTY: 711) -এ কল করে যোগাযোগ করুন। বাংলাভাষী কেউ আপনাকে সাহায্য করতে পারেন। এটি বিনামূল্যে প্রাপ্ত পরিষেবা।
Simplified Chinese	我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-888-807-5717 (TTY 711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。
Traditional Chinese	您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-888-807-5717 (TTY 711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務
French	Nous disposons de services d'interprétation gratuits pour répondre à toutes les questions que vous pouvez avoir sur notre régime d'assurance-maladie ou d'assurance-médicaments. Pour obtenir un interprète, il suffit de nous appeler au 1-888-807-5717 (TTY : 711). Une personne qui parle français peut vous aider. Il s'agit d'un service gratuit.
French Creole	Nou gen sèvis entèprèt gratis pou reponn nenpòt kesyon ou ka genyen konsènan plan sante ak medikaman nou an. Pou w jwenn yon entèprèt, annik rele nou nan 1-888-807-5717 (TTY : 711). Yon moun ki pale Kreyòl Ayisyen ka ede w. Sèvis sa a gratis.
German	Wir bieten Ihnen einen kostenlosen Dolmetscherdienst, um alle Ihre Fragen zu unserem Gesundheits- oder Medikamentenplan zu beantworten. Für einen Dolmetscher, rufen Sie uns einfach unter der Rufnummer 1-888-807-5717 (TTY: 711) an. Eine Person, die Deutsch spricht, kann Ihnen helfen. Dies ist ein kostenloser Dienst.
Greek	Διαθέτουμε δωρεάν υπηρεσίες διερμηνείας για να απαντήσουμε σε τυχόν ερωτήσεις μπορεί να έχετε σχετικά με το πλάνο ιατρικής ή φαρμακευτικής περίθαλψής μας. Για να επικοινωνήσετε με διερμηνέα, απλώς καλέστε μας στο 1-888-807-5717 (TTY: 711). Κάποιος που μιλάει Ελληνικά μπορεί να σας βοηθήσει. Αυτή είναι μια δωρεάν υπηρεσία.
Hindi	हमारे स्वास्थ्य या ड्रग योजना के बारे में आपके किसी भी प्रश्न का उत्तर देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएं हैं। दुभाषिया की सेवा प्राप्त करने के लिए, हमें 1-888-807-5717 (TTY: 711) पर कॉल करें। हिंदीअंग्रेजी जानने वाला कोई व्यक्ति आपकी सहायता कर सकता है। यह निशुल्क सेवा है।

Italian	Disponiamo di servizi di interpretariato gratuiti per eventuali domande sul nostro piano di assistenza sanitaria e farmaceutica. Per ricevere il supporto di un interprete, chiamare il numero 1-888-807-5717 (TTY: 711). Sarà disponibile qualcuno che parli italiano. Il servizio è gratuito.
Japanese	弊社の健康および薬品に対するプランについて、お客様がお尋ねになりたいすべてのご質問にお答えするため弊社は無料通訳サービスを用意しております。通訳サービスを受けるには、弊社までお電話ください：1-888-807-5717 (TTY: 711)。日本語が話せる方がお手伝いします。こうしたサービスは無料です。
Korean	귀하의 건강 또는 약품 플랜에 대한 질문에 답변해드리는 무료 통역 서비스를 제공합니다. 통역사를 구하려면 1-888-807-5717 (TTY: 711) 번으로 전화하십시오. 한국어를 할 줄 아는 사람이 도와줄 수 있습니다. 이 서비스는 무료입니다.
Polish	Oferujemy bezpłatne usługi tłumacza, który odpowie na wszelkie pytania dotyczące naszego planu zdrowotnego lub planu przyjmowania leków. Aby uzyskać pomoc tłumacza, wystarczy zadzwonić pod numer 1-888-807-5717 (TTY: 711). Pomocy udzieli osoba mówiąca po Polskie. Usługa jest bezpłatna.
Portuguese	Contamos com serviços gratuitos de interpretação para sanar suas dúvidas sobre o plano de saúde ou medicamentos. Para conseguir um intérprete, entre em contato conosco pelo 1-888-807-5717 (TTY: 711). Alguém que fala português irá ajudá-lo. Este serviço é gratuito.
Russian	Мы предоставляем бесплатные услуги переводчика, чтобы ответить на любые ваши вопросы о нашем плане медицинского обслуживания или программе лекарственных препаратов. Чтобы воспользоваться услугами переводчика, просто позвоните нам по телефону 1-888-807-5717 (TTY : 711). Вам может помочь русскоязычный человек. Это бесплатная услуга.
Spanish	Contamos con servicios de interpretación gratuitos para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para recibir la ayuda de un intérprete, llámenos al 1-888-807-5717 (TTY: 711). Alguien que hable español puede ayudarlo. Éste es un servicio gratuito.
Tagalog	Mayroon kaming mga libreng serbisyo ng pag-interpret upang sagutin ang mga katanungan mo tungkol sa kalusugan o plano sa paggagamot. Para makakuha ng taga-interpret, tawagan kami sa 1-888-807-5717 (TTY: 711). Taong nagsasalita ng tagalog ang makakatulong sa iyo. Ito ay libreng serbisyo.
Urdu	ہمارے ہیلتھ یا ڈرگ پلان کے بارے میں آپ کے کسی بھی سوال کا جواب دینے کے لیے ہمارے پاس مفت ترجمان کی خدمات ہیں۔ ترجمان حاصل کرنے کے لیے، ہمیں 1-888-807-5717 (TTY: 711) پر کال کریں۔ کوئی اردو بولنے والا آپ کی مدد کر سکتا ہے۔ یہ مفت خدمت ہے۔
Vietnamese	Chúng tôi có dịch vụ thông dịch miễn phí để trả lời mọi câu hỏi về chương trình bảo hiểm y tế hoặc thuốc của chúng tôi. Để yêu cầu người thông dịch, chỉ cần gọi cho chúng tôi theo số 1-888-807-5717 (TTY: 711). Ai đó nói tiếng Việt có thể giúp bạn. Đây là dịch vụ miễn phí.
Yiddish	מיר האבן אומזיסטע איבערזעצונג סערוויסעס צו ענטפערן סיי וועלכע פראגעס וואס איר קענט האבן וועגן אייער געזונטהייט אדער דראג פלאן. צו באקומען אן איבערזעצער, רופט אונז ביי 1-888-807-5717 (TTY: 711). איינער וואס רעדט אידיש קען אייך העלפן. דאס איז אן אומזיסטע סערוויס.

Centers Plan for Medicare Advantage Care (HMO)

2025年《處方一覽表》

(承保藥物清單或藥物清單)：

請閱讀：本文件含有關於
本計劃承保藥品的相關資訊

HPMS已核准《處方一覽表》，檔案提交 25209，版本號18。

現有會員注意：此處方一覽表自去年以來發生了變更。請閱覽此文件，確保《處方一覽表》仍然包含您服用的藥品。

本藥品清單（處方一覽表）中的「我們」或「我們的」指代Centers Plan for Healthy Living, LLC。其中的「計劃」或「我們的計劃」指代Centers Plan for Medicare Advantage Care (HMO)。

本文件包含一份本計劃的藥品清單（《處方一覽表》），最後更新日期為2025年9月1日。如需獲得最新藥物清單（《處方一覽表》），請聯絡我們。我們的聯絡方式和藥物清單（《處方一覽表》）最新更新日期會分別出現在封面和封底。

一般情況下，您必須使用網絡內藥房來使用您的處方藥福利。福利、《處方一覽表》、藥房網絡和/或自付費用/共同保險費可能會在2025年1月1日發生變更，並在當年中不時發生變更。

Centers Plan for Medicare Advantage Care處方一覽表是什麼？

在本文件中，我們使用「藥物清單」和「處方一覽表」這兩個術語來表示相同的意思。《處方一覽表》是Centers Plan for Medicare Advantage Care在諮詢醫療保健提供者團隊後選擇的《承保藥品清單》，這個清單上列出了有效的治療計劃所必需的處方療法。本計劃一般會承保《處方一覽表》內列出的藥品，只要這些藥品屬於具有醫療必要性的藥品，且處方由Centers Plan for Medicare Advantage Care網絡內的藥房開出，也符合其他的計劃規則。如想獲得關於如何開處方藥的更多資訊，請查閱您的承保福利說明。

《處方一覽表》會發生變更嗎？

大部分藥物承保變更發生在1月1日，但在一年當中我們計劃可能會新增或移除藥物清單中的藥品，將其轉移到另外一個分攤費用層級或增加新的限制。在進行這些變更時，我們須遵循Medicare的規定。我們會每月在網站上發佈《處方一覽表》更新，網址為：www.centersplan.com/mapd。

當年可影響您的變更：在以下案例中，您將因年中的承保變更受到影響：

- **立即替換某些新版本的**品牌藥**和**原始生物仿製劑**。**如果我們用一種新的、位於相同或較低費用分攤層級的、具有相同或更少限制的學名藥替代某種**品牌藥**，我們可立即將該藥從我們的《處方一覽表》上移除。當我們將一種藥物的新版本添加到我們的《處方一覽表》中時，我們也可能決定將**品牌藥**或**原始生物製劑**繼續保留在我們的《處方一覽表》中，但可立即將其移至不同的分攤費用層級或添加新的限制。

只有當我們正在添加一個新學名版本的**品牌藥物**名稱，或者添加已經在《處方一覽表》上的**原始生物製劑**的某些**新生物仿製藥**版本時，我們才會做出這些變更（例如，添加一種可互換的**生物仿製藥**，可以在藥房取代**原生物製品**，而不需要新的處方）。

如果您目前正在服用該**品牌藥**或**原始生物製劑**，我們可能不會在立即進行變更之前提前告知您，但我們之後會向您提供有關我們所做出的具體變更的資訊。

如果我們做出此類變更，您或您的處方醫生可以要求我們例外對待並繼續為您承保發生變更的藥物。如需更多資訊，請參閱以下標題為「如何向Centers Plan for Medicare Advantage Care請求處方一覽表特例處理？」的部分。

您可能首次聽說某些藥品類型。欲瞭解更多資訊，請參閱以下標題為「什麼是**原始生物製劑**，與**生物仿製藥**有何關係？」的部分。

- **退市的藥品。**如果製造商停止銷售某種藥物，或者食品藥品監督管理局(FDA)出於安全或有效性原因決定停止銷售某種藥物，我們可能會立即將該藥物從我們的《處方一覽表》中刪除，並在稍後通知服用該藥物的會員。
- **其他變更。**我們可能會進行影響目前服用藥品的會員的其他變動。例如，我們可能會在添加同等效力學名藥時從《處方一覽表》刪除某種**品牌藥**，或者在添加**生物仿製藥**時刪除某種**原始生物製劑**。我們也可能對**品牌藥**或**原始生物製劑**施加新的限制，或將其移至不同的分攤費用等級，或同時執行這兩項操作。我們可以根據新的臨床指導原則進行變更。如果我們將藥品從處方一覽表中移除，增加了一種藥品的事前核准、數量限制以和/或者分步治療限制，或將一種藥品移至更高的分攤費用等級，我們必須在變更生效前至少30天通知受影響的會員。或者，在會員要求續開藥品時，可能會收到30天的藥物供應量和變更通知。

如果我們做出此類變更，您或您的處方醫生可以要求我們進行特例處理並繼續為您承保您一直服用的藥物。我們為您提供的通知還將包含關於如何請求特例處理的資訊，您還可以在下面標題為「如何向Centers Plan for Medicare Advantage Care請求處方一覽表特例處理？」部分中找到相關資訊。

如果您正在服藥，此變更不會影響到您。一般情況下，如果您正在服用我們的2025年《處方一覽表》上的藥品，且此藥品年初屬於承保藥品，我們不會在2025年保險年期間中斷或減少藥品承保。這意味著正在服用該藥品的會員能夠在該保險年的剩餘時間以相同的分攤費用取得該藥品，且無需受到新的限制。您當年不會受到任何對您不產生影響的變化的直接通知。但是，自下一年的1月1日開始，這些變更的影響就會生效，因此請務必查看新福利年度《處方一覽表》上的藥品是否有任何變化。

隨信附上的《處方一覽表》最後更新日期為2025/9/1。如想獲得本計劃藥品保險的最新資訊，請聯絡我們。我們的聯絡資料在封面和封底。如果您受到《處方一覽表》變更的影響，我們將透過郵件向您傳送處方一覽表變更通知(FCN)。

如何使用《處方一覽表》？

有兩個方法可以在《處方一覽表》中尋找您的藥品：

醫療狀況

《處方一覽表》從第1頁開始。此處方一覽表中的藥品根據它們用於治療的醫療狀況類型劃分為不同種類。例如，用於治療心臟狀況的藥品被列於「心血管藥品」種類之下。如果您知道您的藥品的作用，則可從清單的第1項中查詢種類名稱。然後在這一種類下方查詢您的藥品。

字母排列

如果您不確定應該在哪個種類下方查詢，您應該在從第I-1頁開始的索引中尋找您的藥品。索引提供了一份清單，將本文件包含的所有藥品按照字母順序進行排列。品牌藥品和學名藥都列於此索引之中。查詢索引，找到您的藥品。在您的藥品旁邊，您將看到承保資訊所在頁面的頁碼。翻至索引中所列頁面，並在清單第一欄找到您的藥品名稱。

什麼是學名藥？

本計劃承保品牌藥和學名藥。學名藥是通過FDA審核的與品牌藥品具有相同活性成分的藥品。一般來說，學名藥和品牌藥效果一樣好，而且通常比品牌藥便宜。我們為多種品牌藥提供了可替代的學名藥。根據州法律，在藥房，學名藥通常可以取代品牌藥，而不需要新的處方。

什麼是原始生物製劑，與生物仿製藥有何關係？

在《處方一覽表》上，我們所說的「藥品」是指一種藥物或一種生物製劑。生物製品是比典型藥物更複雜的藥物。由於生物製劑比一般藥物更為複雜，不能完全複製，因此其替代形式被稱為生物仿製劑。一般來說，生物仿製藥和原始生物產品一樣有效，而且價格更低。某些生物製劑可以採用原始生物仿製劑作為替代。一些生物仿製藥是可互換的生物仿製藥，根據州法律，可以在藥房取代原生物製品，而不需要新的處方，就像學名藥可以取代品牌藥物一樣。

- 有關藥物類型的討論，請參閱《承保福利說明》，第5章，第3.1節，「《藥物清單》說明有哪些D部分藥品享受保險。」

我的受保範圍是否有約束或限制？

部分承保藥品可能有額外承保要求或限制。這些要求和限制可能包括：

- **事前核准：**我們計劃要求您或您的處方醫生為某些藥品獲得事前核准。這意味著您領取處方藥之前需要獲得Centers Plan for Medicare Advantage Care的核准。若您未獲得核准，本計劃可能不承保此藥品。
- **數量限制：**對於某些藥品，我們計劃限制我們承保的藥量。例如，Centers Plan for Medicare Advantage Care將sumatriptan 100mg的單次處方量限制為9片。這可能是對一個月或三個月標準供應藥量的補充。
- **分步治療：**在某些情況下，我們計劃會要求您在其承保治療您所患病症的藥物前先試用其他藥物。例如，如果藥品A和藥品B都可治療您的疾病情況，Centers Plan for Medicare Advantage Care可能會要求您先試用藥品A，否則就不承保藥品B。如果藥品A對您無效，本計劃將承保藥品B。

如想瞭解您的藥品是否有其他額外要求或限制，您可從第1頁開始檢視《處方一覽表》。您也可以瀏覽我們的網站，瞭解有關特定承保藥品所受約束的詳細資訊。我們已在網上發佈解釋我們的事先核准和逐步治療限制的文件。您也可以要求我們向您傳送一份副本。我們的聯絡方式和《處方一覽表》最新更新日期會分別出現在封面和封底。

您可以要求我們計劃對這些約束和限制作出特例處理，或對也許能夠治療您的健康狀況的其他類似藥物清單作出特例處理。參見v頁的「如何向Centers Plan for Medicare Advantage Care申請《處方一覽表》特例？」部分，瞭解請求特例處理的方法。

如果我的藥品未納入此《處方一覽表》該怎麼辦？

如果您的藥品未納入此《處方一覽表》（《承保藥品清單》），您首先應該聯絡會員服務部，詢問您的藥品是否在承保範圍內。

如果您瞭解到我們計劃不承保您的藥品，您有兩個選項：

- 您可以向會員服務部索取一份本計劃承保的類似藥品清單。當您收到這份清單之後，將其交給您的醫生檢視並要求醫生開一種與Centers Plan for Medicare Advantage Care承保藥品類似的藥品。

- 您可以向我們計劃請求特例處理並要求承保您的藥品。參見下方資訊，了解如何請求特例處理。

我如何向Centers Plan for Medicare Advantage Care請求《處方一覽表》特例處理？

您可以向本計劃請求對我們的承保規則進行特例處理。您可以向我們請求進行幾類特例處理。

- 即使一種藥品不在我們的《處方一覽表》之上，您也可以向我們請求承保此藥品。如果請求被核准，此藥品將以事先決定的費用分攤水準被承保，而您無法要求我們提供更低的費用分攤水準。
- 您可以要求我們免除承保範圍限制，包括事前核准、分步治療或您藥物的數量限制。例如，對於某些藥品，我們計劃限制我們承保的藥量。如果您的藥品有藥量限制，您可以向我們請求撤銷此限制並承保更大藥量。
- 您能夠請求我們以更低的費用分攤水準承保一種處方藥品，除非這種藥品屬於專業級藥品。如果請求被核准，這將降低您必須支付的藥品費用。

一般情況下，只有當計劃《處方一覽表》上包含的替代藥品、分攤費用更低的藥品或採取限制對您的治療效果不佳以及/或者可能對您產生副作用，我們計劃才會核准您的特例請求。

您或您的處方醫生應聯絡我們，申請分級或《處方一覽表》特例處理，包括承保範圍限制的特例處理。當您要求例外處理，您的開藥醫生將需要解釋您為什麼需要該項例外處獲得核准的醫療理由。一般情況下，我們必須在收到您的開藥醫生出具的支援性聲明後的72小時內作出決定。如果您或您的醫生認為（而我們也同意）等待72小時才能裁定可能會對您的健康造成嚴重傷害，您可以請求加急（快速）裁定。如果我們同意，或者如果您的處方醫生要求快速做出決定，我們必須在收到您的處方醫生的支援性聲明後24小時內做出決定。

如果我的藥物不在《處方一覽表》上或有限制，我該怎麼辦？

作為我們的計劃的新會員或持續會員，您可能正在服用不在我們的《處方一覽表》上的藥品。或者，您可能正在服用我們《處方一覽表》上的藥物，但該藥物有承保範圍限制，例如事前核准。您應與您的處方醫生討論請求承保範圍裁定，以證明您符合核准標準，改用我們承保的替代藥物，或請求《處方一覽表》特例處理，以便我們承保您服用的藥物。在您和您的醫生決定正確的處理措施之時，我們可能會在特定情況下在您成為我們的計劃會員的最初90天內承保您的藥品。

對於您的每種不在我們的《處方一覽表》上或有承保限制的藥物，我們將承保30天的臨時供應量。如果您所開的處方藥用量天數較少，我們將允許再次配藥，以便提供最多30天供應的藥品。如果保險未獲核准，結束您最初30天的供應藥量之後，我們不會為這些藥品支付費用，即使您成為本計劃會員的時間不超過90天亦如此。

如果您是一家長期護理機構的住院病患且您需要的藥品並不在我們的《處方一覽表》上或者如果您獲得藥品的能力有限，而您加入我們計劃成為會員已經超過90天，在您尋求《處方一覽表》特例處理期間，我們將承保31天的緊急用藥用量。

如果下列一個護理等級變更情況適用於您，您可能會有資格獲得您目前正在服用的藥品的過渡用量：

- 如果您從醫院或其他機構轉到長期護理機構
- 如果您離開長期護理機構回家
- 如果您從專業護理機構出院

以上所列的護理等級變更只是您可能會有資格獲得過渡用量的一些原因，有關更多資訊，請致電藥房服務台：1-888-807-5717（聽力障礙電傳使用者應致電711），工作時間為每週7天，每天24小時。

更多資訊

為獲得關於您的Centers Plan for Medicare Advantage Care處方藥品承保的詳細資訊，請閱覽您的《承保福利說明》和其他計劃材料。

如果您對我們計劃有疑問，請聯絡我們。我們的聯絡方式和《處方一覽表》最新更新日期會分別出現在封面和封底。

如果您對聯邦醫療保險處方藥品承保有一般性問題，請致電聯邦醫療保險，電話是1-800-MEDICARE (1-800-633-4227)，每週7天、每天24小時開通。聽力障礙電傳使用者應致電1-877-486-2048。或者瀏覽<http://www.medicare.gov>。

Centers Plan for Medicare Advantage Care《處方一覽表》

從第1頁開始的《處方一覽表》向您提供我們計劃承保的藥物資訊。

如果您在藥物清單上找藥物有困難，請翻至I-1頁，開始閱讀索引部分。

圖表第一列是藥品名稱。品牌藥名稱大寫（如：LIPITOR），學名藥為斜體小寫（如：*atorvastatin*）。

要求/限制欄中的資訊告知您我們計劃對您的藥品承保是否有任何特殊要求。

文件文字部分可能會有以下縮寫
承保註釋縮寫

使用管理約束		
縮寫	說明	解釋
AGE (年齡) (不超過x歲)	事前核准年齡編輯	只有年齡超過這一年齡界限的受益人才需要事前核准。
NDS	非延期供應	此藥品僅限於提供一個月或更短時間的供應。超出一個月的供應後，您將無法配藥。
PA	事前核准約束	您（或您的醫生）在配藥之前需要獲得本計劃的事先核准。沒有事先核准，本計劃可能不承保此藥。
PA BvD	B部分及D部分判定的事前核准約束	此藥品可能由您的B部分醫療或D部分處方藥保險進行承保。在您獲得此藥配藥之前，您（或者您的醫生）必須首先獲得本計劃的事前核准，以確定Medicare D部分承保此藥品。沒有事先核准，本計劃可能不承保此藥。
PA-HRM	高風險藥物的事前核准	本藥品已經被CMS視為潛在有害藥品，因此針對Medicare 65歲及以上受益者是高危藥品。如果您的年齡為65歲或以上，您（或您的醫生）必須在配藥之前獲得本計劃的事前核准。沒有事先核准，本計劃可能不承保此藥品。
PA NSO	僅適用於新會員的事前核准	如果您是一名新會員或者如果您之前未曾服用過此藥，您（或您的醫生）必須在您為此藥配藥之前獲得本計劃的事前核准。沒有事先核准，本計劃可能不承保此藥。
PA NSO-HRM	HRM新會員需要PA	本藥品已經被CMS視為潛在有害藥品，因此針對Medicare 65歲及以上受益者是高危藥品。如果您的年齡為65歲或以上，您（或您的醫生）必須在配藥之前獲得本計劃的事前核准。沒有事先核准，本計劃可能不承保此藥。然而，一旦您收到事前核准並開始服用此藥物，則無需在下一年獲得新的事前核准。
QL	數量限制約束	本計劃限制每份處方或某指定期間所承保的藥量。
ST	分步治療約束	在本計劃將為此藥提供承保之前，您必須首先使用其他藥品以應對您的醫療病症。只有當其他藥品對您並不起作用的情況下，此藥才可能獲得承保。

在本文件
正文中可以找到以下額外的承保註釋縮寫。

其他特殊承保要求		
縮寫	說明	解釋
LA	取得管道有限的藥品	該處方可能只允許在一些藥房配藥。欲瞭解更多訊息，請參閱您的《藥房名錄》或致電藥房服務台：1-888-807-5717，工作時間為每週7天，早8點至晚8點。聽力障礙電傳使用者應致電711。
NM	不可郵購藥品	您可在您的處方一覽表中按折扣藥品分攤費用郵購多數藥品的1個月以上供給量。透過郵購無法獲得的藥品在您處方一覽表中的要求/限制一欄中以「NM」標註。
NDS	不提供延期供應	此藥品不提供延期供應
效力和劑型縮寫		
縮寫	說明	
8 hr	8小時	
12 hr	12小時	
24 hr	24小時	
72 hr	72小時	
act	活性	
aero	氣溶膠	
admin	服用	
ampul	安瓿	
app	塗藥裝置	
appl	塗藥裝置	
auto	自動	
cap	膠囊	
chew	咀嚼片	
CT	計數	
comb	組合套裝	
conc	濃縮	
del	延遲	
delayed	延遲	
disinteg	崩解	

效力和劑型縮寫（續）	
縮寫	說明
disintegrat	崩解
dose	劑量
DR	延遲釋放
EC	腸溶衣
emolnt	潤膚劑
ENFit	腸道給藥接頭
er	延時釋放
ER	延時釋放
ext	延時
extnd	延時
extend	延時
gast	胃
HFA	氫氟烷
hi	高
IR	立即釋放
liqd	液體
loz	錠劑
lo	低
lozeng	錠劑
mini lozenge	微型錠劑
misc	其他
MP	計量泵
muco	黏液
pak	包
pack	包
PCA	病患控制給藥
pell	微丸
pk	包裝
Powdr	粉末
pt	病患
recon	復原
rel	釋放
releas	釋放
soln	溶液
sprinkl	口服顆粒製劑
susp	懸浮液
suspen	懸浮液

效力和劑型縮寫（續）	
縮寫	說明
syring	注射器
tab	片劑
TD	經皮
var	可變
w/	及

目錄

鎮痛藥物.....	3
麻醉藥物.....	6
抗成癮/物質濫用治療劑.....	7
抗焦慮藥物.....	8
抗菌藥物.....	9
抗癌藥物.....	16
抗痙攣劑.....	34
失智症治療藥物.....	39
抗抑鬱藥物.....	40
降糖藥.....	43
抗真菌藥物.....	49
抗痛風藥物.....	51
抗組胺藥物.....	51
抗感染藥物（皮膚和黏膜）.....	51
抗偏頭痛劑.....	51
抗分支桿菌藥.....	53
止吐藥物.....	53
驅蟲藥物.....	54
抗帕金森病藥物.....	55
抗精神病藥物.....	57
抗病毒藥物（全身）.....	64
血液製品/改性劑/體積膨脹劑.....	70
熱量劑.....	73
心血管藥物.....	74
中樞神經系統藥物.....	84

避孕藥	88
牙齒和口腔藥物	96
皮膚病藥物	97
用具	101
酶輔因子/分子伴侶	146
酶替代/改性劑	146
眼耳鼻喉藥劑	147
胃腸道藥物	151
泌尿生殖系統藥物	154
重金屬拮抗劑	155
激素替代藥物，刺激/替代/改性	155
免疫製劑	161
炎症性腸道疾病藥物	174
代謝性骨疾病藥物	174
各種治療劑	175
滴眼劑	176
替代製劑	178
呼吸道藥物	179
骨骼肌鬆弛劑	183
睡眠障礙藥物	184
血管擴張劑	184
維生素和礦物質	185

藥物名稱	藥物層級	要求/限額
鎮痛藥物		
鎮痛藥物，雜項		
<i>acetaminophen-codeine 120-12 mg/5 ml cup inner 120 mg-12 mg /5 ml (5 ml)</i>	1	NM; NDS; QL (4500 per 30 days)
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	NM; NDS; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	1	NM; NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>buprenorphine transdermal patch (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	2	NM; NDS; QL (4 per 28 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>	2	PA-HRM; NM; NDS; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral (Fioricet) capsule 50-300-40 mg</i>	4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	4	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>endocet oral tablet 10-325 mg</i> (oxycodone-acetaminophen)	2	NM; NDS; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i> (oxycodone-acetaminophen)	2	NM; NDS; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i> (oxycodone-acetaminophen)	2	NM; NDS; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	3	PA; NDS; QL (120 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	NM; NDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 10-300 mg/15 ml, 10-325 mg/15 ml</i>	2	NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	NM; NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i>	1	NM; NDS; QL (240 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg</i> (Dilaudid)	1	NM; NDS; QL (180 per 30 days)
<i>hydromorphone oral tablet 8 mg</i> (Dilaudid)	2	NM; NDS; QL (180 per 30 days)
<i>methadone oral tablet 10 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	PA; NM; NDS; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	1	NM; NDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	NM; NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NM; NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NM; NDS; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg</i>	2	NM; NDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	NM; NDS; QL (90 per 30 days)
<i>morphine oral tablet extended release 60 mg</i> (MS Contin)	2	NM; NDS; QL (60 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	NM; NDS; QL (180 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	NM; NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	NM; NDS; QL (120 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	NM; NDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	NM; NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	NM; NDS; QL (240 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	NM; NDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	1	NM; NDS; QL (300 per 30 days)
非甾體類抗炎劑		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	1	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	1	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	1	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	4	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	1	QL (1000 per 30 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> (Pennsaid)	5	PA; NM; NDS; QL (224 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>flurbiprofen oral tablet 100 mg</i>	1	
<i>ibu oral tablet 400 mg</i> (ibuprofen)	1	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)	1	
<i>ibuprofen oral tablet 400 mg</i> (IBU)	1	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)	1	
<i>indomethacin oral capsule 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	1	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	1	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet,delayed release (dr/ec) 375 mg</i> (EC-Naprosyn)	1	
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	
麻醉藥物		
局部麻醉藥物		
<i>dermacinrx lidocan 5% patch outer</i> (lidocaine)	4	PA; QL (90 per 30 days)
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	1	QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)	1	QL (30 per 30 days)
<i>lidocaine topical adhesive patch,medicated 5 %</i> (DermacinRx Lidocan)	4	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (240 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	1	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	PA; QL (30 per 30 days)
<i>lidocan iii topical adhesive patch,medicated 5 %</i> (lidocaine)	4	PA; QL (90 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
抗成癮/物質濫用治療劑		
抗成癮/物質濫用治療劑		
<i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i>	4	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	4	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	4	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	1	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>	2	
<i>naloxone nasal spray,non-aerosol</i> (Narcan) 4 mg/actuation	2	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	4	QL (240 per 180 days)
<i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)	4	QL (336 per 365 days)
<i>varenicline tartrate oral tablet 1 mg (56 pack)</i>	4	QL (336 per 365 days)
<i>varenicline tartrate oral tablets,dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	4	
抗焦慮藥物		
苯二氮		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	NM; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	NM; NDS; QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	4	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	1	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml</i> (1 mg/ml)	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)	1	NM; NDS; QL (150 per 30 days)
<i>lorazepam 4 mg/ml vial inner</i> (Ativan)	1	
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)	1	NM; NDS; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	NM; NDS; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	NM; NDS; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	NM; NDS; QL (30 per 30 days)
<i>temazepam oral capsule 22.5 mg</i> (Restoril)	2	NM; NDS; QL (30 per 30 days)
<i>temazepam oral capsule 7.5 mg</i> (Restoril)	2	NM; NDS; QL (120 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	NM; NDS; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	2	NM; NDS; QL (60 per 30 days)
抗菌藥物		
氨基糖苷類抗生素		
<i>amikacin injection solution 500 mg/2 ml</i>	2	
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	5	PA; NM; NDS; QL (235.2 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>gentamicin injection solution 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	1	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	4	
抗菌藥物，雜項		
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	
<i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	NM; NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	5	NM; NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	4	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	4	
<i>methenamine hippurate oral tablet 1 gram</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>metronidazole in nacl (iso-os) (Metro I.V.) intravenous piggyback 500 mg/100 ml</i>	1	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	1	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst (Macrobid) oral capsule 100 mg</i>	1	QL (60 per 30 days)
<i>trimethoprim oral tablet 100 mg</i>	1	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	4	
<i>vancomycin oral capsule 125 mg (Vancocin)</i>	4	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg (Vancocin)</i>	4	QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG	3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
頭孢菌素		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	1	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	1	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	4	
<i>cefixime oral capsule 400 mg</i>	4	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	4	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	4	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime)	4	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS
大環內酯類		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	4	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	4	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
DIFICID ORAL TABLET 200 MG (fidaxomicin)	5	NM; NDS; QL (20 per 10 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>erythromycin ethylsuccinate oral suspension for reconstitution</i> 200 mg/5 ml (E.E.S. Granules)	4	
<i>erythromycin ethylsuccinate oral suspension for reconstitution</i> 400 mg/5 ml (EryPed 400)	4	
<i>erythromycin oral tablet</i> 250 mg, 500 mg	4	
其他β-內醯胺類抗生素		
<i>aztreonam injection recon soln</i> 1 gram, 2 gram (Azactam)	4	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln</i> 1 gram	4	
<i>imipenem-cilastatin intravenous recon soln</i> 250 mg	4	
<i>imipenem-cilastatin intravenous recon soln</i> 500 mg (Primaxin IV)	4	
<i>meropenem</i> 2 gram vial inner, sub, p/f	4	
<i>meropenem intravenous recon soln</i> 1 gram, 2 gram, 500 mg	3	
青黴素		
<i>amoxicillin oral capsule</i> 250 mg, 500 mg	1	
<i>amoxicillin oral suspension for reconstitution</i> 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml	1	
<i>amoxicillin oral tablet</i> 500 mg, 875 mg	1	
<i>amoxicillin oral tablet, chewable</i> 125 mg, 250 mg	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution</i> 200-28.5 mg/5 ml, 400-57 mg/5 ml	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	1	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	4	
<i>ampicillin oral capsule 500 mg</i>	1	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	4	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	
LENTOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT	4	
<i>naftillin injection recon soln 1 gram, 10 gram, 2 gram</i>	4	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	4	
喹諾酮類		
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	4	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin 400 mg/250 ml bag suv, p/f, inner</i>	4	
<i>moxifloxacin oral tablet 400 mg</i>	2	
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	4	
磺胺類		
<i>sulfadiazine oral tablet 500 mg</i>	4	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
四環素		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	4	
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	4	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	4	
<i>doxycycline hyclate oral capsule 100 mg</i>	2	
<i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg, 150 mg, 20 mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet 50 mg</i> (Targadox)	2	
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxylene NL)	1	
<i>doxycycline monohydrate oral capsule 150 mg</i>	1	QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg</i>	1	
<i>doxycycline monohydrate oral capsule 75 mg</i> (Mondoxylene NL)	1	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 50 mg</i>	2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	1	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	4	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NM; NDS
抗癌藥物		
抗癌藥物		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>abiraterone oral tablet 250 mg</i> (Abirtega)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>abiraterone oral tablet 500 mg</i> (Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>abirtega oral tablet 250 mg</i> (abiraterone)	2	PA NSO; QL (120 per 30 days)
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML	5	PA NSO; NM; NDS; QL (1.6 per 28 days)
AUGTYRO ORAL CAPSULE 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
AUGTYRO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
AVMAPKI ORAL CAPSULE 0.8 MG	5	PA NSO; NM; NDS; QL (24 per 28 days)
AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG	5	PA NSO; NM; NDS; QL (66 per 28 days)
AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	5	PA NSO; NM; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	
BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)	5	PA NSO; NM; NDS; QL (75 per 28 days)
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	
<i>bortezomib injection recon soln 1 mg, 2.5 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 3.5 mg</i> (Velcade)	4	PA NSO
BORUZU INJECTION SOLUTION 2.5 MG/ML	4	PA NSO
BOSULIF ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NM; NDS; QL (30 per 30 days)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx)	5	PA BvD; NM; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	4	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DANZITEN ORAL TABLET 71 MG, 95 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Sprycel)	5	PA NSO; NM; NDS; QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>dasatinib oral tablet 20 mg</i> (Sprycel)	5	PA NSO; NM; NDS; QL (90 per 30 days)
DATROWAY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i>	5	NM; NDS
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)	5	PA BvD; NM; NDS
ELAHERE INTRAVENOUS SOLUTION 5 MG/ML	5	PA NSO; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML	5	PA NSO; NM; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NM; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMRELIS INTRAVENOUS RECON SOLN 100 MG, 20 MG	5	PA NSO; NM; NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i>	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	4	
EULEXIN ORAL CAPSULE 125 MG (flutamide)	5	NM; NDS
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	4	
FAKZYNJA ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (42 per 28 days)
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA BvD; NM; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	3	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i>	1	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)	4	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
FRUZAQLA ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe</i> (Faslodex) <i>250 mg/5 ml</i>	5	NM; NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg</i> (Iressa)	5	PA NSO; NM; NDS; QL (60 per 30 days)
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG (lomustine)	4	
GLEOSTINE ORAL CAPSULE 100 MG, 40 MG (lomustine)	5	NM; NDS
GOMEKLI ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
GOMEKLI ORAL CAPSULE 2 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBTROZI ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln</i> (Ifex) 1 gram	2	
<i>ifosfamide intravenous solution</i> 1 gram/20 ml, 3 gram/60 ml	2	
<i>imatinib oral tablet</i> 100 mg (Gleevec)	3	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet</i> 400 mg (Gleevec)	3	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NM; NDS; QL (216 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG	5	PA NSO; NM; NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
IMKELDI ORAL SOLUTION 80 MG/ML	5	PA NSO; NM; NDS; QL (280 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ITOVEBI ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ITOVEBI ORAL TABLET 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LAZCLUZE ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i> (Lutrate Depot (3 month))	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	4	PA NSO
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NM; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	PA NSO; NM; NDS
LYNOZYFIC INTRAVENOUS SOLUTION 2 MG/ML	5	PA NSO; NM; NDS; QL (15 per 8 days)
LYNOZYFIC INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (40 per 28 days)
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NM; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NM; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral suspension</i> (Purixan) <i>20 mg/ml</i>	5	NM; NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	5	PA NSO; NM; NDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; NM; NDS
<i>pazopanib oral tablet 200 mg</i> (Votrient)	5	PA NSO; NM; NDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	5	NM; NDS
<i>pemetrexed disodium intravenous recon soln 100 mg, 500 mg</i> (Alimta)	5	NM; NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NM; NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NM; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RETEVMO ORAL TABLET 120 MG, 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RETEVMO ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 110 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 160 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
REVUFORJ ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG	5	PA NSO; NM; NDS; QL (8 per 28 days)
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	5	PA NSO; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
SCEMBLIX ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
SCEMBLIX ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NM; NDS; QL (900 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NM; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	
TASIGNA ORAL CAPSULE 150 MG, 200 MG (nilotinib hcl)	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG (nilotinib hcl)	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	5	PA NSO; NM; NDS; QL (30 per 30 days)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	4	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NM; NDS; QL (64 per 28 days)
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NM; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	4	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIVIMUSTA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NM; NDS
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VORANIGO ORAL TABLET 10 MG, 40 MG	5	PA NSO; NM; NDS
VYLOY INTRAVENOUS RECON SOLN 100 MG, 300 MG	5	PA NSO; NM; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
XALKORI ORAL PELLETT 150 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
XALKORI ORAL PELLETT 20 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
XALKORI ORAL PELLETT 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZIIHERA INTRAVENOUS RECON SOLN 300 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NM; NDS; QL (20 per 28 days)
抗癌藥劑		
抗癌藥劑		
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	4	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	4	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG	5	ST; NM; NDS; QL (90 per 30 days)
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,500 MG	5	ST; NM; NDS; QL (60 per 30 days)
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	
EPRONTIA ORAL SOLUTION 25 MG/ML (topiramate)	4	ST
<i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom)	5	ST; NM; NDS; QL (30 per 30 days)
<i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom)	5	ST; NM; NDS; QL (60 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>felbamate oral suspension 600 mg/5 ml</i>	4	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	4	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG (perampanel)	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG (perampanel)	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG (perampanel)	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	1	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	1	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	4	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	4	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	4	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
<i>levetiracetam oral tablet for suspension 250 mg</i> (Spritam)	4	ST
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG	4	QL (10 per 30 days)
<i>methsuximide oral capsule 300 mg</i> (Celontin)	4	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	4	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
<i>perampanel oral tablet 10 mg, 12 mg, 8 mg</i> (Fycompa)	5	ST; NM; NDS; QL (30 per 30 days)
<i>perampanel oral tablet 2 mg</i> (Fycompa)	4	ST; QL (30 per 30 days)
<i>perampanel oral tablet 4 mg, 6 mg</i> (Fycompa)	5	ST; NM; NDS; QL (60 per 30 days)
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
PHENYTEK ORAL CAPSULE 200 MG, 300 MG (phenytoin sodium extended)	4	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	1	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	1	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	4	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>	2	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NM; NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	4	ST
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	ST; NM; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG	4	ST
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG (levetiracetam)	4	ST
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	4	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral capsule, sprinkle 50 mg</i>	4	
<i>topiramate oral solution 25 mg/ml</i> (Eprontia)	4	ST
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	5	NM; NDS; QL (10 per 30 days)
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral tablet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	3	QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	3	QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	3	
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	
<i>zonisamide oral capsule 50 mg</i>	1	
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NM; NDS; QL (1080 per 30 days)
失智症治療藥物		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
失智症治療藥物		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i> (Aricept)	2	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg</i>	1	
<i>donepezil oral tablet, disintegrating 5 mg</i>	1	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	3	
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	4	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg</i>	2	ST; QL (30 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 7 mg</i> (Namenda XR)	2	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	4	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	4	QL (30 per 30 days)
抗抑鬱藥物		
抗抑鬱藥物		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NM; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>bupropion hcl oral tablet</i> (Wellbutrin SR) <i>sustained-release 12 hr 100 mg,</i> <i>150 mg, 200 mg</i>	1	
<i>citalopram oral solution 10 mg/5</i> <i>ml</i>	2	
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40</i> (Celexa) <i>mg</i>	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg,</i> (Anafranil) <i>50 mg, 75 mg</i>	4	
<i>desipramine oral tablet 10 mg, 25</i> (Norpramin) <i>mg</i>	4	
<i>desipramine oral tablet 100 mg,</i> <i>150 mg, 50 mg, 75 mg</i>	4	
<i>desvenlafaxine succinate oral</i> (Pristiq) <i>tablet extended release 24 hr 100</i> <i>mg, 25 mg, 50 mg</i>	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100</i> <i>mg, 150 mg, 25 mg, 50 mg, 75</i> <i>mg</i>	2	
<i>doxepin oral concentrate 10</i> <i>mg/ml</i>	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed</i> <i>release(dr/ec) 20 mg, 30 mg, 60</i> <i>mg</i>	1	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution</i> <i>5 mg/5 ml</i>	4	
<i>escitalopram oxalate oral tablet</i> (Lexapro) <i>10 mg, 20 mg, 5 mg</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg</i> (Prozac)	1	
<i>fluoxetine oral capsule 40 mg</i>	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	4	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	4	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	4	
RALDESY ORAL SOLUTION 10 MG/ML	4	PA NSO; QL (1200 per 30 days)
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	4	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	4	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	1	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	1	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	4	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NM; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NM; NDS; QL (14 per 14 days)
降糖藥		
降糖藥物，雜項		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	4	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	QL (150 per 30 days)
<i>metformin oral tablet 750 mg</i>	1	QL (60 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg</i> (Korlym)	5	PA; NM; NDS; QL (112 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	1	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	2	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet</i> (Actoplus MET) <i>15-850 mg</i>	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	1	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	1	QL (240 per 30 days)
RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG	3	PA; QL (30 per 30 days)
SYNJARDY ORAL TABLET 12.5- 1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10- 1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5- 1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned-metformin)	3	QL (60 per 30 days)
胰島素		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (24 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i> (Novolog Mix 70-30FlexPen U-100)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i> (Novolog Mix 70-30 U-100 Insulin)	2	max \$35 copay per month supply; QL (40 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i>	(Novolog PenFill U-100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Novolog FlexPen U-100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	2	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin glargine-yfgn subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Semglee(insulin glarg-yfgn)Pen)	3	max \$35 copay per month supply
<i>insulin glargine-yfgn subcutaneous solution 100 unit/ml</i>	(Semglee(insulin glargine-yfgn))	3	max \$35 copay per month supply
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine)	3	max \$35 copay per month supply
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine)	3	max \$35 copay per month supply
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)		3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)		3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML		3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML		3	max \$35 copay per month supply; QL (40 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine-yfgn) 3	max \$35 copay per month supply
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine-yfgn) 3	max \$35 copay per month supply
SOLQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	(insulin glargine u-300 conc) 3	max \$35 copay per month supply
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	(insulin glargine u-300 conc) 3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin degludec) 3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	(insulin degludec) 3	max \$35 copay per month supply
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin degludec) 3	max \$35 copay per month supply
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	max \$35 copay per month supply; QL (15 per 28 days)
磺脲類		
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	QL (120 per 30 days)
<i>glipizide oral tablet 2.5 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>	1	QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	PA-HRM; AGE (Max 64 Years)
抗真菌藥物		
抗真菌藥物		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
<i>amphotericin b injection recon soln 50 mg</i>	4	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	5	PA BvD; NM; NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	1	QL (180 per 30 days)
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	1	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	4	QL (180 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	1	
<i>clotrimazole topical solution 1 %</i> (Athlete's Foot (clotrimazole))	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	1	QL (90 per 30 days)
CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG	5	PA; NM; NDS
<i>econazole nitrate topical cream 1 %</i>	2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>	2	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i> (Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	1	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	4	
<i>griseofulvin microsize oral tablet 500 mg</i>	4	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 165 mg, 250 mg</i>	4	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>ketoconazole oral tablet 200 mg</i>	1	
<i>ketoconazole topical cream 2 %</i>	2	QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	1	QL (360 per 30 days)
<i>micafungin intravenous recon soln 100 mg, 50 mg</i> (Mycamine)	3	
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
<i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	1	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	1	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i>	4	
抗痛風藥物		
抗痛風藥物，其他		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>	1	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	4	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	2	QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	4	ST; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
抗組胺藥物		
抗組胺藥物		
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
抗感染藥物（皮膚和黏膜）		
抗感染藥物（皮膚和黏膜）		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	4	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)	4	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	4	
抗偏頭痛劑		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
抗偏頭痛劑		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine nasal</i> (Migranal) <i>spray, non-aerosol 0.5 mg/pump</i> <i>act. (4 mg/ml)</i>	5	ST; NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5</i> <i>mg</i>	2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	QL (18 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	1	QL (18 per 30 days)
<i>rizatriptan oral</i> (Maxalt-MLT) <i>tablet, disintegrating 10 mg</i>	2	QL (18 per 30 days)
<i>rizatriptan oral</i> <i>tablet, disintegrating 5 mg</i>	2	QL (18 per 30 days)
<i>sumatriptan nasal spray, non-</i> <i>aerosol 20 mg/actuation, 5</i> <i>mg/actuation</i>	4	QL (12 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	1	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	4	QL (5 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
抗分支桿菌藥		
抗分支桿菌藥		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg, 400 mg</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	4	
<i>rifabutin oral capsule 150 mg</i>	4	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	4	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECATOR ORAL TABLET 250 MG	4	
止吐藥物		
止吐藥物		
<i>aprepitant oral capsule 125 mg</i>	4	PA BvD; QL (2 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>aprepitant oral capsule 40 mg</i>	4	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	4	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	4	PA BvD
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	4	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	4	PA; QL (60 per 30 days)
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	1	
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	1	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	1	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	1	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	4	
<i>promethazine injection solution 25 mg/ml</i> (Phenergan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 25 mg</i> (Promethegan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine)	2	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	4	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
驅蟲藥物		
驅蟲藥物		
<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>atovaquone-proguanil oral tablet</i> (Malarone) 250-100 mg	2	
<i>atovaquone-proguanil oral tablet</i> (Malarone Pediatric) 62.5-25 mg	2	
<i>chloroquine phosphate oral tablet</i> 250 mg, 500 mg	2	
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet</i> 100 mg	2	QL (180 per 30 days)
<i>hydroxychloroquine oral tablet</i> (Plaquenil) 200 mg	2	QL (90 per 30 days)
<i>hydroxychloroquine oral tablet</i> (Sovuna) 300 mg	2	QL (60 per 30 days)
<i>hydroxychloroquine oral tablet</i> 400 mg	2	QL (60 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet</i> 3 mg (Stromectol)	2	
<i>ivermectin oral tablet</i> 6 mg	2	
<i>mefloquine oral tablet</i> 250 mg	2	
<i>nitazoxanide oral tablet</i> 500 mg (Alinia)	5	NM; NDS; QL (60 per 30 days)
<i>paromomycin oral capsule</i> 250 mg (Humatin)	4	
<i>pentamidine inhalation recon soln</i> (Nebupent) 300 mg	4	PA BvD
<i>pentamidine injection recon soln</i> (Pentam) 300 mg	4	
<i>praziquantel oral tablet</i> 600 mg (Biltricide)	4	
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)	4	
<i>pyrimethamine oral tablet</i> 25 mg (Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule</i> 324 mg (Qualaquin)	2	PA
<i>tinidazole oral tablet</i> 250 mg, 500 mg	2	
抗帕金森病藥物		
抗帕金森病藥物		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	
<i>amantadine hcl oral tablet 100 mg</i>	2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>bromocriptine oral tablet 2.5 mg</i>	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	1	
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	1	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	1	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg</i>	2	
<i>carbidopa-levodopa oral tablet, disintegrating 25-100 mg, 25-250 mg</i>	4	
<i>entacapone oral tablet 200 mg</i>	4	
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML	5	PA; NM; NDS; QL (600 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	4	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	1	
<i>ropinirole oral tablet extended release 24 hr 2 mg, 4 mg</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	4	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	
VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML	5	PA; NM; NDS; QL (560 per 28 days)
抗精神病藥物		
抗精神病藥物		
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NM; NDS; QL (2.4 per 42 days)
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NM; NDS; QL (3.2 per 42 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (2 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (2 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	4	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	4	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	4	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 14 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual</i> (Saphris) <i>tablet 10 mg, 2.5 mg, 5 mg</i>	4	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution</i> <i>25 mg/ml</i>	2	
<i>chlorpromazine oral concentrate</i> <i>100 mg/ml, 30 mg/ml</i>	4	
<i>chlorpromazine oral tablet 10 mg,</i> <i>100 mg, 200 mg, 25 mg, 50 mg</i>	4	
<i>clozapine oral tablet 100 mg, 200</i> (Clozaril) <i>mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet,disintegrating</i> <i>100 mg, 12.5 mg, 25 mg</i>	4	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> <i>150 mg</i>	4	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> <i>200 mg</i>	4	ST; QL (120 per 30 days)
COBENFY ORAL CAPSULE 100- 20 MG, 125-30 MG, 50-20 MG	5	ST; NM; NDS; QL (60 per 30 days)
COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG	5	ST; NM; NDS
ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML	5	NM; NDS; QL (2.25 per 21 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	5	NM; NDS; QL (0.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
FANAPT TITRATION PACK B ORAL TABLETS,DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2)	4	ST
FANAPT TITRATION PACK C ORAL TABLETS,DOSE PACK 1 MG(4)-2 MG(2) -6 MG (2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	4	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	4	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	4	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	4	
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml, 50 mg/ml(1ml)</i>	2	
<i>haloperidol lactate injection solution 5 mg/ml</i>	1	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule</i> <i>10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>lurasidone oral tablet 120 mg, 20</i> (Latuda) <i>mg, 40 mg, 60 mg</i>	4	QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg</i> (Latuda)	4	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>molindone oral tablet 10 mg</i>	3	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	3	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	5	NM; NDS; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i>	4	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 7.5 mg</i>	2	
<i>olanzapine oral tablet 2.5 mg, 20 mg, 5 mg</i> (Zyprexa)	2	
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	4	
OPIPZA ORAL FILM 10 MG, 2 MG, 5 MG	5	ST; NM; NDS
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	4	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>prochlorperazine 10 mg/2 ml vial 10 mg/2 ml (5 mg/ml)</i>	1	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	2	
<i>quetiapine oral tablet 150 mg</i>	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	5	NM; NDS; QL (30 per 30 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml</i> (Risperdal Consta)	3	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 25 mg/2 ml</i> (Rykindo)	3	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> (Rykindo)	5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	
<i>risperidone oral tablet 0.25 mg</i>	1	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	1	
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	4	
RYKINDO INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres)	5	NM; NDS; QL (2 per 28 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML	5	NM; NDS; QL (0.28 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NM; NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NM; NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NM; NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NM; NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NM; NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NM; NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20</i> (Geodon) <i>mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>ziprasidone mesylate</i> (Geodon) <i>intramuscular recon soln 20</i> <i>mg/ml (final conc.)</i>	4	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
抗病毒藥物（全身）		
抗逆轉錄病毒藥物		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	4	
<i>abacavir oral tablet 300 mg</i>	4	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	4	
APRETUDE INTRAMUSCULAR (cabotegravir) SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML)	5	NM; NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	4	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	4	
BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG	5	NM; NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS
<i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular (Apretude) suspension,extended release 600 mg/3 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
<i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)	5	NM; NDS
DELSTRIGO ORAL TABLET 100- 300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 120- 15 MG, 200-25 MG	5	NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	4	
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
EDURANT PED ORAL TABLET FOR SUSPENSION 2.5 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg</i>	4	
<i>efavirenz oral capsule 50 mg</i>	2	
<i>efavirenz oral tablet 600 mg</i>	4	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i>	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	4	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)	5	NM; NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	3	
<i>emtricitabine-rilpivirine-tenofovir disoproxil fumarate oral tablet 200-25-300 mg</i> (Complera)	5	NM; NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
INTELENCE ORAL TABLET 25 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
KALETRA ORAL SOLUTION (lopinavir-ritonavir) 400-100 MG/5 ML	4	QL (480 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i>	4	
<i>lamivudine oral tablet 150 mg</i> (Epivir)	2	
<i>lamivudine oral tablet 300 mg</i> (Epivir)	4	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	4	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution</i> (Kaletra) 400-100 mg/5 ml	3	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	4	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	4	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	4	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i>	2	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	4	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	4	QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NM; NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	3	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK)	5	NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	3	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NM; NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	4	
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
抗病毒藥物，雜項		
LIVTENCITY ORAL TABLET 200 MG	5	PA; NM; NDS
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
oseltamivir oral capsule 45 mg (Tamiflu)	2	QL (48 per 180 days)
oseltamivir oral capsule 75 mg (Tamiflu)	2	QL (42 per 180 days)
oseltamivir oral suspension for reconstitution 6 mg/ml (Tamiflu)	2	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)	2	QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (6)- 100 MG (5)	2	QL (11 per 28 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	2	QL (30 per 5 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
丙型肝炎抗病毒藥物		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NM; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
干擾素		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NM; NDS
核苷和核苷酸		
<i>acyclovir oral capsule 200 mg</i>	1	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	4	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	1	
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	4	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	4	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	4	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	3	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	5	NM; NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	3	
血液製品/改性劑/體積膨脹劑		
抗凝劑		
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)	3	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	4	QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 120 mg/0.8 ml, 80 mg/0.8 ml	4	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 30 mg/0.3 ml	4	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 40 mg/0.4 ml	4	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 60 mg/0.6 ml	4	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe</i> 10 mg/0.8 ml (Arixtra)	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe</i> 2.5 mg/0.5 ml (Arixtra)	3	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe</i> 5 mg/0.4 ml (Arixtra)	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe</i> 7.5 mg/0.6 ml (Arixtra)	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	2	
<i>jantoven oral tablet</i> 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (warfarin)	1	
<i>rivaroxaban oral suspension for reconstitution</i> 1 mg/ml (Xarelto)	5	NM; NDS; QL (600 per 30 days)
<i>rivaroxaban oral tablet</i> 2.5 mg (Xarelto)	4	QL (60 per 30 days)
<i>warfarin oral tablet</i> 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Jantoven)	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML (rivaroxaban)	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG	3	QL (60 per 30 days)
XARELTO ORAL TABLET 2.5 MG (rivaroxaban)	3	QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
血液生成劑		
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>eltrombopag olamine oral powder</i> (Promacta) <i>in packet 12.5 mg</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>eltrombopag olamine oral powder</i> (Promacta) <i>in packet 25 mg</i>	5	PA; NM; NDS; QL (180 per 30 days)
<i>eltrombopag olamine oral tablet</i> (Promacta) <i>12.5 mg</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>eltrombopag olamine oral tablet</i> (Promacta) <i>25 mg</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>eltrombopag olamine oral tablet</i> (Promacta) <i>50 mg, 75 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
血液劑，雜項		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	4	
<i>anagrelide oral capsule 1 mg</i>	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>tranexamic acid oral tablet 650 mg</i>	3	
血小板聚集抑制劑		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	4	
BRILINTA ORAL TABLET 60 MG, (ticagrelor) 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 50 mg, 75 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral 片劑 extended release 400 mg</i>	1	
<i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)
<i>ticagrelor oral tablet 60 mg, 90 mg</i> (Brilinta)	4	
熱量劑		
熱量劑		
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
dextrose 5 % in water (d5w) intravenous parenteral solution	2	
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
心血管藥物		
α-腎上腺素		
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg	1	
clonidine transdermal patch (Catapres-TTS-1) weekly 0.1 mg/24 hr	2	
clonidine transdermal patch (Catapres-TTS-2) weekly 0.2 mg/24 hr	2	
clonidine transdermal patch (Catapres-TTS-3) weekly 0.3 mg/24 hr	2	
doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)	1	
droxidopa oral capsule 100 mg, 200 mg, 300 mg (Northera)	5	PA; NM; NDS; QL (180 per 30 days)
guanfacine oral tablet 1 mg, 2 mg	2	
midodrine oral tablet 10 mg, 2.5 mg, 5 mg	2	
prazosin oral capsule 1 mg, 2 mg, 5 mg	2	
血管緊張素 II 受體拮抗劑		
candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg (Atacand)	1	
candesartan-hydrochlorothiazid (Atacand HCT) oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg	2	
ENTRESTO ORAL TABLET 24- 26 MG, 49-51 MG, 97-103 MG (sacubitril-valsartan)	3	QL (60 per 30 days)
ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG	3	QL (240 per 30 days)
irbesartan oral tablet 150 mg, 300 mg (Avapro)	1	
irbesartan oral tablet 75 mg	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>irbesartan-hydrochlorothiazide</i> (Avalide) <i>oral tablet 150-12.5 mg, 300-12.5 mg</i>	1	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	1	
<i>olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	
<i>telmisartan oral tablet 20 mg</i>	1	
<i>telmisartan oral tablet 40 mg, 80 mg</i> (Micardis)	1	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	1	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	
血管緊張素轉換酶抑制劑		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	
<i>benazepril oral tablet 5 mg</i>	1	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	1	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	1	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	1	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	1	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	1	
<i>ramipril oral capsule 1.25 mg, 2.5 mg, 5 mg</i> (Altace)	1	
<i>ramipril oral capsule 10 mg</i>	1	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	2	
抗心律失常藥物		
<i>amiodarone oral tablet 100 mg, 200 mg</i> (Pacerone)	2	
<i>amiodarone oral tablet 400 mg</i>	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	4	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)	2	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	4	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	4	
β-腎上腺素受體阻斷劑		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	1	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	1	
<i>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	2	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	1	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	1	
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)	1	
<i>sotalol oral tablet 240 mg</i> (Betapace)	1	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	4	
鈣通道阻斷劑		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	1	
<i>diltiazem 24hr er 360 mg cap once-a-day dosage</i> (Tiadylt ER)	2	
<i>diltiazem 24hr er 420 mg cap</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	4	
<i>diltiazem hcl oral capsule, extended release 24 hr 360 mg, 420 mg</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	1	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	
<i>diltiazem hcl oral tablet 90 mg</i>	1	
<i>dilt-xr oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	1	
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	1	
<i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	1	
心血管藥物，雜項		
CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	4	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	1	
<i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> (Lanoxin)	1	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i> (Auvi-Q)	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	3	QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)	5	PA; NM; NDS; QL (18 per 30 days)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)	3	QL (60 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	2	QL (120 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA; QL (30 per 30 days)
二氫吡啶類		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	1	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	
<i>amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	4	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	1	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	1	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	
利尿劑		
<i>amiloride oral tablet 5 mg</i>	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
JYNARQUE ORAL TABLET 15 MG, 30 MG (tolvaptan (polycys kidney dis))	5	PA; NM; NDS; QL (120 per 30 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	1	
<i>tolvaptan (polycys kidney dis) oral tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> (Jynarque)	5	PA; NM; NDS; QL (56 per 28 days)
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	1	
血脂異常		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	2	
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	2	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	2	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>cholestyramine light oral powder in packet 4 gram</i>	2	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	4	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	4	
<i>colestipol oral packet 5 gram</i>	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	1	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	1	
<i>fenofibrate oral tablet 120 mg, 160 mg, 40 mg, 54 mg</i>	1	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
<i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)	4	QL (240 per 30 days)
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	4	QL (120 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	
NEXLETOL ORAL TABLET 180 MG	3	ST; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	ST; QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	
<i>niacor oral tablet 500 mg</i> (niacin)	4	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; QL (120 per 30 days)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)	2	QL (30 per 30 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	ST; QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	ST; QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	ST; QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	1	QL (30 per 30 days)
腎素-血管緊張素-醛固酮系統抑制劑		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	4	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	
KERENDIA ORAL TABLET 10 MG, 20 MG, 40 MG	3	PA; QL (30 per 30 days)
血管擴張劑		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (nitroglycerin)	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	
中樞神經系統藥物		
中樞神經系統藥物		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>	4	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>	4	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NM; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; NM; NDS; QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NM; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18- 24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NM; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	3	PA; QL (60 per 30 days)
<i>dextroamphetamine- amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	QL (30 per 30 days)
<i>dextroamphetamine- amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine- amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)
<i>fingolimod oral capsule 0.5 mg</i> (Gilenya)	5	PA; NM; NDS; QL (30 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Glatopa)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	5	PA; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG	5	PA; NM; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	3	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>methylphenidate hcl oral solution</i> (Methylin) <i>10 mg/5 ml</i>	4	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10</i> (Ritalin) <i>mg, 20 mg, 5 mg</i>	2	QL (90 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
OCREVUS ZUNOVO SUBCUTANEOUS SOLUTION 920 MG-23,000 UNIT/23 ML	5	PA; NM; NDS; QL (23 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
tetrabenazine oral tablet 12.5 mg, (Xenazine) 25 mg	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
避孕藥		
避孕藥		
afirmelle oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad)	1	
altavera (28) oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estrad)	1	
alyacen 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)	1	
alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	
amethyst (28) oral tablet 90-20 mcg (28) (levonorgestrel-ethinyl estrad)	1	
apri oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol)	1	
aubra eq oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad)	1	
aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg (norethindrone ac-eth estradiol)	1	
aurovela 1/20 (21) oral tablet 1-20 mg-mcg (norethindrone ac-eth estradiol)	1	
aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) (norethindrone-e.estradiol-iron)	1	
aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) (norethindrone-e.estradiol-iron)	1	
aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) (norethindrone-e.estradiol-iron)	1	
aviane oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ayuna oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estrad)	1	
azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (desog-e.estradiol/e.estradiol)	2	
blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) (norethindrone-e.estradiol-iron)	1	
blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) (norethindrone-e.estradiol-iron)	1	
blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) (norethindrone-e.estradiol-iron)	1	
camila oral tablet 0.35 mg (norethindrone (contraceptive))	1	
chateal eq (28) oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estrad)	1	
cryselle (28) oral tablet 0.3-30 mg-mcg (norgestrel-ethinyl estradiol)	1	
cyclafem 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)	2	
cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	
cyred eq oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol)	1	
dasetta 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)	1	
dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	
deblitane oral tablet 0.35 mg (norethindrone (contraceptive))	1	
desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (Azurette (28))	2	
desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg (Apri)	1	
dolishale oral tablet 90-20 mcg (28) (levonorgestrel-ethinyl estrad)	1	
elinest oral tablet 0.3-30 mg-mcg (norgestrel-ethinyl estradiol)	1	
eluryng vaginal ring 0.12-0.015 mg/24 hr (etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	
<i>emzahh oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	4	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>estarylla oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1/50 (28))	1	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	
<i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	QL (91 per 84 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>introvale oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	
<i>jolessa oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	QL (91 per 84 days)
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	
<i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG		4	
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1
larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1
larissia oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1
lessina oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1
levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	1
levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)	(Balcoltra)	1
levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg	(Afirmelle)	1
levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg	(Altavera (28))	1
levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)	(Amethyst (28))	1
levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(Iclevia)	1
levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(Enpresse)	1
levora-28 oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG		3
lillow (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1
low-ogestrel (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	1
luteria (28) oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1
lyleq oral tablet 0.35 mg	(norethindrone (contraceptive))	1
lyza oral tablet 0.35 mg	(norethindrone (contraceptive))	1

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
marlissa (28) oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estrad)	1	
meleya oral tablet 0.35 mg (norethindrone (contraceptive))	1	
microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg (norethindrone ac-eth estradiol)	2	
microgestin 1/20 (21) oral tablet 1-20 mg-mcg (norethindrone ac-eth estradiol)	2	
microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) (norethindrone-e.estradiol-iron)	1	
microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) (norethindrone-e.estradiol-iron)	1	
microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) (norethindrone-e.estradiol-iron)	1	
mili oral tablet 0.25-0.035 mg (norgestimate-ethinyl estradiol)	1	
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG	4	
mono-lynyah oral tablet 0.25-0.035 mg (norgestimate-ethinyl estradiol)	1	
NEXPLANON SUBDERMAL IMPLANT 68 MG	3	
norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr (Xulane)	2	QL (3 per 28 days)
norethindrone (contraceptive) oral tablet 0.35 mg (Camila)	1	
norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7) (Aurovela Fe 1-20 (28))	1	
norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7) (Aurovela Fe 1.5/30 (28))	1	
norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9) (Tilia Fe)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> (Tri-Lo-Estarylla)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg</i> (28) (Tri-Estarylla)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i> (Estarylla)	1	
<i>norlyda oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg</i> (21)	1	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	1	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	1	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	1	
<i>orquidea oral tablet 0.35 mg</i> (norethindrone (contraceptive))	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>	1	
<i>pirmella oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	1	
<i>portia 28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	1	
<i>previfem oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	1	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg</i> (91) (levonorgestrel-ethinyl estrad)	1	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	
SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG	4	
<i>sprintec (28) oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)	1	
<i>sronyx oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	1	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	1	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)	1	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> (norethindrone-e.estradiol-iron)	1	
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (norgestimate-ethinyl estradiol)	1	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> (norgestimate-ethinyl estradiol)	1	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> (norethindrone-e.estradiol-iron)	1	
<i>tri-lynyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> (norgestimate-ethinyl estradiol)	1	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> (norgestimate-ethinyl estradiol)	1	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> (norgestimate-ethinyl estradiol)	1	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> (norgestimate-ethinyl estradiol)	1	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> (norgestimate-ethinyl estradiol)	1	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> (norgestimate-ethinyl estradiol)	1	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (norgestimate-ethinyl estradiol)	1	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (norgestimate-ethinyl estradiol)	1	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> (norgestimate-ethinyl estradiol)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	1
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	1
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1
<i>valtya oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1
<i>vienva oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2
<i>vylibra oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	1
<i>xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	1
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1
牙齒和口腔藥物		
牙齒和口腔藥物		
<i>cevimeline oral capsule 30 mg</i>	(Evovac)	2
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Periogard)	1
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>periogard mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	2	
<i>sf 5000 plus dental cream 1.1 %</i> (fluoride (sodium))	1	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Denta 5000 Plus Sensitive)	1	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Kourzeq)	2	
皮膚病藥物		
皮膚病藥物，其他		
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	3	
<i>acyclovir topical ointment 5 %</i> (Zovirax)	4	QL (30 per 30 days)
<i>ammonium lactate topical cream 12 %</i>	1	
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	1	
<i>calcipotriene scalp solution 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	4	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	4	QL (120 per 30 days)
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %</i>	2	
<i>fluorouracil topical solution 5 %</i>	4	
<i>imiquimod topical cream in packet 5 %</i>	2	QL (24 per 30 days)
ISOPROPYL ALCOHOL TOPICAL SWAB 70 %	1	
KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (60 per 28 days)
<i>podofilox topical solution 0.5 %</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NM; NDS
zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg (isotretinoin)	4	
皮膚用抗菌藥物		
clindamycin phosphate topical solution 1 %	1	QL (180 per 30 days)
clindamycin phosphate topical swab 1 % (Clindacin ETZ)	1	
clindamycin-benzoyl peroxide topical gel 1-5 %	4	
erythromycin with ethanol topical solution 2 %	2	
gentamicin topical cream 0.1 %	2	QL (90 per 30 days)
gentamicin topical ointment 0.1 %	2	QL (120 per 30 days)
metronidazole topical cream 0.75 % (Rosadan)	2	
metronidazole topical gel 0.75 % (Rosadan)	2	
metronidazole topical gel 1 % (Metrogel)	4	
mupirocin topical ointment 2 % (Centany)	1	QL (220 per 30 days)
neuac topical gel 1.2 % (1 % clindamycin-benzoyl peroxide base) -5 %	1	
rosadan topical cream 0.75 % (metronidazole)	2	
selenium sulfide topical lotion 2.5 %	1	
silver sulfadiazine topical cream 1 % (SSD)	1	
ssd topical cream 1 % (silver sulfadiazine)	4	
皮膚用抗炎劑		
ala-cort topical cream 1 % (hydrocortisone)	1	
betamethasone dipropionate topical cream 0.05 %	2	
betamethasone dipropionate topical lotion 0.05 %	2	
betamethasone dipropionate topical ointment 0.05 %	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	1	
<i>betamethasone, augmented topical cream 0.05 %</i>	1	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	4	
<i>clobetasol topical ointment 0.05 %</i>	2	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	4	
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluticasone propionate topical cream 0.05 %</i>	1	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	4	
<i>hydrocortisone 2.5% cream</i>	1	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	1	
<i>hydrocortisone topical lotion 2.5 %</i>	1	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	1	
<i>mometasone topical ointment 0.1 %</i>	1	
<i>mometasone topical solution 0.1 %</i>	1	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	4	QL (100 per 30 days)
<i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	4	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>	1	
<i>triamcinolone acetonide topical cream 0.5 %</i> (Triderm)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	1	
皮膚用類視黃醇		
<i>adapalene topical cream 0.1 %</i> (Differin)	4	
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	3	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA
驅蟲劑和滅虱劑		
<i>malathion topical lotion 0.5 %</i> (Ovide)	4	
<i>permethrin topical cream 5 %</i> (Elimite)	2	QL (60 per 30 days)
用具		
用具		
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
ABOUTTIME PEN NEEDLE NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 PA; ST
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 PA; ST
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 PA; ST
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 PA; ST
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1 PA; ST
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 PA; ST
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 PA; ST
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 PA; ST
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1 PA; ST
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1 PA; ST
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1 PA; ST
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1 PA; ST
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1 PA; ST
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1 PA; ST
ALCOHOL 70% SWABS	(Alcohol Pads)	1 PA; ST
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1 PA; ST
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1 PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ALCOHOL WIPES TOPICAL PADS, MEDICATED (alcohol swabs)	1	PA; ST
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	1	PA; ST
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	1	PA; ST
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	1	PA; ST
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	1	PA; ST
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	1	PA; ST
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	1	PA; ST
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety)	1	PA; ST
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"	1	PA; ST
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	1	PA; ST
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	1	PA; ST
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	1	PA; ST
AUTOSHIELD DUO PEN NDL 30G 5MM 30 GAUGE X 3/16"	1	PA; ST
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	1	PA; ST
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "	1	PA; ST
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
BD INS SYR UF 0.3 ML (insulin syringe-needle 12.7MMX30G 0.3 ML 30 GAUGE u-100) X 1/2"	1	PA; ST
BD INS SYR UF 0.5 ML (insulin syringe-needle 12.7MMX30G NOT FOR RETAIL u-100) SALE 0.5 ML 30 GAUGE X 1/2"	1	PA; ST
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	1	PA; ST
BD INSULIN SYR 1 ML 25GX5/8" (insulin syringe-needle 1 ML 25 GAUGE X 5/8" u-100)	1	PA; ST
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	1	PA; ST
BD INSULIN SYR 1 ML (insulin syringe-needle 27GX12.7MM 1 ML 27 GAUGE X u-100) 1/2"	1	PA; ST
BD INSULIN SYR 1 ML 27GX5/8" (insulin syringe-needle MICRO-FINE 1 ML 27 GAUGE X u-100) 5/8"	1	PA; ST
BD INSULIN SYRINGE SLIP TIP (insulin syringe SYRINGE 1 ML needleless)	1	PA; ST
BD NANO 2 GEN PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	1	PA; ST
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	1	PA; ST
BD SAFETGLD INS 0.5 ML (insulin syringe-needle 13MMX29G 0.5 ML 29 GAUGE X u-100) 1/2"	1	PA; ST
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	1	PA; ST
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	1	PA; ST
BD SAFETYGLIDE SYRINGE (insulin syringe-needle 27GX5/8 1 ML 27 GAUGE X 5/8" u-100)	1	PA; ST
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	1	PA; ST
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	1	PA; ST
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	1	PA; ST
BD SINGLE USE SWAB (alcohol swabs)	1	PA; ST
BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4"	1	PA; ST
BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16"	1	PA; ST
BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32"	1	PA; ST
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	1	PA; ST
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	1	PA; ST
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	PA; ST
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	1	PA; ST
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	1	PA; ST
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	1	PA; ST
BORDERED GAUZE 2"X2" 2 X 2 (gauze bandage) "	1	PA; ST
CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
CARETOUCH ALCOHOL 70% PREP PAD (alcohol swabs)	1	PA; ST
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"	1	PA; ST
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ 0.3 ML 31G 15/64" 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ 0.5 ML 31G 15/64" 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ INS 1 ML 31G 15/64" 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		1	PA; ST
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	PA; ST
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	1	PA; ST
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	PA; ST
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	1	PA; ST
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	1	PA; ST
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
COMFORT TOUCH PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
COMFORT TOUCH PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
CURAD GAUZE PADS 2" X 2" 2 X 2" (gauze bandage)	1	PA; ST
CURITY ALCOHOL PREPS 2 PLY,MEDIUM (alcohol swabs)	1	PA; ST
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2"	1	PA; ST
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2" (gauze bandage)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	PA; ST
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	PA; ST
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	PA; ST
DROPLET 0.3 ML 29G 12.7MM(1/2) 0.3 ML 29 GAUGE X 1/2"	1	PA; ST
DROPLET 0.3 ML 30G 12.7MM(1/2) 0.3 ML 30 GAUGE X 1/2"	1	PA; ST
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	1	PA; ST
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	1	PA; ST
DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 GAUGE u-100) X 1/2"	1	PA; ST
DROPLET INS 0.3 ML 30G 8MM(1/2) 0.3 ML 30 GAUGE X 5/16"	1	PA; ST
DROPLET INS 0.3 ML (insulin syringe-needle 30GX12.5MM 0.3 ML 30 GAUGE u-100) X 1/2"	1	PA; ST
DROPLET INS 0.3 ML 31G (insulin syr/ndl u100 6MM(1/2) 0.3 ML 31 GAUGE X half mark) 1/4"	1	PA; ST
DROPLET INS 0.3 ML 31G 8MM(1/2) 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
DROPLET INS 0.5 ML 29G (insulin syringe-needle 12.7MM 0.5 ML 29 GAUGE X u-100) 1/2"	1	PA; ST
DROPLET INS 0.5 ML 30G (insulin syringe-needle 12.7MM 0.5 ML 30 GAUGE X u-100) 1/2"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	1	PA; ST
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	1	PA; ST
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	1	PA; ST
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	1	PA; ST
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	1	PA; ST
DROPLET INS SYR 0.3 ML (insulin syringe-needle 30GX8MM 0.3 ML 30 GAUGE X u-100) 5/16"	1	PA; ST
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64"	1	PA; ST
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX8MM 0.3 ML 31 GAUGE X u-100) 5/16"	1	PA; ST
DROPLET INS SYR 0.5 ML 30G (insulin syringe-needle 8MM 0.5 ML 30 GAUGE X u-100) 5/16"	1	PA; ST
DROPLET INS SYR 0.5 ML 31G (insulin syringe-needle 6MM 1/2 ML 31 GAUGE X u-100) 1/4"	1	PA; ST
DROPLET INS SYR 0.5 ML 31G (insulin syringe-needle 8MM 0.5 ML 31 GAUGE X u-100) 5/16"	1	PA; ST
DROPLET INS SYR 1 ML 29G (insulin syringe-needle 12.7MM 1 ML 29 GAUGE X u-100) 1/2"	1	PA; ST
DROPLET INS SYR 1 ML 30G (insulin syringe-needle 8MM 1 ML 30 GAUGE X u-100) 5/16"	1	PA; ST
DROPLET INS SYR 1 ML (insulin syringe-needle 30GX12.5MM 1 ML 30 GAUGE X u-100) 1/2"	1	PA; ST
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
DROPLET INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	PA; ST
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		1	PA; ST
DROPLET PEN NEEDLE 29G 10MM 29 GAUGE X 3/8"		1	PA; ST
DROPLET PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
DROPLET PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"		1	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	1	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	1	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	1	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	1	PA; ST
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	1	PA; ST
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	1	PA; ST
DROPSAFE PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety)	1	PA; ST
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	1	PA; ST
DRUG MART ULTRA COMFORT (insulin syringe-needle SYR 0.3 ML 29 GAUGE X 1/2", u-100) 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	1	PA; ST
EASY CMFT SFTY PEN NDL (pen needle, diabetic, 31G 5MM 31 GAUGE X 3/16" safety)	1	PA; ST
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	1	PA; ST
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	PA; ST
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"	1	PA; ST
EASY COMFORT 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	1	PA; ST
EASY COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		1	PA; ST
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		1	PA; ST
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	PA; ST
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT PEN NDL 29G 4MM 29 GAUGE X 5/32"		1	PA; ST
EASY COMFORT PEN NDL 29G 5MM 29 GAUGE X 3/16"		1	PA; ST
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
EASY COMFORT SYR 0.5 ML 29G 8MM 1/2 ML 29 X5/16 " (insulin syringe-needle u-100)	1	PA; ST
EASY COMFORT SYR 1 ML 29G 8MM 1 ML 29 GAUGE X 5/16	1	PA; ST
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	PA; ST
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	PA; ST
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	PA; ST
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	1	PA; ST
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	1	PA; ST
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	1	PA; ST
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	1	PA; ST
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED (alcohol swabs)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	1	PA; ST
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	1	PA; ST
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	1	PA; ST
EASY TOUCH INSULIN SYR 0.3 (insulin syringe-needle ML 0.3 ML 30 GAUGE X 5/16", u-100) 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
EASY TOUCH INSULIN SYR 0.5 (insulin syringe-needle ML 0.5 ML 30 GAUGE X 5/16", u-100) 0.5 ML 31 GAUGE X 5/16"	1	PA; ST
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 30 GAUGE X 5/16, 1 ML u-100) 31 GAUGE X 5/16	1	PA; ST
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML RETRACTABLE 1 ML 30 u-100) GAUGE X 1/2"	1	PA; ST
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	1	PA; ST
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	1	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	1	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	1	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	1	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	1	PA; ST
EASY TOUCH LUER LOK INSUL (insulin syringe 1 ML needleless)	1	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	1	PA; ST
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 30GX5/16 30 GAUGE X 5/16"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		1	PA; ST
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		1	PA; ST
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		1	PA; ST
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	PA; ST
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	1	PA; ST
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		1	PA; ST
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
EQL INSULIN 0.5 ML SYRINGE 1/2 ML 29	(Ultilet Insulin Syringe)	1	PA; ST
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	1	PA; ST
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE		1	PA; ST
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	PA; ST
GNP CLICKFINE 31G X 1/4" NDL 6MM, UNIVERSAL 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
GNP CLICKFINE 31G X 5/16" NDL 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
GNP ULT CMFRT 0.5 ML 29GX1/2" 1/2 ML 29	(insulin syringe-needle u-100)	1	PA; ST
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	1	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		1	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	1	PA; ST
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	1	PA; ST
GS PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(1st Tier Unifine Pentips)	1	PA; ST
GS PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(1st Tier Unifine Pentips)	1	PA; ST
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"		1	PA; ST
HEB INCONTROL ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN		3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN		3	
INSULIN 1 ML SYRINGE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	1	PA; ST
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(Droplet Insulin Syr(half unit))	1	PA; ST
INSULIN SYR 0.5 ML 28G 12.7MM (OTC) 1/2 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	PA; ST
INSULIN SYRIN 0.5 ML 30GX1/2" (RX) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
INSULIN SYRINGE 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	1	PA; ST
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100)	1	PA; ST
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	PA; ST
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100)	1	PA; ST
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Droplet Insulin Syringe)	1	PA; ST
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		1	PA; ST
INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	1	PA; ST
INSULIN SYRINGE 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	(BD SafetyGlide Syringe)	1	PA; ST
INSULIN SYRINGE 1 ML 28G 12.7MM (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	PA; ST
INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	1	PA; ST
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Droplet Insulin Syringe)	1	PA; ST
INSULIN SYRINGE NEEDLELESS SYRINGE 1 ML	(Easy Touch Luer Lock Insulin)	1	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	1	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	1	PA; ST
INSULIN U-500 SYRINGE-NEEDLE SYRINGE 1/2 ML 31 GAUGE X 15/64"		1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
INSUPEN PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
INSUPEN PEN NEEDLE 32G 6MM (RX) 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
IV ANTISEPTIC WIPES	(alcohol swabs)	1	PA; ST
KENDALL ALCOHOL 70% PREP PAD	(alcohol swabs)	1	PA; ST
LISCO SPONGES 100/BAG 2 X 2 "		1	PA; ST
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	1	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	1	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		1	PA; ST
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		1	PA; ST
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		1	PA; ST
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		1	PA; ST
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		1	PA; ST
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		1	PA; ST
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		1	PA; ST
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		1	PA; ST
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	PA; ST
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	1	PA; ST
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	1	PA; ST
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(CareFine Pen Needle)	1	PA; ST
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	1	PA; ST
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	1	PA; ST
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	1	PA; ST
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	1	PA; ST
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
MONOJECT 1 ML SYRN 27X1/2" (insulin syringe-needle 1 ML 27 GAUGE X 1/2" u-100)	1	PA; ST
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8" (insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) (insulin syringes (disposable))	1	PA; ST
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"	1	PA; ST
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
MS INSULIN SYR 1 ML 31GX5/16" (OTC) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	1	PA; ST
MS INSULIN SYRINGE 0.3 ML 0.3 ML 30	(Ultra Comfort Insulin Syringe)	1	PA; ST
NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
NOVOFINE 30 NEEDLE		1	PA; ST
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		1	PA; ST
NOVOTWIST NEEDLE 32 GAUGE X 1/5"		1	PA; ST
OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD CLASSIC PDM KIT(GEN 3)		3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE		3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)		3	QL (1 per 365 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM (pen needle, diabetic) NEEDLE SHORT 31 GAUGE X 5/16"	1	PA; ST
PEN NEEDLE 30G 5MM OUTER (Embrace Pen 30 GAUGE X 3/16" Needle)	1	PA; ST
PEN NEEDLE 30G 8MM INNER (CareFine Pen 30 GAUGE X 5/16" Needle)	1	PA; ST
PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic) GAUGE X 5/16"	1	PA; ST
PEN NEEDLE 31G X 1/4" HRI 31 (1st Tier Unifine GAUGE X 1/4" Pentips)	1	PA; ST
PEN NEEDLE 6MM 31G 6MM 31 (pen needle, diabetic) GAUGE X 1/4"	1	PA; ST
PEN NEEDLE, DIABETIC (1st Tier Unifine NEEDLE 29 GAUGE X 1/2" Pentips Plus)	1	PA; ST
PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2"	1	PA; ST
PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32"	1	PA; ST
PEN NEEDLES 5MM 31G (pen needle, diabetic) 31GX5MM,STRL,MINI (OTC) 31 GAUGE X 3/16"	1	PA; ST
PEN NEEDLES 8MM 31G (pen needle, diabetic) 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	1	PA; ST
PENTIPS PEN NEEDLE 29G 1/2" (pen needle, diabetic) 29 GAUGE X 1/2"	1	PA; ST
PENTIPS PEN NEEDLE 31G 1/4" (pen needle, diabetic) 31 GAUGE X 1/4"	1	PA; ST
PENTIPS PEN NEEDLE (pen needle, diabetic) 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	1	PA; ST
PENTIPS PEN NEEDLE (pen needle, diabetic) 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	1	PA; ST
PENTIPS PEN NEEDLE 32G 1/4" (pen needle, diabetic) 32 GAUGE X 1/4"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
PREFPLS INS SYR 1 ML 30GX5/16" (OTC) 1 ML 30 GAUGE X 5/16 (Advocate Syringes)	1	PA; ST
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	1	PA; ST
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	1	PA; ST
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
PRO COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	PA; ST
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	1	PA; ST
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	1	PA; ST
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	PA; ST
PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	PA; ST
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"	1	PA; ST
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort Touch Pen Needle)	1	PA; ST
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"	1	PA; ST
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	1	PA; ST
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (Comfort EZ Insulin Syringe)	1	PA; ST
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (Comfort EZ Insulin Syringe)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" (Comfort EZ Insulin Syringe)	1	PA; ST
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	1	PA; ST
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16", 10X10 0.3 ML 30 GAUGE X 5/16"	1	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2", 10X10 0.5 ML 29 GAUGE X 1/2"	1	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16", 10X10 0.5 ML 30 GAUGE X 5/16"	1	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2", 10X10 1 ML 28 GAUGE X 1/2"	1	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2", 10X10 1 ML 29 GAUGE X 1/2"	1	PA; ST
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort EZ PRO Safety Pen Ndl)	1	PA; ST
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" (pen needle, diabetic, safety)	1	PA; ST
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	1	PA; ST
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	1	PA; ST
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	1	PA; ST
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	1	PA; ST
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	1	PA; ST
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	PA; ST
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	1	PA; ST
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	PA; ST
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	1	PA; ST
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
SURE COMFORT ALCOHOL PREP PADS (alcohol swabs)	1	PA; ST
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	PA; ST
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
SURE-PREP ALCOHOL PREP PADS (alcohol swabs)	1	PA; ST
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	1	PA; ST
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	1	PA; ST
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	1	PA; ST
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	1	PA; ST
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	1	PA; ST
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	1	PA; ST
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	PA; ST
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	1	PA; ST
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	1 PA; ST
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	1 PA; ST
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	1 PA; ST
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	1 PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		1 PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	1 PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		1 PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	1 PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		1 PA; ST
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1 PA; ST
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1 PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1 PA; ST
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 PA; ST
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 PA; ST
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		1 PA; ST
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1 PA; ST
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1 PA; ST
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1 PA; ST
TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		1 PA; ST
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"		1 PA; ST
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"		1 PA; ST
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 PA; ST
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1 PA; ST
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1 PA; ST
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1 PA; ST
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1 PA; ST
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1 PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
TRUE COMFORT PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	1	PA; ST
TRUE COMFORT PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	1	PA; ST
TRUE COMFORT PEN NDL (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	1	PA; ST
TRUE COMFORT PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	1	PA; ST
TRUE COMFORT PEN NDL 33G (pen needle, diabetic) 5MM 33 GAUGE X 3/16"	1	PA; ST
TRUE COMFORT PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	1	PA; ST
TRUE COMFORT PRO 1 ML (insulin syringe-needle 30G 1/2" 1 ML 30 GAUGE X 1/2" u-100)	1	PA; ST
TRUE COMFORT PRO 1 ML (insulin syringe-needle 30G 5/16" 1 ML 30 GAUGE X 5/16 u-100)	1	PA; ST
TRUE COMFORT PRO 1 ML (insulin syringe-needle 31G 5/16" 1 ML 31 GAUGE X 5/16 u-100)	1	PA; ST
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	1	PA; ST
TRUE COMFORT PRO (alcohol swabs) ALCOHOL PADS	1	PA; ST
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	1	PA; ST
TRUE COMFRT PRO 0.5 ML (insulin syringe-needle 30G 1/2" 0.5 ML 30 GAUGE X 1/2" u-100)	1	PA; ST
TRUE COMFRT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"	1	PA; ST
TRUE COMFRT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	1	PA; ST
TRUE COMFRT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	1	PA; ST
TRUEPLUS PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	1	PA; ST
TRUEPLUS PEN NEEDLE 31G X (pen needle, diabetic) 1/4" 31 GAUGE X 1/4"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	PA; ST
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16" (Advocate Syringes)	1	PA; ST
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	PA; ST
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" (Advocate Syringes)	1	PA; ST
ULTICARE INS SYR 0.5 ML 30G 8MM (OTC) 0.5 ML 30 GAUGE X 5/16" (Advocate Syringes)	1	PA; ST
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	1	PA; ST
ULTICARE INS SYR 0.5 ML 31G 8MM (OTC) 0.5 ML 31 GAUGE X 5/16" (Advocate Syringes)	1	PA; ST
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"	1	PA; ST
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	1	PA; ST
ULTICARE SAFETY 0.5 ML 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	PA; ST
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"		1	PA; ST
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"		1	PA; ST
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"		1	PA; ST
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"		1	PA; ST
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"		1	PA; ST
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"		1	PA; ST
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"		1	PA; ST
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"		1	PA; ST
ULTIGUARD SAFEPACK 32G 4MM 32 GAUGE X 5/32"		1	PA; ST
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"		1	PA; ST
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"		1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ULTIGUARD SAFE PK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	1	PA; ST
ULTILET ALCOHOL STERL (alcohol swabs) SWAB	1	PA; ST
ULTILET INSULIN SYRINGE 0.3 (insulin syringe-needle ML 0.3 ML 29 GAUGE X 1/2", 0.3 u-100) ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
ULTILET INSULIN SYRINGE 0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", 0.5 u-100) ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	1	PA; ST
ULTILET INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 ML u-100) 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	1	PA; ST
ULTILET PEN NEEDLE 29 GAUGE	1	PA; ST
ULTILET PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	1	PA; ST
ULTRA COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	1	PA; ST
ULTRA COMFORT 0.5 ML (insulin syringe-needle 28GX1/2" CONVERTS TO 29G u-100) 1/2 ML 28 GAUGE X 1/2"	1	PA; ST
ULTRA COMFORT 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	1	PA; ST
ULTRA COMFORT 0.5 ML (insulin syringe-needle SYRINGE 1/2 ML 28 GAUGE u-100)	1	PA; ST
ULTRA COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16	1	PA; ST
ULTRA COMFORT 1 ML (insulin syringe-needle SYRINGE 1 ML 28 GAUGE X u-100) 1/2"	1	PA; ST
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	1	PA; ST
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	1	PA; ST
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	1	PA; ST
ULTRA FLO PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	1	PA; ST
ULTRA FLO PEN NEEDLE 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	1	PA; ST
ULTRA FLO PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	1	PA; ST
ULTRA FLO SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	1	PA; ST
ULTRA FLO SYR 0.3 ML 30G (insulin syringe-needle 5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	1	PA; ST
ULTRA FLO SYR 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	1	PA; ST
ULTRA FLO SYR 0.5 ML 29G (insulin syringe-needle 1/2" 0.5 ML 29 GAUGE X u-100) 1/2"	1	PA; ST
ULTRA THIN PEN NDL 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	1	PA; ST
ULTRACARE INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	1	PA; ST
ULTRACARE INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	1	PA; ST
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	1	PA; ST
ULTRACARE INS 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
ULTRA-FINE 0.3 ML 30G 12.7MM 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	1	PA; ST
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	1	PA; ST
ULTRA-FINE 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
ULTRA-FINE INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
ULTRA-FINE PEN NDL 29G 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
ULTRA-FINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
ULTRA-FINE SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-FINE SYR 1 ML 30G 12.7MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	PA; ST
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	PA; ST
UNIFINE OTC PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
UNIFINE OTC PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	PA; ST
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
UNIFINE PENTIPS 32GX5/32" (pen needle, diabetic) 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	1	PA; ST
UNIFINE PENTIPS 33GX5/32" 33 (pen needle, diabetic) GAUGE X 5/32"	1	PA; ST
UNIFINE PENTIPS 6MM 31G 31 (pen needle, diabetic) GAUGE X 1/4"	1	PA; ST
UNIFINE PENTIPS MAX (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	1	PA; ST
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	1	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2"	1	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	1	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	1	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	1	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	1	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	1	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	1	PA; ST
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"	1	PA; ST
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"	1	PA; ST
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"	1	PA; ST
UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"	1	PA; ST
UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	1	PA; ST
UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4"	1	PA; ST
UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16"	1	PA; ST
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	1	PA; ST
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	1	PA; ST
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	PA; ST
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"	1	PA; ST
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	PA; ST
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	PA; ST
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	PA; ST
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	PA; ST
V-GO 20 DEVICE	3	QL (30 per 30 days)
V-GO 30 DEVICE	3	QL (30 per 30 days)
V-GO 40 DEVICE	3	QL (30 per 30 days)
WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs)	1	PA; ST
酶輔因子/分子伴侶		
酶輔因子/分子伴侶		
MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG	5	PA; NM; NDS; QL (90 per 30 days)
酶替代/改性劑		
酶替代/改性劑		
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500-15,000 UNIT, 36,000-114,000-180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>javygtor oral tablet, soluble 100 mg</i> (sapropterin)	5	PA; NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000-105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000-24,000 UNIT, 60,000-189,600-252,600 UNIT	3	
眼耳鼻喉藥劑		
眼耳鼻喉藥劑，雜項		
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	2	
<i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %)</i>	1	QL (60 per 30 days)
<i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)	1	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
MIEBO (PF) OPHTHALMIC (EYE) DROPS 100 %	3	QL (12 per 28 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)	1	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Advanced Eye Relief (olopatad))	1	
眼耳鼻喉抗感染藥物		
<i>acetic acid otic (ear) solution 2 %</i>	1	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	1	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	1	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	4	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	1	QL (3.5 per 4 days)
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5- 400-10,000 mg-unit-unit/g	(Neo-Polycin) 2	
neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml- 10,000 unit/ml-0.1 %	(Maxitrol) 1	
neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %	(Maxitrol) 1	
neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg- 10,000 unit-0.025mg/ml	2	
neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%	2	
neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml- unit/ml-%	2	
neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg- unit/g-1%	(neomycin-bacitracin- poly-hc) 2	
neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit- unit/g	(neomycin-bacitracin- polymyxin) 2	
ofloxacin ophthalmic (eye) drops 0.3 %	(Ocuflox) 1	
ofloxacin otic (ear) drops 0.3 %	2	
polycin ophthalmic (eye) ointment 500-10,000 unit/gram	(bacitracin-polymyxin b) 1	
polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml	1	
sulfacetamide sodium ophthalmic (eye) drops 10 %	2	
sulfacetamide sodium ophthalmic (eye) ointment 10 %	2	
sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	4	
XDEMVIY OPHTHALMIC (EYE) DROPS 0.25 %	5	PA; NM; NDS; QL (10 per 42 days)
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
眼耳鼻喉抗炎藥物		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 % (loteprednol etabonate)	3	ST
<i>bromfenac ophthalmic (eye) drops 0.07 %</i> (Prolensa)	4	
<i>bromfenac ophthalmic (eye) drops 0.075 %</i> (BromSite)	4	
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	4	
<i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> (Restasis)	4	QL (60 per 30 days)
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	1	
<i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)	4	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	4	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	2	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	QL (16 per 30 days)
ILEVRO OPTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	1	QL (10 per 25 days)
LOTEMAX OPTHALMIC (EYE) OINTMENT 0.5 %	3	QL (3.5 per 14 days)
LOTEMAX SM OPTHALMIC (EYE) DROPS,GEL 0.38 %	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	4	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)	4	ST
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>	4	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Allergy Nasal (mometasone))	4	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
XIIDRA OPTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
胃腸道藥物		
抗潰瘍劑和酸抑制劑		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	4	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i> (Acid Reducer (esomeprazole))	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i> (Nexium)	2	QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)	4	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	4	ST; QL (60 per 30 days)
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> (Acid Reducer (lansoprazole))	2	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> (Prevacid)	2	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> (Protonix)	1	QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	1	
胃腸道藥物，其他		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)	5	PA; NM; NDS
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	1	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	4	
<i>dicyclomine oral capsule 10 mg</i>	1	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	1	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	1	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	1	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	2	
<i>kionex (with sorbitol) oral suspension 15-20 gram/60 ml</i>	3	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	1	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	1	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	4	QL (60 per 30 days)
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
<i>sodium polystyrene sulfonate oral powder 15 gram</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	3	
<i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)	5	NM; NDS
<i>ursodiol oral capsule 300 mg</i>	3	
<i>ursodiol oral tablet 250 mg</i>	3	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	3	
VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (84 per 28 days)
通便藥物		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)	1	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	1	
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	2	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	1	
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	1	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	3	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>	2	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
磷酸鹽結合劑		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	4	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	4	
泌尿生殖系統藥物		
解痙藥，泌尿系統藥物		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>flavoxate oral tablet 100 mg</i>	2	
MYRBETRIQ ORAL TABLET (mirabegron) EXTENDED RELEASE 24 HR 25 MG, 50 MG	2	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	
<i>oxybutynin chloride oral tablet 5 mg</i>	1	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	1	
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	1	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i>	2	
<i>trospium oral capsule, extended release 24hr 60 mg</i>	4	
<i>trospium oral tablet 20 mg</i>	2	
泌尿生殖系統藥物，雜項		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
重金屬拮抗劑		
重金屬拮抗劑		
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	3	PA
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
激素替代藥物，刺激/替代/改性		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
雄激素類		
danazol oral capsule 100 mg, 200 mg, 50 mg	4	
oxandrolone oral tablet 10 mg, 2.5 mg	4	PA
testosterone cypionate (Depo-Testosterone) intramuscular oil 100 mg/ml, 200 mg/ml	1	PA
testosterone cypionate intramuscular oil 200 mg/ml (1 ml)	1	PA
testosterone enanthate intramuscular oil 200 mg/ml	2	PA; QL (5 per 28 days)
testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1 %) (Vogelxo)	4	PA; QL (300 per 30 days)
testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %) (AndroGel)	4	PA; QL (150 per 30 days)
testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) (AndroGel)	4	PA; QL (300 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
雌激素和抗雌激素		
abigale lo oral tablet 0.5-0.1 mg (estradiol-norethindrone acet)	1	
abigale oral tablet 1-0.5 mg (estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG	3	PA-HRM; AGE (Max 64 Years)
estradiol oral tablet 0.5 mg, 1 mg, 2 mg (Estrace)	1	PA-HRM; AGE (Max 64 Years)
estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Dotti)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>estradiol transdermal patch</i> (Climara) <i>weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 %</i> (Estrace) <i>(0.1 mg/gram)</i>	2	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	4	QL (18 per 28 days)
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Abigale Lo)	2	PA-HRM; AGE (Max 64 Years)
<i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i> (Abigale)	2	PA-HRM; AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens)	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvaferm vaginal tablet 10 mcg</i> (estradiol)	4	QL (18 per 28 days)
糖皮質激素/鹽皮質激素		
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	1	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>fludrocortisone oral tablet 0.1 mg</i>	1	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	1	
<i>methylprednisolone oral tablet 32 mg</i>	1	
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	1	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	1	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	1	
垂體		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML	5	PA; NM; NDS; QL (15 per 30 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML	5	PA; NM; NDS; QL (30 per 30 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	4	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	4	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	PA NSO; NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NM; NDS
LUTRATE DEPOT (3 MONTH) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG (leuprolide (3 month))	4	PA NSO
NORDITROPIN FLEXPPO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i>	4	
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> (Sandostatin)	4	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
孕激素		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	3	QL (0.65 per 84 days)
<i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)	2	
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	1	
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	1	
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	4	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	
甲狀腺及甲狀腺拮抗劑		

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
免疫製劑		
免疫製劑		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	PA; NM; NDS
ASTAGRAF XL ORAL (tacrolimus) CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG	4	PA BvD
ASTAGRAF XL ORAL (tacrolimus) CAPSULE,EXTENDED RELEASE 24HR 5 MG	5	PA BvD; NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD
<i>cyclosporine modified oral capsule</i> 100 mg, 25 mg (Gengraf)	2	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD
<i>cyclosporine modified oral solution</i> 100 mg/ml (Gengraf)	4	PA BvD
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	4	PA BvD
CYLTEZO(CF) PEN CROHN'S-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS
CYLTEZO(CF) PEN PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS
CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
CYLTEZO(CF) (adalimumab-adbm) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.25 mg, 0.5 mg, 0.75</i> <i>mg, 1 mg</i>	5	PA BvD; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25</i> (cyclosporine <i>mg</i> modified)	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	4	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS; Only NDCs starting with 00074
<i>infliximab intravenous recon soln</i> (Remicade) <i>100 mg</i>	5	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20</i> (Arava) <i>mg</i>	2	
<i>mycophenolate mofetil (hcl)</i> (CellCept Intravenous) <i>intravenous recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral</i> (CellCept) <i>capsule 250 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral</i> (CellCept) <i>suspension for reconstitution 200</i> <i>mg/ml</i>	5	PA BvD; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>mycophenolate mofetil oral tablet</i> (CellCept) 500 mg	2	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (dr/ec)</i> 180 mg, 360 mg (Myfortic)	4	PA BvD
NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
ORENCIA (WITH MALTOSSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG	5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	4	ST
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS; QL (360 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
SELARSDI SUBCUTANEOUS (ustekinumab-aekn) SYRINGE 45 MG/0.5 ML	3	PA
SELARSDI SUBCUTANEOUS (ustekinumab-aekn) SYRINGE 90 MG/ML	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	4	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS (ustekinumab) SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS (ustekinumab) SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS (ustekinumab) SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	4	PA BvD
TAVNEOS ORAL CAPSULE 10 MG	5	PA; NM; NDS; QL (180 per 30 days)
TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)	5	PA; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
TREMFYA PEN INDUCTION PK-CROHN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NM; NDS
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	5	PA; NM; NDS
TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	3	PA
YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	3	PA
YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML	5	PA; NM; NDS
YUFLYMA(CF) AI CROHN'S-UC- (adalimumab-aaty) HS SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML	5	PA; NM; NDS

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
YUFLYMA(CF) AUTOINJECTOR (adalimumab-aaty) SUBCUTANEOUS AUTO- INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
YUFLYMA(CF) (adalimumab-aaty) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
疫苗		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	3	\$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	3	\$0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	\$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	\$0 copay

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	3	
DENGIVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGRIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD; \$0 copay
ENGRIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD; \$0 copay
ENGRIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD; \$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	\$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	3	PA BvD; \$0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	\$0 copay
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	3	\$0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	3	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	\$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	\$0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	\$0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	\$0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	3	\$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	3	\$0 copay

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	3	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	\$0 copay
PENMENVY MEN A-B-C-W-Y (PF) INTRAMUSCULAR KIT 0.5 ML	3	\$0 copay
PENMENVY MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 10-5 MCG	3	\$0 copay
PENMENVY MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 50- 50-50-25 MCG/0.5 ML	3	\$0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-20MCG-5LF- 62 DU/0.5 ML	3	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	3	PA BvD; \$0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML	3	\$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3- 3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	3	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	\$0 copay
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	\$0 copay
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	\$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	\$0 copay
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	\$0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	3	\$0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	3	\$0 copay
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	3	\$0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	\$0 copay
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	3	\$0 copay
VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML	3	\$0 copay
VIVOTIF ORAL CAPSULE, DELAYED RELEASE(DR/EC) 2 BILLION UNIT	3	\$0 copay
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	3	\$0 copay

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
炎症性腸道疾病藥物		
炎症性腸道疾病藥物		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	4	
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	4	
<i>budesonide rectal foam 2 mg/actuation</i> (Uceris)	4	
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	4	
<i>mesalamine oral capsule, extended release 500 mg</i> (Pentasa)	4	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	4	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	4	QL (120 per 30 days)
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	4	
代謝性骨疾病藥物		
代謝性骨疾病藥物		
<i>alendronate oral solution 70 mg/75 ml</i>	4	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	1	
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	4	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NM; NDS; QL (120 per 30 days)
<i>ibandronate oral tablet 150 mg</i>	1	QL (1 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	4	
<i>paricalcitol oral capsule 4 mcg</i>	4	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
STOBOCLO SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> (Bonsity)	5	PA; NM; NDS; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	5	PA; NM; NDS; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
各種治療劑		
各種治療劑		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION	3	
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NM; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NM; NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	4	
<i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)	5	PA; NM; NDS; QL (180 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>mesna oral tablet 400 mg</i> (Mesnex)	5	NM; NDS
<i>nitroglycerin rectal ointment 0.4 %</i> (Rectiv) (w/w)	4	QL (30 per 30 days)
<i>pyridostigmine bromide oral tablet</i> (Mestinon) <i>60 mg</i>	2	
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VEOZAH ORAL TABLET 45 MG	4	PA; QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NM; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
滴眼劑		
抗青光眼藥物		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	1	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	4	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> (Alphagan P)	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	4	
<i>brinzolamide ophthalmic (eye) drops,suspension 1 %</i> (Azopt)	4	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	1	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	1	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	4	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> (Zioptan (PF))	4	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol)	1	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	4	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
替代製劑		
替代製劑		
<i>d5 % (d-glucose)-0.9 % sodchlr intravenous parenteral solution</i> (d5 % and 0.9 % sodium chloride)	1	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> (D5 % (d-glucose)-0.9 % sodchlr)	1	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	1	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	1	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	1	
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>	4	
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>	2	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	1	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	4	
<i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10)	1	
<i>potassium chloride oral tablet extended release 15 meq</i>	4	
<i>potassium chloride oral tablet extended release 20 meq</i>	1	
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱		藥物層級	要求/限額
potassium chloride oral tablet,er particles/crystals 10 meq	(Klor-Con M10)	1	
potassium chloride oral tablet,er particles/crystals 15 meq	(Klor-Con M15)	1	
potassium chloride oral tablet,er particles/crystals 20 meq	(Klor-Con M20)	1	
potassium citrate oral tablet extended release 10 meq (1,080 mg)	(Urocit-K 10)	2	
potassium citrate oral tablet extended release 15 meq	(Urocit-K 15)	2	
potassium citrate oral tablet extended release 5 meq (540 mg)		2	
sodium chloride 0.45 % intravenous parenteral solution 0.45 %		2	
sodium chloride 0.9 % intravenous parenteral solution		2	
sodium chloride 0.9% solution mini-bag, single use		2	
呼吸道藥物			
消炎藥物，吸入糖皮質激素			
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	(fluticasone propion-salmeterol)	3	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION		3	QL (32.1 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	(fluticasone furoate)	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate-vilanterol)	3	QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE	3	QL (60 per 30 days)
<i>breyna inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (budesonide-formoterol)	1	QL (30.9 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	4	PA BvD; QL (120 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (Breyna)	1	QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>	1	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>	1	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>	1	QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Wixela Inhub)	1	QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-salmeterol)	1	QL (60 per 30 days)
抗白三烯藥物		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	4	
支氣管擴張劑		
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA)	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (nda020503)	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (nda020983)	2	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	1	PA BvD
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION (umeclidinium-vilanterol)	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	1	PA BvD; QL (540 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>theophylline oral solution 80 mg/15 ml</i>	4	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	4	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
<i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i> (Spiriva with HandiHaler)	4	QL (30 per 30 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
呼吸道藥物，其他		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
ALYFTREK ORAL TABLET 10- 50-125 MG	5	PA; NM; NDS; QL (60 per 30 days)
ALYFTREK ORAL TABLET 4-20- 50 MG	5	PA; NM; NDS; QL (90 per 30 days)
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	3	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO- INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	4	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	4	QL (30 per 30 days)
WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2)	5	PA; NM; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NM; NDS
骨骼肌鬆弛劑		
骨骼肌鬆弛劑		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>baclofen oral tablet 15 mg</i>	4	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>	4	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	4	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>tizanidine oral tablet 2 mg</i>	1	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	
睡眠障礙藥物		
睡眠障礙藥物		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	1	QL (30 per 30 days)
血管擴張劑		
血管擴張劑		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	5	PA; NM; LA; NDS; QL (60 per 30 days)

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral</i> (Revatio) <i>tablet 20 mg</i>	3	PA; QL (360 per 30 days)
<i>tadalafil oral tablet 2.5 mg</i>	2	PA
<i>tadalafil oral tablet 5 mg</i> (Cialis)	2	PA
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
維生素和礦物質		
維生素和礦物質		
<i>bal-care dha combo pack 27-1-430 mg</i>	1	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	1	
<i>c-nate dha softgel 28 mg iron-1 mg -200 mg</i>	1	
<i>completenate tablet chew 29 mg iron- 1 mg</i>	1	
<i>folivane-ob capsule 85-1 mg</i>	1	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	1	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	1	
<i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	1	
<i>mynatal advance oral tablet 90-1-50 mg</i>	1	
<i>mynatal capsule 65 mg iron- 1 mg</i>	1	
<i>mynatal oral tablet 90-1-50 mg</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>mynatal plus captab 65 mg iron- 1 mg</i>	1	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	1	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	1	
<i>newgen tablet 32-1,000 mg-mcg</i>	1	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	1	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	1	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	1	
<i>o-cal prenatal oral tablet 15 mg iron- 1,000 mcg</i>	1	
<i>pnv 29-1 oral tablet 29 mg iron- 1 mg</i>	1	
<i>pnv prenatal plus multivit tab (pnv,calcium 72-iron-gluten-free (rx) 27 mg iron- 1 mg folic acid)</i>	1	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	1	
<i>pnv-omega softgel 28-1-300 mg</i>	1	
<i>pr natal 400 combo pack 29-1-400 mg</i>	1	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	1	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	1	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	1	
<i>prena1 true combo pack 30 mg iron- 1.4 mg-300 mg</i>	1	
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	1	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	1	
<i>prenatabs fa tablet 29-1 mg</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	1	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	1	
<i>prenatal low iron oral tablet 27 mg iron- 1 mg</i>	1	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> (pnv,calcium 72-iron,carb-folic)	1	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	1	
<i>prenatal-u capsule 106.5-1 mg</i>	1	
<i>preplus oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	1	
<i>pretab oral tablet 29-1 mg</i>	1	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	1	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	1	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	1	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	1	
<i>taron-c dha capsule 35-1-200 mg</i>	1	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	1	
<i>triveen-duo dha oral combo pack 29-1-400 mg</i>	1	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	1	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	1	
<i>virt-pn dha softgel (rx) 27 mg iron- 1 mg -300 mg</i>	1	
<i>virt-pn plus oral capsule 28-1-300 mg</i>	1	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	1	
<i>vitafol nano oral tablet 18 mg iron- 1 mg</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

藥物名稱	藥物層級	要求/限額
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	1	
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	1	
<i>vp-pnv-dha oral capsule 28 mg iron- 1 mg-200 mg</i>	1	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	1	
<i>zatean-pn plus softgel 28-1-300 mg</i>	1	
<i>zingiber tablet 1.2 mg-40 mg-124.1 mg-100 mg</i>	1	

您可翻至本文件的介紹部分以瞭解表格中的這些標識和縮寫代表什麼

INDEX

1		
1ST TIER UNIFINE		
PENTIPS.....	101	
1ST TIER UNIFINE		
PENTIPS PLUS.....	101	
A		
<i>abacavir</i>	64	
<i>abacavir-lamivudine</i>	64	
ABELCET.....	49	
<i>abigale</i>	156	
<i>abigale lo</i>	156	
ABILIFY ASIMTUFII	57	
ABILIFY MAINTENA	57	
<i>abiraterone</i>	17	
<i>abirtega</i>	17	
ABOUTTIME PEN NEEDLE		
.....	101	
ABRYSVO (PF).....	168	
<i>acamprosate</i>	7	
<i>acarbose</i>	43	
<i>acebutolol</i>	77	
<i>acetaminophen-codeine</i>	3	
<i>acetazolamide</i>	176	
<i>acetazolamide sodium</i>	176	
<i>acetic acid</i>	148	
<i>acetylcysteine</i>	182	
<i>acitretin</i>	97	
ACTEMRA	161	
ACTEMRA ACTPEN	161	
ACTHAR	158	
ACTHAR SELFJECT	158	
ACTHIB (PF)	168	
ACTIMMUNE.....	175	
<i>acyclovir</i>	70, 97	
<i>acyclovir sodium</i>	70	
ADACEL(TDAP		
ADOLESN/ADULT)(PF).....	168	
<i>adapalene</i>	101	
<i>adefovir</i>	70	
ADEMPAS.....	184	
<i>adrucil</i>	17	
ADVAIR HFA.....	179	
ADVOCATE PEN NEEDLE		
.....	102	
ADVOCATE SYRINGES ..	102	
<i>afirmelle</i>	88	
AIMOVIG AUTOINJECTOR		
.....	52	
AIRSUPRA.....	179, 180	
AJOVY AUTOINJECTOR..	52	
AJOVY SYRINGE	52	
AKEEGA.....	17	
<i>ala-cort</i>	98	
<i>albendazole</i>	54	
<i>albuterol sulfate</i>	181	
ALCOHOL PADS	102	
ALCOHOL PREP PADS ..	122	
ALCOHOL PREP SWABS		
.....	102	
ALCOHOL SWABS.....	102	
ALCOHOL WIPES	103	
ALECENSA.....	17	
<i>alendronate</i>	174	
<i>alfuzosin</i>	155	
<i>aliskiren</i>	83	
<i>allopurinol</i>	51	
<i>alosetron</i>	174	
<i>alprazolam</i>	8	
ALREX.....	150	
<i>altavera (28)</i>	88	
ALTRENO	101	
ALUNBRIG.....	17	
ALVAIZ	72	
<i>alyacen 1/35 (28)</i>	88	
<i>alyacen 7/7/7 (28)</i>	88	
ALYFTREK.....	182	
<i>alyq</i>	184	
<i>amantadine hcl</i>	56	
<i>amethyst (28)</i>	88	
<i>amikacin</i>	9	
<i>amiloride</i>	80	
<i>amiloride-hydrochlorothiazide</i>		
.....	80	
<i>amiodarone</i>	76	
<i>amitriptyline</i>	40	
<i>amlodipine</i>	80	
<i>amlodipine-atorvastatin</i>	81	
<i>amlodipine-benazepril</i>	80	
<i>amlodipine-olmesartan</i>	80	
<i>amlodipine-valsartan</i>	80	
<i>amlodipine-valsartan-</i>		
<i>hcthiacid</i>	80	
<i>ammonium lactate</i>	97	
<i>amoxapine</i>	40	
<i>amoxicil-clarithromy-</i>		
<i>lansopraz</i>	151	
<i>amoxicillin</i>	13	
<i>amoxicillin-pot clavulanate</i> 13,		
14		
<i>amphotericin b</i>	49	
<i>amphotericin b liposome</i>	49	
<i>ampicillin</i>	14	
<i>ampicillin sodium</i>	14	
<i>ampicillin-sulbactam</i>	14	
<i>anagrelide</i>	72	
<i>anastrozole</i>	17	
ANKTIVA	17	
ANORO ELLIPTA.....	181	
<i>aprepitant</i>	53, 54	
APRETUDE.....	64	
<i>apri</i>	88	

APTIVUS.....	64	AUSTEDO XR TITRATION KT(WK1-4).....	85	BD NANO 2ND GEN PEN NEEDLE.....	104
AQINJECT PEN NEEDLE	103	AUTOSHIELD DUO PEN NEEDLE.....	103	BD SAFETYGLIDE INSULIN SYRINGE.....	104, 105
ARCALYST.....	161	AUVELITY.....	40	BD SAFETYGLIDE SYRINGE.....	105
AREXVY (PF).....	168	aviane.....	88	BD ULTRA-FINE MICRO PEN NEEDLE.....	105
ARIKAYCE.....	9	AVMAPKI.....	17	BD ULTRA-FINE MINI PEN NEEDLE.....	105
<i>aripiprazole</i>	57	AVMAPKI-FAKZYNJA.....	17	BD ULTRA-FINE NANO PEN NEEDLE.....	105
ARISTADA.....	57, 58	AVONEX.....	85	BD ULTRA-FINE ORIG PEN NEEDLE.....	105
ARISTADA INITIO.....	57	AXTLE.....	17	BD ULTRA-FINE SHORT PEN NEEDLE.....	105
<i>armodafinil</i>	184	ayuna.....	89	BD VEO INSULIN SYR (HALF UNIT).....	105
ARNUITY ELLIPTA.....	179	AYVAKIT.....	17	BD VEO INSULIN SYRINGE UF.....	105
<i>asenapine maleate</i>	58	<i>azacitidine</i>	17	BELSOMRA.....	184
<i>aspirin-dipyridamole</i>	73	<i>azathioprine</i>	161	<i>benazepril</i>	75
ASSURE ID DUO PRO SFTY PEN NDL.....	103	<i>azathioprine sodium</i>	161	<i>benazepril-</i> <i>hydrochlorothiazide</i>	75
ASSURE ID DUO-SHIELD	103	<i>azelastine</i>	147	<i>bendamustine</i>	18
ASSURE ID INSULIN SAFETY.....	103	<i>azithromycin</i>	12	BENDAMUSTINE.....	18
ASSURE ID PEN NEEDLE	103	<i>aztreonam</i>	13	BENDEKA.....	18
ASSURE ID PRO PEN NEEDLE.....	103	<i>azurette (28)</i>	89	BENLYSTA.....	161
ASTAGRAF XL.....	161	B		<i>benztropine</i>	56
<i>atazanavir</i>	64	<i>bacitracin</i>	148	BESREMI.....	161
<i>atenolol</i>	77	<i>bacitracin-polymyxin b</i>	148	<i>betaine</i>	175
<i>atenolol-chlorthalidone</i>	77	<i>baclofen</i>	183, 184	<i>betamethasone dipropionate</i>	98
<i>atomoxetine</i>	84	<i>bal-care dha</i>	185	<i>betamethasone valerate</i>	99
<i>atorvastatin</i>	81	<i>bal-care dha essential</i>	185		99
<i>atovaquone</i>	54	<i>balsalazide</i>	174	BETASERON.....	85
<i>atovaquone-proguanil</i>	55	BALVERSA.....	17, 18	<i>betaxolol</i>	177
<i>atropine</i>	147	BAQSIMI.....	175	<i>bethanechol chloride</i>	154
ATROVENT HFA.....	181	BCG VACCINE, LIVE (PF)	168	<i>bexarotene</i>	18
<i>aubra eq</i>	88	BD ALCOHOL SWABS....	105	BEXSERO.....	168
AUGTYRO.....	17	BD AUTOSHIELD DUO PEN NEEDLE.....	103	<i>bicalutamide</i>	18
<i>aurovela 1.5/30 (21)</i>	88	BD ECLIPSE LUER-LOK	103, 104		
<i>aurovela 1/20 (21)</i>	88	BD INSULIN SYRINGE....	104		
<i>aurovela 24 fe</i>	88	BD INSULIN SYRINGE (HALF UNIT).....	104		
<i>aurovela fe 1.5/30 (28)</i>	88	BD INSULIN SYRINGE SLIP TIP.....	104		
<i>aurovela fe 1-20 (28)</i>	88	BD INSULIN SYRINGE ULTRA-FINE.....	104		
AUSTEDO.....	84				
AUSTEDO XR.....	84, 85				

BICILLIN L-A	14	<i>butalbital-acetaminophen-caff</i>		<i>cefepime</i>	11
BIKTARVY	64		3	<i>cefixime</i>	11
<i>bimatoprost</i>	177	C		<i>cefoxitin</i>	11
<i>bisoprolol fumarate</i>	77	CABENUVA	64	<i>cefpodoxime</i>	11
<i>bisoprolol-</i>		<i>cabergoline</i>	56	<i>cefprozil</i>	12
<i>hydrochlorothiazide</i>	77	CABOMETYX	18, 19	<i>ceftazidime</i>	12
BIZENGRI	18	<i>cabotegravir</i>	64	<i>ceftriaxone</i>	12
<i>bleomycin</i>	18	<i>calcipotriene</i>	97	<i>cefuroxime axetil</i>	12
<i>blisovi 24 fe</i>	89	<i>calcitonin (salmon)</i>	174	<i>cefuroxime sodium</i>	12
<i>blisovi fe 1.5/30 (28)</i>	89	<i>calcitriol</i>	174	<i>celecoxib</i>	5
<i>blisovi fe 1/20 (28)</i>	89	<i>calcium acetate(phosphat</i>		<i>cephalexin</i>	12
BOOSTRIX TDAP	168	<i>bind)</i>	154	<i>cevimeline</i>	96
BORDERED GAUZE	105	CALQUENCE	19	<i>chateal eq (28)</i>	89
<i>bortezomib</i>	18	CALQUENCE		<i>chlordiazepoxide hcl</i>	8
BORUZU	18	(ACALABRUTINIB MAL) 19		<i>chlorhexidine gluconate</i>	96
<i>bosentan</i>	184	<i>camila</i>	89	<i>chloroquine phosphate</i>	55
BOSULIF	18	CAMZYOS	79	<i>chlorpromazine</i>	58
BRAFTOVI	18	<i>candesartan</i>	74	<i>chlorthalidone</i>	80
BREO ELLIPTA	179, 180	<i>candesartan-</i>		<i>cholestyramine (with sugar)</i>	
<i>brey-na</i>	180	<i>hydrochlorothiazid</i>	74		81
BREZTRI AEROSPHERE	181	CAPLYTA	58	<i>cholestyramine light</i>	82
BRILINTA	73	CAPRELSA	19	<i>ciclopirox</i>	49
<i>brimonidine</i>	177	<i>captopril</i>	75	<i>cilostazol</i>	73
<i>brimonidine-timolol</i>	177	<i>carbamazepine</i>	34	CIMDUO	64
<i>brinzolamide</i>	177	<i>carbidopa-levodopa</i>	56	<i>cimetidine hcl</i>	151
BRIVIACT	34	CAREFINE PEN NEEDLE		CIMZIA	162
<i>bromfenac</i>	150		105, 106	CIMZIA POWDER FOR	
<i>bromocriptine</i>	56	CARETOUCH ALCOHOL		RECONST	162
BRONCHITOL	182	PREP PAD	106	<i>cinacalcet</i>	174
BRUKINSA	18	CARETOUCH INSULIN		CINQAIR	182
<i>budesonide</i>	174, 180	SYRINGE	106, 107	<i>ciprofloxacin hcl</i>	15, 148
<i>budesonide-formoterol</i>	180	CARETOUCH PEN NEEDLE		<i>ciprofloxacin in 5 % dextrose</i>	
<i>bumetanide</i>	80		106		15
<i>buprenorphine</i>	3	<i>carglumic acid</i>	152	<i>ciprofloxacin-dexamethasone</i>	
<i>buprenorphine hcl</i>	7	<i>carteolol</i>	177		148
<i>buprenorphine-naloxone</i>	7	<i>cartia xt</i>	78	<i>citalopram</i>	41
<i>bupropion hcl</i>	40, 41	<i>carvedilol</i>	77	<i>clarithromycin</i>	12
<i>bupropion hcl (smoking</i>		CAYSTON	13	CLENPIQ	154
<i>deter)</i>	7	<i>cefaclor</i>	11	CLICKFINE PEN NEEDLE	
<i>buspirone</i>	175	<i>cefadroxil</i>	11		107, 118
<i>butalbital-acetaminop-caf-cod</i>		<i>cefazolin</i>	11	<i>clindamycin hcl</i>	10
.....	3	<i>cefdinir</i>	11		

<i>clindamycin phosphate</i> 10, 51, 98	COMFORT EZ PRO SAFETY PEN NDL 108	<i>d5 % and 0.9 % sodium chloride</i> 178
<i>clindamycin-benzoyl peroxide</i>98	COMFORT TOUCH PEN NEEDLE 109	<i>d5 %-0.45 % sodium chloride</i> 178
CLINIMIX 6%-D5W (SULFITE-FREE).....73	<i>completenate</i> 185	<i>dabigatran etexilate</i> 70
CLINIMIX 8%-D10W(SULFITE-FREE)..73	<i>compro</i> 54	<i>dalfampridine</i> 85
CLINIMIX 8%-D14W(SULFITE-FREE)..73	<i>constulose</i> 152	<i>danazol</i> 156
CLINIMIX E 8%-D10W SULFITEFREE.....73	COPIKTRA..... 19	<i>dantrolene</i> 184
CLINIMIX E 8%-D14W SULFITEFREE.....73	CORLANOR..... 79	DANYELZA 19
<i>clobazam</i>35	CORTROPHIN GEL 158	DANZITEN..... 19
<i>clobetasol</i>99	COSENTYX 162, 175	<i>dapsone</i> 53
<i>clobetasol-emollient</i>99	COSENTYX (2 SYRINGES) 162	DAPTACEL (DTAP PEDIATRIC) (PF)..... 169
<i>clomipramine</i>41	COSENTYX PEN (2 PENS) 162	<i>daptomycin</i> 10
<i>clonazepam</i>8	COSENTYX UNOREADY PEN 162	<i>darunavir</i> 64
<i>clonidine</i>74	COTELLIC..... 19	<i>dasatinib</i> 19, 20
<i>clonidine hcl</i>74	CREON..... 146	<i>dasetta 1/35 (28)</i> 89
<i>clopidogrel</i>73	CRESEMBA..... 49	<i>dasetta 7/7/7 (28)</i> 89
<i>clorazepate dipotassium</i>8	<i>cromolyn</i> 147, 152, 182	DATROWAY 20
<i>clotrimazole</i>49	<i>cryselle (28)</i> 89	DAURISMO 20
<i>clotrimazole-betamethasone</i>49	CURAD GAUZE PAD..... 109	<i>deblitane</i> 89
<i>clozapine</i>58	CURITY ALCOHOL SWABS 109	<i>decitabine</i> 20
<i>c-nate dha</i>185	CURITY GAUZE 109	<i>deferasirox</i> 155
COARTEM.....55	<i>cyclafem 1/35 (28)</i> 89	DELSTRIGO 64
COBENFY.....58	<i>cyclafem 7/7/7 (28)</i> 89	<i>demeclocycline</i> 16
COBENFY STARTER PACK58	<i>cyclobenzaprine</i> 184	DENG VAXIA (PF) 169
<i>colchicine</i>51	<i>cyclophosphamide</i> 19	<i>denta 5000 plus</i> 96
<i>colesevelam</i>82	<i>cyclosporine</i> 150, 162	<i>dentagel</i> 96
<i>colestipol</i>82	<i>cyclosporine modified</i> 162	DEPO-SUBQ PROVERA 104 160
<i>colistin (colistimethate na)</i> ..10	CYLTEZO(CF)..... 163	DERMACEA..... 110
COMBIVENT RESPIMAT 181	CYLTEZO(CF) PEN 162	DERMACEA NON-WOVEN 110
COMETRIQ19	CYLTEZO(CF) PEN CROHN'S-UC-HS 162	<i>dermacinrx lidocan</i> 6
COMFORT EZ INSULIN SYRINGE.....107, 108, 109	CYLTEZO(CF) PEN PSORIASIS-UV 162	DESCOVY 64
COMFORT EZ PEN NEEDLES107, 108	<i>cyred eq</i> 89	<i>desipramine</i> 41
	D	<i>desmopressin</i> 158, 159
	<i>d5 % (d-glucose)-0.9 % sodchl</i> r 178	<i>desog-e.estradiol/e.estradiol</i> 89
		<i>desogestrel-ethinyl estradiol</i> 89
		<i>desvenlafaxine succinate</i> ...41

dexamethasone157
dexamethasone sodium phosphate150, 157
dextroamphetamine-amphetamine.....85
dextrose 5 % in water (d5w)74
DIACOMIT35
diazepam8, 9, 35
diazepam intensol.....9
diazoxide175
diclofenac epolamine5
diclofenac potassium5
diclofenac sodium.....5, 150
diclofenac-misoprostol6
dicloxacillin.....14
dicyclomine152
didanosine65
DIFICID12
difluprednate150
digoxin79
dihydroergotamine.....52
diltiazem hcl.....78
dilt-xr78
dimethyl fumarate85
diphenoxylate-atropine152
dipyridamole73
disulfiram.....7
divalproex.....35
dofetilide.....76
dolishale89
donepezil.....40
dorzolamide177
dorzolamide-timolol177
DOVATO65
doxazosin74
doxepin.....41
doxorubicin, peg-liposomal 20
doxy-10016
doxycycline hyclate16
doxycycline monohydrate...16
DRIZALMA SPRINKLE41

dronabinol..... 54
DROPLET INSULIN
 SYR(HALF UNIT).. 110, 111
DROPLET INSULIN
 SYRINGE 110, 111, 112
DROPLET MICRON PEN
 NEEDLE 112
DROPLET PEN NEEDLE 112
DROPSAFE ALCOHOL
 PREP PADS 112
DROPSAFE INSULIN
 SYRINGE 112, 113
DROPSAFE PEN NEEDLE
 113
droxidopa..... 74
DUAVEE..... 156
duloxetine 41
DUPIXENT PEN..... 163
DUPIXENT SYRINGE..... 163
dutasteride 155
E
EASY COMFORT ALCOHOL
 PAD 114
EASY COMFORT INSULIN
 SYRINGE 113, 114, 115
EASY COMFORT PEN
 NEEDLES..... 114
EASY COMFORT SAFETY
 PEN NEEDLE..... 113
EASY GLIDE INSULIN
 SYRINGE 115
EASY GLIDE PEN NEEDLE
 115
EASY TOUCH 116, 117
EASY TOUCH ALCOHOL
 PREP PADS 115
EASY TOUCH FLIPLOCK
 INSULIN 116
EASY TOUCH FLIPLOCK
 SYRINGE 116
EASY TOUCH INSULIN
 SAFETY SYR 115

EASY TOUCH INSULIN
 SYRINGE..... 115, 116, 117
EASY TOUCH LUER LOCK
 INSULIN..... 116
EASY TOUCH PEN NEEDLE
 116
EASY TOUCH SAFETY PEN
 NEEDLE..... 117
EASY TOUCH
 SHEATHLOCK INSULIN
 116
EASY TOUCH UNI-SLIP.. 117
econazole nitrate 49
EDURANT 65
EDURANT PED 65
efavirenz 65
efavirenz-emtricitabin-tenofovir
 65
efavirenz-lamivu-tenofovir
 disop..... 65
ELAHERE..... 20
ELEPSIA XR 35
ELIGARD 20
ELIGARD (3 MONTH) 20
ELIGARD (4 MONTH) 20
ELIGARD (6 MONTH) 20
elinest..... 89
ELIQUIS..... 70
ELIQUIS DVT-PE TREAT
 30D START 70
ELREXFIO..... 20
eltrombopag olamine 72
eluryng 89
EMBRACE PEN NEEDLE
 117, 118
EMCYT..... 20
EMGALITY PEN 52
EMGALITY SYRINGE 52
emoquette..... 90
EMRELIS 20
EMSAM..... 41
emtricitabine..... 65

<i>emtricitabine-tenofovir (tdf)</i> 65	<i>erythromycin with ethanol</i> .. 98	FANAPT TITRATION PACK
<i>emtricitabine-rilpivirine-tenofovir (df)</i> 65	ERZOFRI..... 58, 59	C..... 59
EMTRIVA.....65	<i>escitalopram oxalate</i> 41	FARXIGA.....44
<i>emzahn</i>90	<i>eslicarbazepine</i> 35	FASENRA.....182
<i>enalapril maleate</i>76	<i>esomeprazole magnesium</i>	FASENRA PEN182
<i>enalapril-hydrochlorothiazide</i>	 151, 152	<i>febuxostat</i>51
.....76	<i>estarylla</i> 90	<i>feirza</i>90
ENBREL.....163	<i>estradiol</i> 156, 157	<i>felbamate</i>36
ENBREL MINI163	<i>estradiol-norethindrone acet</i>	<i>felodipine</i>80
ENBREL SURECLICK.....163	 157	<i>femynor</i>90
<i>endocet</i>3	<i>eszopiclone</i> 184	<i>fenofibrate</i>82
ENERGIX-B (PF).....169	<i>ethambutol</i> 53	<i>fenofibrate micronized</i>82
ENERGIX-B PEDIATRIC	<i>ethosuximide</i> 35	<i>fenofibrate nanocrystallized</i>
(PF).....169	<i>ethynodiol diac-eth estradiol</i>	82
<i>enilloring</i>90	 90	<i>fentanyl</i>4
<i>enoxaparin</i>70, 71	<i>etodolac</i> 6	<i>fentanyl citrate</i>3
<i>enpresse</i>90	<i>etonogestrel-ethinyl estradiol</i>	<i>fesoterodine</i>154
<i>enskyce</i>90	 90	FETZIMA42
<i>entacapone</i>56	ETOPOPHOS..... 21	FIASP FLEXTOUCH U-100
<i>entecavir</i>70	<i>etoposide</i> 21	INSULIN.....46
ENTRESTO74	<i>etravirine</i> 65	FIASP PENFILL U-100
ENTRESTO SPRINKLE74	EUCRISA 99	INSULIN.....46
<i>enulose</i>152	EULEXIN 21	FIASP U-100 INSULIN46
EPCLUSA.....69	<i>everolimus (antineoplastic)</i> 21	<i>finasteride</i>155
EPIDIOLEX.....35	<i>everolimus</i>	<i>finbolimod</i>85
<i>epinastine</i>147	(immunosuppressive) ... 163	FINTEPLA36
<i>epinephrine</i>79	EVOTAZ 65	FIRMAGON KIT W DILUENT
<i>epitol</i>35	<i>exemestane</i> 21	SYRINGE.....21
EPIVIR HBV65	EXTENCILLINE..... 14	<i>flavoxate</i>155
EPKINLY20	EYSUVIS..... 150	<i>flecainide</i>76
<i>epplerenone</i>83	<i>ezetimibe</i> 82	<i>floxuridine</i>21
EPRONTIA35	<i>ezetimibe-simvastatin</i> 82	<i>fluconazole</i>50
ERBITUX.....20	F	<i>fluconazole in nacl (iso-osm)</i>
<i>ergoloid</i>40	FAKZYNJA..... 21	49
ERIVEDGE21	<i>falmina (28)</i> 90	<i>flucytosine</i>50
ERLEADA21	<i>famciclovir</i> 70	<i>fludrocortisone</i>157
<i>erlotinib</i>21	<i>famotidine</i> 152	<i>flunisolide</i>150
<i>errin</i>90	FANAPT 59	<i>fluocinolone</i>99
<i>ertapenem</i>13	FANAPT TITRATION PACK	<i>fluocinolone acetonide oil</i> 150
<i>erythromycin</i>13, 148	A..... 59	<i>fluocinonide</i>99, 100
<i>erythromycin ethylsuccinate</i>	FANAPT TITRATION PACK	<i>fluoride (sodium)</i>96
.....13	B..... 59	<i>fluorometholone</i>150

fluorouracil21, 97
fluoxetine42
fluphenazine decanoate59
fluphenazine hcl59
flurbiprofen6
flurbiprofen sodium151
flutamide21
fluticasone propionate100,
151, 180
fluticasone propion-
salmeterol180
fluvastatin82
fluvoxamine42
folivane-ob185
fondaparinux71
fosamprenavir65
fosinopril76
fosinopril-hydrochlorothiazide
.....76
fosphenytoin36
FOTIVDA21
FREESTYLE PRECISION 118
FRUZAQLA22
fulvestrant22
furosemide80, 81
FUZEON65
FYARRO22
FYCOMPA36
G
gabapentin36
galantamine40
gallifrey160
GAMUNEX-C163
GARDASIL 9 (PF)169
GAUZE PAD118
gavilyte-c154
gavilyte-g154
gavilyte-n154
GAVRETO22
gefitinib22
gemfibrozil82
generlac153

gengraf163
gentak148
gentamicin10, 98, 148
gentamicin sulfate (ped) (pf)
.....10
gentamicin sulfate (pf)10
GENVOYA65
GILOTRIF22
glatiramer86
glatopa86
GLEOSTINE22
glimepiride48
glipizide48
glipizide-metformin49
glutamine (sickle cell)175
glyburide49
glyburide micronized49
glyburide-metformin49
glycopyrrolate153
glydo6
GLYXAMBI44
GOMEKLI22
griseofulvin microsize50
griseofulvin ultramicrosize50
guanfacine74, 86
GVOKE176
GVOKE HYPOPEN 2-PACK
.....176
GVOKE PFS 1-PACK
SYRINGE176
H
HAEGARDA72
hailey 24 fe90
hailey fe 1.5/30 (28)90
hailey fe 1/20 (28)90
halobetasol propionate100
haloette90
haloperidol59
haloperidol decanoate59
haloperidol lactate59
HARVONI69
HAVRIX (PF)169

HEALTHWISE INSULIN
SYRINGE119
HEALTHWISE PEN NEEDLE
.....119
HEALTHY ACCENTS
UNIFINE PENTIP120
heather90
heparin (porcine)71
HEPLISAV-B (PF)169
HERCEPTIN HYLECTA22
HERZUMA22
HIBERIX (PF)169
HUMIRA164
HUMIRA PEN164
HUMIRA PEN CROHNS-UC-
HS START163
HUMIRA PEN PSOR-
UVEITS-ADOL HS163
HUMIRA(CF)164
HUMIRA(CF) PEDI CROHNS
STARTER164
HUMIRA(CF) PEN164
HUMIRA(CF) PEN
CROHNS-UC-HS164
HUMIRA(CF) PEN
PEDIATRIC UC164
HUMIRA(CF) PEN PSOR-
UV-ADOL HS164
HUMULIN R U-500 (CONC)
INSULIN46
HUMULIN R U-500 (CONC)
KWIKPEN46
hydralazine79
hydrochlorothiazide81
hydrocodone-acetaminophen
.....4
hydrocortisone ... 100, 157, 174
hydrocortisone valerate 100
hydrocortisone-acetic acid 148
hydromorphone4
hydroxychloroquine55
hydroxyurea22

<i>hydroxyzine hcl</i>	51	INPEN (FOR HUMALOG)		<i>isosorbide mononitrate</i>	84
<i>hydroxyzine pamoate</i>	176	BLUE	120	ITOVEBI	23
I		INPEN (NOVOLOG OR		<i>itraconazole</i>	50
<i>ibandronate</i>	174	FIASP) BLUE	120	IV PREP WIPES	122
IBRANCE	22	INQOVI	23	<i>ivabradine</i>	79
IBTROZI	22	INREBIC	23	<i>ivermectin</i>	55
<i>ibu</i>	6	<i>insulin asp prt-insulin aspart</i>		IWILFIN	23
<i>ibuprofen</i>	6		46	IXCHIQ (PF)	170
<i>icatibant</i>	79	<i>insulin aspart u-100</i>	47	IXIARO (PF)	170
<i>iclevia</i>	90	<i>insulin glargine-yfgn</i>	47	J	
ICLUSIG	22	INSULIN SYR/NDL U100		JAKAFI	23
<i>icosapent ethyl</i>	82	HALF MARK	120	<i>jantoven</i>	71
IDHIFA	23	INSULIN SYRINGE	104	JANUMET	44
<i>ifosfamide</i>	23	INSULIN SYRINGE		JANUMET XR	44
ILEVRO	151	MICROFINE	104	JANUVIA	44
<i>imatinib</i>	23	INSULIN SYRINGE		JARDIANCE	44
IMBRUVICA	23	NEEDLELESS	121	<i>javygtor</i>	147
IMDELLTRA	23	INSULIN SYRINGE-NEEDLE		JAYPIRCA	24
<i>imipenem-cilastatin</i>	13	U-100 118, 120, 121, 126,		JEMPERLI	24
<i>imipramine hcl</i>	42	128, 129, 130, 134, 138, 139		<i>jencycla</i>	91
<i>imiquimod</i>	97	INSULIN U-500 SYRINGE-		JENTADUETO	44
IMJUDO	23	NEEDLE	121	JENTADUETO XR	44
IMKELDI	23	INSUPEN PEN NEEDLE .	122	<i>jolessa</i>	91
IMOVAX RABIES VACCINE		INTELENCE	66	<i>juleber</i>	91
(PF)	169	INTRON A	70	JULUCA	66
IMPAVIDO	55	<i>introvale</i>	91	<i>junel 1.5/30 (21)</i>	91
<i>incassia</i>	91	INVEGA HAFYERA	60	<i>junel 1/20 (21)</i>	91
INCONTROL ALCOHOL		INVEGA SUSTENNA	60	<i>junel fe 1.5/30 (28)</i>	91
PADS	120	INVEGA TRINZA	60	<i>junel fe 1/20 (28)</i>	91
INCONTROL PEN NEEDLE		INVELTYS	151	<i>junel fe 24</i>	91
.....	120	IPOL	170	JYLAMVO	24
INCRELEX	159	<i>ipratropium bromide</i> ..	148, 181	JYNARQUE	81
<i>indapamide</i>	81	<i>ipratropium-albuterol</i>	181	JYNNEOS (PF)	170
<i>indomethacin</i>	6	<i>irbesartan</i>	74	K	
INFANRIX (DTAP) (PF)	169	<i>irbesartan-</i>		KALETRA	66
<i>infliximab</i>	164	<i>hydrochlorothiazide</i>	75	KALYDECO	182, 183
INGREZZA	86	ISENTRESS	66	<i>kariva (28)</i>	91
INGREZZA INITIATION		ISENTRESS HD	66	<i>kelnor 1/35 (28)</i>	91
PK(TARDIV)	86	<i>isibloom</i>	91	<i>kelnor 1/50 (28)</i>	91
INGREZZA SPRINKLE	86	<i>isoniazid</i>	53	KERENDIA	83
INLYTA	23	ISOPROPYL ALCOHOL	97	KESIMPTA PEN	86
		<i>isosorbide dinitrate</i>	83, 84	<i>ketoconazole</i>	50

<i>ketorolac</i>	6, 151	<i>lenalidomide</i>	25	LITE TOUCH INSULIN	
KEYTRUDA	24	LENTOCILIN S.....	14	SYRINGE.....	122, 123
KIMMTRAK.....	24	LENVIMA.....	25	<i>lithium carbonate</i>	86
KINERET.....	164	<i>lessina</i>	92	<i>lithium citrate</i>	86
KINRIX (PF).....	170	<i>letrozole</i>	25	LIVTENCITY	68
<i>kionex (with sorbitol)</i>	153	<i>leucovorin calcium</i>	176	LOKELMA.....	153
KISQALI	24	LEUKERAN.....	25	LONSURF	25
KISQALI FEMARA CO-		<i>leuprolide</i>	25	<i>loperamide</i>	153
PACK.....	24	<i>leuprolide (3 month)</i>	25	<i>lopinavir-ritonavir</i>	66
KLISYRI (250 MG)	97	<i>levetiracetam</i>	36, 37	LOQTORZI	25
<i>klor-con m10</i>	178	<i>levobunolol</i>	177	<i>lorazepam</i>	9
<i>klor-con m15</i>	178	<i>levocetirizine</i>	51	<i>lorazepam intensol</i>	9
<i>klor-con m20</i>	178	<i>levofloxacin</i>	15	LORBRENA.....	25
KLOXXADO.....	7	<i>levofloxacin in d5w</i>	15	<i>losartan</i>	75
KOSELUGO	24	<i>levonest (28)</i>	92	<i>losartan-hydrochlorothiazide</i>	
<i>kosher prenatal plus iron</i> ..	185	<i>levonorgest-eth.estradiol-iron</i>			75
KRAZATI	24		92	LOTEMAX	151
<i>kurvelo (28)</i>	91	<i>levonorgestrel-ethinyl estrad</i>		LOTEMAX SM	151
KYLEENA	91		92	<i>loteprednol etabonate</i>	151
KYNMOBI	56	<i>levonorg-eth estrad triphasic</i>		<i>lovastatin</i>	82
L			92	<i>low-ogestrel (28)</i>	92
<i>labetalol</i>	77	<i>levora-28</i>	92	<i>loxapine succinate</i>	60
<i>lacosamide</i>	36	<i>levothyroxine</i>	161	<i>lubiprostone</i>	153
<i>lactulose</i>	153	LEXIVA.....	66	LUMAKRAS.....	25
<i>lamivudine</i>	66	LIBERVANT	37	LUMIGAN	177
<i>lamivudine-zidovudine</i>	66	<i>lidocaine</i>	7	LUNSUMIO	25
<i>lamotrigine</i>	36	<i>lidocaine hcl</i>	7	LUPRON DEPOT	26, 159
<i>lanreotide</i>	159	<i>lidocaine viscous</i>	7	LUPRON DEPOT (3	
<i>lansoprazole</i>	152	<i>lidocaine-prilocaine</i>	7	MONTH).....	25, 159
LANTUS SOLOSTAR U-100		<i>lidocan iii</i>	7	LUPRON DEPOT (4	
INSULIN	47	LILETTA	92	MONTH).....	26
LANTUS U-100 INSULIN ..	47	<i>lillow (28)</i>	92	LUPRON DEPOT (6	
<i>lapatinib</i>	24	<i>linezolid</i>	10	MONTH).....	26
<i>larin 1.5/30 (21)</i>	91	<i>linezolid in dextrose 5%</i>	10	LUPRON DEPOT-PED	159
<i>larin 1/20 (21)</i>	91	LINZESS.....	153	LUPRON DEPOT-PED (3	
<i>larin 24 fe</i>	91	<i>liothyronine</i>	161	MONTH).....	159
<i>larin fe 1.5/30 (28)</i>	92	LISCO	122	<i>lurasidone</i>	60
<i>larin fe 1/20 (28)</i>	92	<i>lisinopril</i>	76	<i>luteru (28)</i>	92
<i>larissia</i>	92	<i>lisinopril-hydrochlorothiazide</i>		LUTRATE DEPOT (3	
<i>latanoprost</i>	177		76	MONTH).....	159
LAZCLUZE	24	LITE TOUCH INSULIN PEN		LYBALVI	60
<i>leflunomide</i>	164	NEEDLES.....	122	<i>lyleq</i>	92

LYNOZYFIC	26	MAYZENT STARTER(FOR		<i>metronidazole in nacl (iso-os)</i>	
LYNPARZA.....	26	1MG MAINT).....	87		11
LYSODREN.....	26	MAYZENT STARTER(FOR		<i>metyrosine</i>	79
LYTGOBI.....	26	2MG MAINT).....	87	<i>micalfungin</i>	50
<i>lyza</i>	92	<i>meclizine</i>	54	<i>miconazole-3</i>	50
M		<i>medroxyprogesterone</i>	160	MICRODOT INSULIN PEN	
MAGELLAN INSULIN		<i>mefloquine</i>	55	NEEDLE.....	124
SAFETY SYRNG	123	<i>megestrol</i>	26, 160	MICRODOT READYGARD	
MAGELLAN SYRINGE	123	MEKINIST	26	PEN NEEDLE	124
<i>magnesium sulfate</i>	178	MEKTOVI	26	<i>microgestin 1.5/30 (21)</i>	93
<i>malathion</i>	101	<i>meleya</i>	93	<i>microgestin 1/20 (21)</i>	93
<i>maraviroc</i>	66	<i>meloxicam</i>	6	<i>microgestin 24 fe</i>	93
MARGENZA	26	<i>memantine</i>	40	<i>microgestin fe 1.5/30 (28)</i> ..	93
<i>marlissa (28)</i>	93	MENACTRA (PF).....	170	<i>microgestin fe 1/20 (28)</i>	93
<i>marnatal-f</i>	185	MENQUADFI (PF)	170	<i>midodrine</i>	74
MARPLAN.....	42	MENVEO A-C-Y-W-135-DIP		MIEBO (PF).....	148
MATULANE	26	(PF)	170	<i>mifepristone</i>	44
MAVENCLAD (10 TABLET		<i>mercaptapurine</i>	26	<i>mili</i>	93
PACK).....	86	<i>meropenem</i>	13	<i>mimvey</i>	157
MAVENCLAD (4 TABLET		<i>mesalamine</i>	174	MINI ULTRA-THIN II.....	124
PACK).....	86	<i>mesna</i>	176	<i>minitran</i>	84
MAVENCLAD (5 TABLET		<i>metformin</i>	44	<i>minocycline</i>	16
PACK).....	86	<i>methadone</i>	4	<i>minoxidil</i>	84
MAVENCLAD (6 TABLET		<i>methazolamide</i>	177	MIPLYFFA.....	146
PACK).....	87	<i>methenamine hippurate</i>	10	MIRENA.....	93
MAVENCLAD (7 TABLET		<i>methimazole</i>	161	<i>mirtazapine</i>	42
PACK).....	87	<i>methocarbamol</i>	184	<i>misoprostol</i>	152
MAVENCLAD (8 TABLET		<i>methotrexate sodium</i>	27	<i>mitoxantrone</i>	27
PACK).....	87	<i>methotrexate sodium (pf)</i> ..	26,	M-M-R II (PF)	170
MAVENCLAD (9 TABLET		27		<i>m-natal plus</i>	185
PACK).....	87	<i>methoxsalen</i>	97	<i>modafinil</i>	184
MAXICOMFORT II PEN		<i>methsuximide</i>	37	<i>moexipril</i>	76
NEEDLE.....	123	<i>methyphenidate hcl</i>	87	<i>molindone</i>	61
MAXICOMFORT INSULIN		<i>methylprednisolone</i>	158	<i>mometasone</i>	100, 151
SYRINGE.....	124	<i>methylprednisolone acetate</i>		MONOJECT INSULIN	
MAXI-COMFORT INSULIN			158	SAFETY SYRING.....	125
SYRINGE.....	124	<i>metoclopramide hcl</i>	153	MONOJECT INSULIN	
MAXI-COMFORT INSULIN		<i>metolazone</i>	81	SYRINGE.....	125, 126
SYRINGE.....	124	<i>metoprolol succinate</i>	77	MONOJECT SYRINGE	124
MAXICOMFORT SAFETY		<i>metoprolol tartrate</i>	77	MONOJECT ULTRA	
PEN NEEDLE	124	<i>metronidazole</i>	11, 51, 98	COMFORT INSULIN	140
MAYZENT.....	87			<i>mono-lynyah</i>	93

<i>montelukast</i>	180	<i>neomycin-bacitracin-poly-hc</i>	148	<i>norethindrone-e.estradiol-iron</i>	93
<i>morphine</i>	4	<i>neomycin-bacitracin-</i> <i>polymyxin</i>	149	<i>norgestimate-ethinyl estradiol</i>	94
MORPHINE	4	<i>neomycin-polymyxin b-</i> <i>dexameth</i>	149	<i>norlyda</i>	94
<i>morphine concentrate</i>	4	<i>neomycin-polymyxin-</i> <i>gramicidin</i>	149	<i>nortrel 1/35 (21)</i>	94
MOUNJARO	45	<i>neomycin-polymyxin-hc</i> ...	149	<i>nortrel 1/35 (28)</i>	94
MOVANTIK.....	153	<i>neo-polycin</i>	149	<i>nortrel 7/7/7 (28)</i>	94
<i>moxifloxacin</i>	15, 148	<i>neo-polycin hc</i>	149	<i>nortriptyline</i>	42
<i>moxifloxacin-sod.ace,sul-</i> <i>water</i>	15	NERLYNX	27	NORVIR.....	67
<i>moxifloxacin-</i> <i>sod.chloride(iso)</i>	15	<i>neuac</i>	98	NOVOFINE 30	126
MRESVIA (PF).....	170	NEULASTA ONPRO	72	NOVOFINE 32	126
MULTAQ	77	<i>nevirapine</i>	66	NOVOFINE PLUS	126
<i>mupirocin</i>	98	<i>newgen</i>	186	NOVOLIN 70/30 U-100 INSULIN.....	47
MVASI	27	NEXLETOL	82	NOVOLIN 70-30 FLEXPEN U-100.....	47
<i>mycophenolate mofetil</i>	164, 165	NEXLIZET	82	NOVOLIN N FLEXPEN	47
<i>mycophenolate mofetil (hcl)</i>	164	NEXPLANON.....	93	NOVOLIN N NPH U-100 INSULIN.....	47
<i>mycophenolate sodium</i>	165	<i>niacin</i>	82, 83	NOVOLIN R FLEXPEN	47
<i>mynatal</i>	185	<i>niacor</i>	83	NOVOLIN R REGULAR U100 INSULIN	47
<i>mynatal advance</i>	185	NICOTROL NS.....	8	NOVOTWIST	126
<i>mynatal plus</i>	186	<i>nifedipine</i>	80	NUBEQA.....	27
<i>mynatal-z</i>	186	NIKTIMVO.....	165	NUCALA	183
<i>mynate 90 plus</i>	186	<i>nilutamide</i>	27	NULOJIX.....	165
MYRBETRIQ	155	NINLARO	27	NUPLAZID.....	61
N		<i>nitazoxanide</i>	55	NURTEC ODT	52
<i>nabumetone</i>	6	<i>nitisinone</i>	147	<i>nyamyc</i>	50
<i>nafcillin</i>	14	<i>nitrofurantoin macrocrystal</i> 11		<i>nylia 1/35 (28)</i>	94
<i>naloxone</i>	7, 8	<i>nitrofurantoin monohyd/m-</i> <i>cryst</i>	11	<i>nylia 7/7/7 (28)</i>	94
<i>naltrexone</i>	8	<i>nitroglycerin</i>	84, 176	<i>nymyo</i>	94
NANO 2ND GEN PEN NEEDLE.....	126	<i>niva-plus</i>	186	<i>nystatin</i>	50
<i>naproxen</i>	6	NIVESTYM.....	72	<i>nystatin-triamcinolone</i>	50
<i>naratriptan</i>	52	NORDITROPIN FLEXPEN	159	<i>nystop</i>	50
NATACYN.....	148	<i>norelgestromin-</i> <i>ethin.estradiol</i>	93	NYVEPRIA	72
<i>nateglinide</i>	45	<i>norethindrone (contraceptive)</i>	93	O	
NATPARA.....	175	<i>norethindrone acetate</i>	160	<i>obstetrix dha</i>	186
NAYZILAM.....	37			<i>obstetrix dha prenatal duo</i>	186
<i>nebivolol</i>	77			<i>o-cal prenatal</i>	186
<i>nefazodone</i>	42			OCREVUS.....	87
<i>neomycin</i>	10				

OCREVUS ZUNOVO.....	87	ONUREG.....	27	<i>pemetrexed disodium</i>	28
<i>octreotide acetate</i>	159	OPDIVO.....	28	PEMRYDI RTU	28
ODEFSEY	67	OPDIVO QVANTIG.....	28	PEN NEEDLE	127
ODOMZO	27	OPDUALAG	28	PEN NEEDLE, DIABETIC	
OFEV	183	OPIPZA.....	61	 109, 119, 124, 127, 129	
<i>ofloxacin</i>	149	OPSUMIT	185	PEN NEEDLE, DIABETIC,	
OGIVRI.....	27	ORENCIA	165	SAFETY	130
OGSIVEO	27	ORENCIA (WITH MALTOSE)		PENBRAYA (PF).....	170
OJEMDA	27		165	PENBRAYA MENACWY	
OJJAARA.....	27	ORENCIA CLICKJECT	165	COMPONENT(PF).....	171
<i>olanzapine</i>	61	ORFADIN	147	PENBRAYA MENB	
<i>olmesartan</i>	75	ORGOVYX.....	159	COMPONENT (PF).....	171
<i>olmesartan-amlodipin-</i>		ORLISSA.....	159, 160	<i>penicillamine</i>	155
<i>hcthiazid</i>	75	ORKAMBI.....	183	<i>penicillin g potassium</i>	14
<i>olmesartan-</i>		<i>orquidea</i>	94	<i>penicillin g procaine</i>	15
<i>hydrochlorothiazide</i>	75	ORSERDU	28	<i>penicillin v potassium</i>	15
<i>olopatadine</i>	148	<i>oseltamivir</i>	68, 69	PENMENVY MEN A-B-C-W-	
<i>omega-3 acid ethyl esters</i> ..	83	OTEZLA.....	165	Y (PF).....	171
<i>omeprazole</i>	152	OTEZLA STARTER.....	165	PENMENVY MENACWY	
OMNIPOD 5 (G6/LIBRE 2		<i>oxandrolone</i>	156	COMPONENT(PF).....	171
PLUS).....	126	<i>oxcarbazepine</i>	37	PENMENVY MENB	
OMNIPOD 5 G6-G7 INTRO		<i>oxybutynin chloride</i>	155	COMPONENT (PF).....	171
KT(GEN5)	126	<i>oxycodone</i>	4, 5	PENTACEL (PF).....	171
OMNIPOD 5 G6-G7 PODS		<i>oxycodone-acetaminophen</i> .	5	<i>pentamidine</i>	55
(GEN 5)	126	OZEMPIC	45	PENTIPS PEN NEEDLE .	127,
OMNIPOD 5		P		128	
INTRO(G6/LIBRE2PLUS)		<i>pacerone</i>	77	<i>pentoxifylline</i>	73
.....	126	<i>paclitaxel protein-bound</i>	28	<i>perampanel</i>	37
OMNIPOD CLASSIC PDM		<i>paliperidone</i>	61	<i>perindopril erbumine</i>	76
KIT(GEN 3).....	126	PANRETIN	97	<i>periogard</i>	97
OMNIPOD CLASSIC PODS		<i>pantoprazole</i>	152	<i>permethrin</i>	101
(GEN 3)	126	<i>paricalcitol</i>	175	<i>perphenazine</i>	61
OMNIPOD DASH INTRO KIT		<i>paromomycin</i>	55	<i>perphenazine-amitriptyline</i> .	43
(GEN 4)	126	<i>paroxetine hcl</i>	42	PERSERIS	61
OMNIPOD DASH PDM KIT		PAXLOVID	69	<i>phenelzine</i>	43
(GEN 4)	126	<i>pazopanib</i>	28	<i>phenobarbital</i>	37
OMNIPOD DASH PODS		PEDIARIX (PF).....	170	PHENYTEK.....	37
(GEN 4)	127	PEDVAX HIB (PF)	170	<i>phenytoin</i>	37
ONAPGO	56	<i>peg 3350-electrolytes</i>	154	<i>phenytoin sodium</i>	38
<i>ondansetron</i>	54	PEGASYS	70	<i>phenytoin sodium extended</i>	
<i>ondansetron hcl</i>	54	<i>peg-electrolyte soln</i>	154		37
ONTRUZANT	27	PEMAZYRE	28	PIFELTRO	67

<i>pilocarpine hcl</i>	97, 177	PREMPHASE	157	<i>procto-med hc</i>	100
<i>pimecrolimus</i>	100	PREMPRO	157	<i>proctosol hc</i>	100
<i>pimozide</i>	61	<i>prena1 true</i>	186	<i>proctozone-hc</i>	100
<i>pimtrea (28)</i>	94	<i>prenaissance</i>	186	PRODIGY INSULIN	
<i>pioglitazone</i>	45	<i>prenaissance plus</i>	186	SYRINGE	129
<i>pioglitazone-metformin</i>	45	<i>prenatabs fa</i>	186	<i>progesterone micronized</i> ..	160
PIP PEN NEEDLE	128	<i>prenatal 19</i>	187	PROGRAF	165
<i>piperacillin-tazobactam</i>	15	<i>prenatal 19 (with docusate)</i>		PROLIA	175
PIQRAY	28		187	<i>promethazine</i>	54
<i>pirfenidone</i>	183	<i>prenatal low iron</i>	187	<i>promethegan</i>	54
<i>pirmella</i>	94	<i>prenatal plus</i>	187	<i>propafenone</i>	77
<i>pitavastatin calcium</i>	83	<i>prenatal plus (calcium carb)</i>		<i>propranolol</i>	77, 78
PLEGRIDY	87		186	<i>propylthiouracil</i>	161
<i>pnv 29-1</i>	186	<i>prenatal vitamin plus low iron</i>		PROQUAD (PF)	171
<i>pnv-dha + docusate</i>	186		187	<i>protriptyline</i>	43
<i>pnv-omega</i>	186	<i>prenatal-u</i>	187	PULMOZYME	147
<i>podofilox</i>	97	<i>preplus</i>	187	PURE COMFORT	
<i>polycin</i>	149	<i>pretab</i>	187	ALCOHOL PADS	129
<i>polymyxin b sulf-trimethoprim</i>		<i>prevalite</i>	83	PURE COMFORT PEN	
.....	149	PREVENT DROPSAFE PEN		NEEDLE	129
POMALYST	28	NEEDLE	128	PURE COMFORT SAFETY	
<i>portia 28</i>	94	<i>previfem</i>	94	PEN NEEDLE	129
<i>posaconazole</i>	51	PREVYMIS	69	<i>pyrazinamide</i>	53
<i>potassium chloride</i>	178, 179	PREZCOBIX	67	<i>pyridostigmine bromide</i>	176
<i>potassium citrate</i>	179	PREZISTA	67	<i>pyrimethamine</i>	55
<i>pr natal 400</i>	186	PRIFTIN	53	Q	
<i>pr natal 400 ec</i>	186	PRIMAQUINE	55	QINLOCK	28
<i>pr natal 430</i>	186	<i>primidone</i>	38	QUADRACEL (PF)	171, 172
<i>pr natal 430 ec</i>	186	PRIORIX (PF)	171	<i>quetiapine</i>	61
<i>pramipexole</i>	56	PRO COMFORT ALCOHOL		<i>quinapril</i>	76
<i>prasugrel hcl</i>	73	PADS	128	<i>quinapril-hydrochlorothiazide</i>	
<i>pravastatin</i>	83	PRO COMFORT INSULIN			76
<i>praziquantel</i>	55	SYRINGE	128	<i>quinidine sulfate</i>	77
<i>prazosin</i>	74	PRO COMFORT PEN		<i>quinine sulfate</i>	55
<i>prednisolone</i>	158	NEEDLE	128	QULIPTA	52
<i>prednisolone acetate</i>	151	<i>probenecid</i>	51	R	
<i>prednisolone sodium</i>		<i>probenecid-colchicine</i>	51	RABAVERT (PF)	172
<i>phosphate</i>	158	PROCALAMINE 3%	74	<i>rabeprazole</i>	152
<i>prednisone</i>	158	<i>prochlorperazine</i>	54	RALDESY	43
<i>pregabalin</i>	38	<i>prochlorperazine edisylate</i> 54,		<i>raloxifene</i>	157
PREHEVBRIO (PF)	171	61		<i>ramipril</i>	76
PREMARIN	157	<i>prochlorperazine maleate</i> ..	54	<i>ranolazine</i>	79

<i>rasagiline</i>	56	ROTARIX	172	<i>sevelamer hcl</i>	154
RASUVO (PF).....	165	ROTATEQ VACCINE	172	SEZABY	38
RAYALDEE	175	ROZLYTREK	29	<i>sf 5000 plus</i>	97
<i>reclipsen (28)</i>	94	RUBRACA.....	29	<i>sharobel</i>	94
RECOMBIVAX HB (PF)....	172	<i>rufinamide</i>	38	SHINGRIX (PF)	172
RELENZA DISKHALER.....	69	RUKOBIA.....	67	SIGNIFOR	160
<i>repaglinide</i>	45	RUXIENCE.....	29	<i>sildenafil (pulm.hypertension)</i>	185
REPATHA PUSHTRONEX	83	RYBELSUS.....	45	<i>silver sulfadiazine</i>	98
REPATHA SURECLICK.....	83	RYBREVANT.....	29	SIMBRINZA.....	177
REPATHA SYRINGE.....	83	RYDAPT	29	<i>simliya (28)</i>	95
RETACRIT	72	RYKINDO	62	<i>simvastatin</i>	83
RETEVMO	28, 29	RYTELO	29	<i>sirolimus</i>	166
RETROVIR	67	S		SIRTURO.....	53
REVUFORJ	29	SAFESNAP INSULIN		SKY SAFETY PEN NEEDLE	130
REXULTI	62	SYRINGE	130	SKYLA.....	95
REYATAZ	67	SAFETY PEN NEEDLE ...	130	SKYRIZI	166
REZLIDHIA	29	SANTYL.....	98	<i>sodium chloride 0.45 %</i>	179
REZUROCK	165	<i>sapropterin</i>	147	<i>sodium chloride 0.9 %</i>	179
RHOPRESSA.....	177	SAVELLA	88	<i>sodium fluoride-pot nitrate</i> .	97
RIABNI.....	29	SCEMBLIX.....	30	<i>sodium oxybate</i>	184
<i>ribavirin</i>	70	<i>scopolamine base</i>	54	<i>sodium polystyrene sulfonate</i>	153
<i>rifabutin</i>	53	SECUADO	62	<i>sodium,potassium,mag</i> <i>sulfates</i>	154
<i>rifampin</i>	53	SECURESAFE INSULIN		<i>solifenacin</i>	155
<i>rilpivirine</i>	67	SYRINGE	130	SOLQUA 100/33	48
<i>riluzole</i>	87	SECURESAFE PEN		SOLTAMOX	30
RINVOQ	166	NEEDLE	130	SOMATULINE DEPOT	160
RINVOQ LQ.....	165	SELARSDI	166	SOMAVERT	160
<i>risperidone</i>	62	<i>select-ob</i>	187	<i>sorafenib</i>	30
<i>risperidone microspheres</i> ...	62	<i>select-ob (folic acid)</i>	187	<i>sorine</i>	78
<i>ritonavir</i>	67	<i>selegiline hcl</i>	57	<i>sotalol</i>	78
RITUXAN HYCELA	29	<i>selenium sulfide</i>	98	<i>sotalol af</i>	78
<i>rivaroxaban</i>	71	SELZENTRY.....	67	SPIRIVA RESPIMAT	181
<i>rivastigmine</i>	40	SEMGLEE(INSULIN		<i>spironolactone</i>	81
<i>rivastigmine tartrate</i>	40	GLARGINE-YFGN).....	48	<i>spironolacton-</i> <i>hydrochlorothiaz</i>	81
<i>rizatriptan</i>	52	SEMGLEE(INSULIN		SPRAVATO	43
<i>r-natal ob</i>	187	GLARG-YFGN)PEN	48	<i>sprintec (28)</i>	95
ROCKLATAN	177	<i>se-natal 19 chewable</i>	187	SPRITAM.....	38
<i>roflumilast</i>	183	SEREVENT DISKUS.....	181		
ROMVIMZA	29	SEROSTIM	160		
<i>ropinirole</i>	56	<i>sertraline</i>	43		
<i>rosadan</i>	98	<i>setlakin</i>	94		
<i>rosuvastatin</i>	83	<i>sevelamer carbonate</i>	154		

<i>sps (with sorbitol)</i>	153	SURE-PREP ALCOHOL PREP PADS	132	<i>telmisartan</i>	75
<i>sronyx</i>	95	SUTAB.....	154	<i>telmisartan-</i> <i>hydrochlorothiazid</i>	75
<i>ssd</i>	98	SYMPAZAN	38	<i>temazepam</i>	9
<i>stavudine</i>	67	SYMTUZA	68	TEMIXYS	68
STELARA.....	166	SYNJARDY	45	TENIVAC (PF)	172
STERILE PADS	131	SYNJARDY XR	45	<i>tenofovir disoproxil fumarate</i>	68
STIOLTO RESPIMAT	181	SYNRIBO	30	TEPMETKO.....	31
STIVARGA.....	30	SYRINGE WITH NEEDLE, SAFETY	130	<i>terazosin</i>	155
STOBOCLO.....	175	T		<i>terbinafine hcl</i>	51
STRENSIQ	147	TABLOID	30	<i>terconazole</i>	51
<i>streptomycin</i>	10	TABRECTA.....	30	<i>teriparatide</i>	175
STRIBILD.....	67	<i>tacrolimus</i>	100, 166	TERUMO INSULIN SYRINGE.....	134
STRIVERDI RESPIMAT ...	182	<i>tadalafil</i>	185	<i>testosterone</i>	156
<i>subvenite</i>	38	TAFINLAR.....	30	<i>testosterone cypionate</i>	156
<i>sucalfate</i>	152	<i>tafluprost (pf)</i>	177	<i>testosterone enanthate</i>	156
<i>sulfacetamide sodium</i>	149	TAGRISSE.....	30	TETANUS,DIPHThERIA TOX PED(PF)	172
<i>sulfacetamide-prednisolone</i>	149	TALVEY	30	<i>tetrabenazine</i>	88
<i>sulfadiazine</i>	15	TALZENNA	30	<i>tetracycline</i>	16
<i>sulfamethoxazole-</i> <i>trimethoprim</i>	15	<i>tamoxifen</i>	30	TEVIMBRA.....	31
<i>sulfasalazine</i>	174	<i>tamsulosin</i>	155	THALOMID.....	176
<i>sulindac</i>	6	<i>tarina 24 fe</i>	95	<i>theophylline</i>	182
<i>sumatriptan</i>	52	<i>tarina fe 1-20 eq (28)</i>	95	THINPRO INSULIN SYRINGE.....	134
<i>sumatriptan succinate</i>	53	<i>taron-c dha</i>	187	<i>thioridazine</i>	62
<i>sunitinib malate</i>	30	<i>taron-prex prenatal-dha</i> ...	187	<i>thiothixene</i>	62
SUNLENCA	67, 68	TASIGNA.....	30	<i>tiadylt er</i>	78
SURE COMFORT ALCOHOL PREP PADS	131	TAVNEOS	166	<i>tiagabine</i>	38
SURE COMFORT INS. SYR. U-100.....	131	<i>tazarotene</i>	101	TIBSOVO.....	31
SURE COMFORT INSULIN SYRINGE.....	131	<i>tazicef</i>	12	<i>ticagrelor</i>	73
SURE COMFORT PEN NEEDLE.....	131, 132	<i>taztia xt</i>	78	TICE BCG.....	31
SURE COMFORT SAFETY PEN NEEDLE	131	TAZVERIK.....	30	TICOVAC.....	173
SURE-FINE PEN NEEDLES	132	TDVAX.....	172	<i>tigecycline</i>	16
SURE-JECT INSULIN SYRINGE.....	132	TECHLITE INSULIN SYRINGE	133	<i>tilia fe</i>	95
		TECHLITE INSULN SYR(HALF UNIT)..	132, 133	<i>timolol</i>	178
		TECHLITE PEN NEEDLE	133	<i>timolol maleate</i>	78, 177
		TECHLITE PLUS PEN NEEDLE	133	<i>tinidazole</i>	55
		TECVAYLI.....	31	<i>tiotropium bromide</i>	182
		TEFLARO.....	12	TIVDAK.....	31

TIVICAY	68	TRESIBA FLEXTOUCH U-100.....	48	TRUE COMFORT ALCOHOL PADS.....	135
TIVICAY PD.....	68	TRESIBA FLEXTOUCH U-200.....	48	TRUE COMFORT INSULIN SYRINGE.....	135
<i>tizanidine</i>	184	TRESIBA U-100 INSULIN .	48	TRUE COMFORT PEN NEEDLE.....	135, 136
TOBI PODHALER	10	<i>tretinoin</i>	101	TRUE COMFORT PRO ALCOHOL PADS	136
<i>tobramycin</i>	150	<i>tretinoin (antineoplastic)</i>	31	TRUE COMFORT PRO INS SYRINGE.....	135, 136
<i>tobramycin in 0.225 % nacl</i>	10	<i>tri femynor</i>	95	TRUE COMFORT SAFE INSULIN SYRG	135, 136
<i>tobramycin sulfate</i>	10	<i>triamcinolone acetonide</i>	97, 100, 101, 158	TRUE COMFORT SAFETY PEN NEEDLE	135
<i>tobramycin-dexamethasone</i>	150	<i>triamterene-hydrochlorothiazid</i>	81	TRUEPLUS INSULIN	137
<i>tolterodine</i>	155	<i>triazolam</i>	9	TRUEPLUS PEN NEEDLE	136, 137
<i>tolvaptan (polycys kidney dis)</i>	81	<i>trientine</i>	155	TRULICITY	46
TOPCARE CLICKFINE	134	<i>tri-estarylla</i>	95	TRUMENBA	173
TOPCARE ULTRA COMFORT.....	135	<i>trifluoperazine</i>	62	TRUQAP	31
<i>topiramate</i>	38	<i>trifluridine</i>	150	TRUXIMA.....	31
<i>toposar</i>	31	<i>trihexyphenidyl</i>	57	TUKYSA.....	31
<i>toremifene</i>	31	TRIJARDY XR.....	45, 46	TURALIO	31
<i>torpenz</i>	31	<i>tri-legest fe</i>	95	<i>turqoz (28)</i>	96
<i>torsemide</i>	81	<i>tri-linyah</i>	95	TWINRIX (PF).....	173
TOUJEO MAX U-300 SOLOSTAR	48	<i>tri-lo-estarylla</i>	95	TYBOST.....	176
TOUJEO SOLOSTAR U-300 INSULIN	48	<i>tri-lo-marzia</i>	95	TYENNE	167
TRADJENTA	45	<i>tri-lo-mili</i>	95	TYENNE AUTOINJECTOR	167
<i>tramadol</i>	5	<i>tri-lo-sprintec</i>	95	TYMLOS	175
<i>tramadol-acetaminophen</i>	5	<i>trimethoprim</i>	11	TYPHIM VI.....	173
<i>trandolapril</i>	76	<i>tri-mili</i>	95	U	
<i>trandolapril-verapamil</i>	76	<i>trimipramine</i>	43	UBRELVY	53
<i>tranexamic acid</i>	73	TRINTELLIX.....	43	ULTICARE.....	138, 139
<i>tranylcypromine</i>	43	<i>tri-nymyo</i>	95	ULTICARE INSULIN SYRINGE.....	138
<i>travoprost</i>	178	<i>tri-previfem (28)</i>	95	ULTICARE INSULN SYR(HALF UNIT).....	137
TRAZIMERA.....	31	<i>tri-sprintec (28)</i>	95	ULTICARE PEN NEEDLE	138
<i>trazodone</i>	43	TRIUMEQ.....	68	ULTICARE SAFETY PEN NEEDLE.....	138
TRECATOR.....	53	TRIUMEQ PD	68		
TRELEGY ELLIPTA	182	<i>triveen-duo dha</i>	187		
TRELSTAR.....	31	<i>trivora (28)</i>	96		
TREMFYA.....	166, 167	<i>tri-vylibra</i>	96		
TREMFYA PEN	167	<i>tri-vylibra lo</i>	96		
TREMFYA PEN INDUCTION PK-CROHN.....	167	TRIZIVIR.....	68		
		TROGARZO.....	68		
		<i>trospium</i>	155		

ULTIGUARD SAFEPAK- INSULIN SYR.....139, 140	UNIFINE PENTIPS.. 127, 143, 144	VENCLEXTA STARTING PACK..... 32
ULTIGUARD SAFEPAK- PEN NEEDLE139	UNIFINE PENTIPS MAXFLOW 144	<i>venlafaxine</i> 43
ULTILET ALCOHOL SWAB140	UNIFINE PENTIPS PLUS 144	VEOZAH 176
ULTILET INSULIN SYRINGE121, 140	UNIFINE PENTIPS PLUS MAXFLOW 144	<i>verapamil</i> 79
ULTILET PEN NEEDLE ...140	UNIFINE PROTECT 144	VERIFINE INSULIN SYRINGE..... 145, 146
ULTRA CMFT INS SYR (HALF UNIT).....118, 131	UNIFINE SAFECONTROL PEN NEEDLE..... 144, 145	VERIFINE PEN NEEDLE. 145
ULTRA COMFORT INSULIN SYRINGE.....113, 119, 140	UNIFINE ULTRA PEN NEEDLE 145	VERIFINE PLUS PEN NEEDLE..... 146
ULTRA FLO INSUL SYR(HALF UNIT) ..140, 141	UPTRAVI..... 185	VERIFINE PLUS PEN NEEDLE-SHARP 146
ULTRA FLO INSULIN SYRINGE.....141	<i>ursodiol</i> 153	VERQUVO..... 79
ULTRA FLO PEN NEEDLE141	UZEDY..... 62, 63	VERSACLOZ 63
ULTRA THIN PEN NEEDLE141	V	VERSALON..... 146
ULTRACARE INSULIN SYRINGE.....141, 142	<i>valacyclovir</i> 70	VERZENIO 32
ULTRACARE PEN NEEDLE142	VALCHLOR..... 98	V-GO 20..... 146
ULTRA-FINE INS SYR (HALF UNIT).....142	<i>valganciclovir</i> 70	V-GO 30..... 146
ULTRA-FINE INSULIN SYRINGE.....142, 143	<i>valproate sodium</i> 38	V-GO 40..... 146
ULTRA-FINE PEN NEEDLE142	<i>valproic acid</i> 39	<i>vienna</i> 96
ULTRA-THIN II (SHORT) INS SYR.....143	<i>valproic acid (as sodium salt)</i> 39	<i>vigabatrin</i> 39
ULTRA-THIN II (SHORT) PEN NDL.....143	<i>valsartan</i> 75	<i>vigadrone</i> 39
ULTRA-THIN II INS PEN NEEDLES143	<i>valsartan-hydrochlorothiazide</i> 75	<i>vigoder</i> 39
ULTRA-THIN II INSULIN SYRINGE.....143	VALTOCO 39	<i>vilazodone</i> 43
UNIFINE OTC PEN NEEDLE143	<i>valtya</i> 96	VIMKUNYA..... 173
UNIFINE PEN NEEDLE ...143	<i>vancomycin</i> 11	<i>vinorelbine</i> 32
	VANFLYTA..... 32	<i>violele (28)</i> 96
	VANISHPOINT INSULIN SYRINGE 145	VIRACEPT..... 68
	VANISHPOINT SYRINGE 145	VIREAD..... 68
	VAQTA (PF)..... 173	<i>virt-c dha</i> 187
	<i>varenicline tartrate</i> 8	<i>virt-nate dha</i> 187
	VARIVAX (PF)..... 173	<i>virt-pn dha</i> 187
	VAXCHORA VACCINE 173	<i>virt-pn plus</i> 187
	VEGZELMA 32	<i>vitafol gummies</i> 187
	VELTASSA..... 153	<i>vitafol nano</i> 187
	VEMLIDY..... 68	<i>vitafol-ob+dha</i> 188
	VENCLEXTA 32	VITRAKVI 32
		VIVIMUSTA..... 32
		VIVOTIF 173
		VIZIMPRO 32
		VOCABRIA..... 68
		<i>volnea (28)</i> 96

VONJO	32	XDEMVY	150	<i>zatean-pn plus</i>	188
VORANIGO	32	XELJANZ	167	ZEGALOGUE	
<i>voriconazole</i>	51	XELJANZ XR	167	AUTOINJECTOR	176
VOSEVI	69	XERMELO	153	ZEGALOGUE SYRINGE ..	176
VOWST	176	XGEVA	175	ZEJULA	33
<i>vp-ch-pnv</i>	188	XIFAXAN	11	ZELBORAF	34
<i>vp-pnv-dha</i>	188	XIGDUO XR	46	<i>zenatane</i>	98
VRAYLAR	63	XIIDRA	151	ZENPEP	147
VUMERITY	88	XOLAIR	183	<i>zidovudine</i>	68
VYALEV	57	XOSPATA	33	ZIIHERA	34
<i>vylibra</i>	96	XPOVIO	33	<i>zingiber</i>	188
VYLOY	32	XTANDI	33	<i>ziprasidone hcl</i>	63
VYZULTA	178	<i>xulane</i>	96	<i>ziprasidone mesylate</i>	63
W		XULTOPHY 100/3.6	48	ZIRABEV	34
<i>warfarin</i>	71	XYOSTED	156	ZIRGAN	150
WEBCOL	146	Y		ZOLADEX	34
WELIREG	32	YERVOY	33	ZOLINZA	34
WINREVAIR	183	YESINTEK	167	<i>zolpidem</i>	184
<i>wixela inhub</i>	180	YF-VAX (PF)	173	ZONISADE	39
X		YONSA	33	<i>zonisamide</i>	39
XALKORI	32, 33	YUFLYMA(CF)	168	<i>zovia 1/35e (28)</i>	96
<i>xarah fe</i>	96	YUFLYMA(CF) AI CROHN'S-		<i>zovia 1-35 (28)</i>	96
XARELTO	71	UC-HS	167	ZTALMY	39
XARELTO DVT-PE TREAT		YUFLYMA(CF)		ZTLIDO	7
30D START	71	AUTOINJECTOR	168	ZURZUVAE	43
XATMEP	33	<i>yuvaferm</i>	157	ZYDELIG	34
XCOPRI	39	Z		ZYKADIA	34
XCOPRI MAINTENANCE		<i>zafemy</i>	96	ZYLET	150
PACK	39	<i>zafirlukast</i>	180	ZYNLONTA	34
XCOPRI TITRATION PACK		<i>zaleplon</i>	184	ZYNYZ	34
.....	39	<i>zatean-pn dha</i>	188	ZYPREXA RELPREVV 63, 64	

HPMS已核准《處方一覽表》，檔案提交ID：25209，第18版

本《處方一覽表》更新於2025年9月1日。

如需獲得更多最新資訊，或者如果您有其他問題，敬請致電以下電話，聯絡Centers Plan for Medicare Advantage Care (HMO)會員服務部：1-888-807-5717（聽力障礙電傳使用者請致電：711），工作時間為每週7天，每天24小時，或者請瀏覽：www.centersplan.com/mapd。

Centers Plan for Medicare Advantage Care (HMO)是一項與Medicare簽有合約的HMO計劃。是否能夠註冊參加Centers Plan for Medicare Advantage Care取決於合約的續約。

本資訊也可透過其他語言免費提供。請致電Centers Plan for Medicare Advantage Care會員服務部：1-877-940-9330（聽力障礙電傳使用者請致電：711），工作時間為每週7天，早8點至晚8點。

This information is available for free in other languages. Please call Centers Plan for Medicare Advantage Care Member Services at 1-877-940-9330 (TTY users please call 711), seven days a week, 8 am to 8 pm.



如需獲得更多資訊或加入我們

請致電：1-877-940-9330（免費）

聽力障礙電傳使用者請致電711

工作時間為每週7天，早8點至晚8點

MemberServices@centersplan.com

www.centersplan.com/mapd